

# NIKKOR LENSES 1

## FOR LARGE FORMAT CAMERAS

### NIKON, INC.

Subsidiary of  
**EHRENREICH PHOTO-OPTICAL INDUSTRIES, INC.**  
 623 Stewart Ave., Garden City, New York 11530  
 (516) 222-0200

#### REGIONAL OFFICES

501 Folsom St., San Francisco, Cal. 94105—Tel. (415) 362-7484  
 7550 No. Oak Park Ave., Niles, Ill. 60648—Tel. (312) 647-8100

### AUTHORIZED DEALER PRICE LIST & INVENTORY CONTROL & ORDER FORM

This price list is for the use of Authorized Dealers only of the listed products. Possession or receipt of this price list by persons other than Authorized Dealers shall not be deemed an offer to sell to such persons.

**AUGUST 1, 1977**

Prices and specifications subject to change without notice.

Payment Terms: 2/10 EOM. Minimum order \$20.  
 Order can be made up of any EPOI merchandise.

## NIKKOR LENSES FOR LARGE FORMAT CAMERAS

ON HAND	ORDER	PROD. No.	DESCRIPTION	SUGGESTED RETAIL PRICE	DEALER COST	
					1-2 (each)	3 or more (each)
<b>NIKKOR-W SERIES (70°)</b>						
—	—	1311	135mm f5.6 Nikkor-W w/Copal No. 0 shutter	307.00	205.00	195.00
—	—	1313	150mm f5.6 Nikkor-W w/Copal No. 0 shutter	338.00	220.00	209.00
—	—	1315	180mm f5.6 Nikkor-W w/Copal No. 1 shutter	425.00	284.00	270.00
—	—	1317	210mm f5.6 Nikkor-W w/Copal No. 1 shutter	485.00	324.00	308.00

ON HAND	ORDER	PROD. No.	DESCRIPTION	SUGGESTED RETAIL PRICE	DEALER COST	
					1-2 (each)	3 or more (each)
<b>LENS CAPS</b>						
—	—	1330	42mm Slip-on cap, Repl. (Rear cap for 135/5.6 or 150/5.6)	2.50	1.67	
—	—	1331	54mm Slip-on cap, Repl. (Front cap for 135/5.6 or 150/5.6; Rear cap for 180/5.6)	2.50	1.67	
—	—	1332	60mm Slip-on cap, Repl. (Rear cap for 210/5.6)	2.95	1.97	
—	—	1333	70mm Slip-on Cap, Repl. (Front cap for 180/5.6)	3.25	2.17	
—	—	1334	80mm Slip-on cap, Repl. (Front cap for 210/5.6)	3.50	2.33	

#### Specifications

Focal length	135mm
Max. aperture ratio	1 : 5.6
Min. f/stop	f/64
Lens construction	6 elements in 4 groups
Covering power (full aperture) (f/22)	60° 73°
Image circle (full aperture) (f/22)	156mmφ 200mmφ
Usable format (full aperture) (f/22)	4" x 5" 4-3/4" x 6-1/2"
Shutter	No. 0 (Copal; designed exclusively for Nikon)
Shutter speed	T, B, 1-1/500
Sync socket	X contact
Weight	200g

#### Specifications

Focal length	150mm
Max. aperture ratio	1 : 5.6
Min. f/stop	f/64
Lens construction	6 elements in 4 groups
Covering power (full aperture) (f/22)	60° 70°
Image circle (full aperture) (f/22)	174mmφ 210mmφ
Usable format (full aperture) (f/22)	4" x 5" 5" x 7"
Shutter	No. 0 (Copal; designed exclusively for Nikon)
Shutter speed	T, B, 1-1/500
Sync socket	X contact
Weight	230g

#### Specifications

Focal length	180mm
Max. aperture ratio	1 : 5.6
Min. f/stop	f/64
Lens construction	6 elements in 4 groups
Covering power (full aperture) (f/22)	60° 70°
Image circle (full aperture) (f/22)	208mmφ 253mmφ
Usable format (full aperture) (f/22)	5" x 7" 5" x 7"
Shutter	No. 1 (Copal; designed exclusively for Nikon)
Shutter speed	T, B, 1-1/400
Sync socket	X contact
Weight	380g

#### Specifications

Focal length	210mm
Max. aperture ratio	1 : 5.6
Min. f/stop	f/64
Lens construction	6 elements in 4 groups
Covering power (full aperture) (f/22)	60° 70°
Image circle (full aperture) (f/22)	243mmφ 295mmφ
Usable format (full aperture) (f/22)	5" x 7" 5" x 7"
Shutter	No. 1 (Copal; designed exclusively for Nikon)
Shutter speed	T, B, 1-1/400
Sync socket	X contact
Weight	475g



THE UNITED STATES OF AMERICA  
DEPARTMENT OF JUSTICE  
FEDERAL BUREAU OF INVESTIGATION

MEMORANDUM FOR THE DIRECTOR, FBI

RE: [Illegible]

CONFIDENTIAL - SECURITY INFORMATION

[The main body of the document contains several paragraphs of text that are almost entirely illegible due to extreme fading and blurring. The text appears to be a memorandum or report, but the specific details cannot be discerned.]



# NIKKOR LENSES 1

## FOR LARGE FORMAT CAMERAS

### *Suggested Retail Price List & Inventory Control & Order Form*

AUGUST 1, 1977

This price list supersedes all previous price lists.

Prices and specifications subject to change without notice.

## NIKON, INC.

*Subsidiary of*

EHRENREICH PHOTO-OPTICAL INDUSTRIES, INC.

623 Stewart Ave., Garden City, New York 11530

(516) 222-0200

#### REGIONAL OFFICES

501 Folsom St., San Francisco, Cal. 94105—Tel. (415) 362-7484

7550 No. Oak Park Ave., Niles, Ill. 60648—Tel. (312) 647-8100

# NIKKOR LENSES FOR LARGE FORMAT CAMERAS

ON HAND	ORDER	PROD. No.	DESCRIPTION	SUGGESTED RETAIL PRICE
<b>NIKKOR-W SERIES (70°)</b>				
—	—	1311	135mm f5.6 Nikkor-W w/Copal No. 0 shutter	307.00
—	—	1313	150mm f5.6 Nikkor-W w/Copal No. 0 shutter	338.00
—	—	1315	180mm f5.6 Nikkor-W w/Copal No. 1 shutter	425.00
—	—	1317	210mm f5.6 Nikkor-W w/Copal No. 1 shutter	485.00

ON HAND	ORDER	PROD. No.	DESCRIPTION	SUGGESTED RETAIL PRICE
<b>LENS CAPS</b>				
—	—	1330	42mm Slip-on cap, Repl. (Rear cap for 135/5.6 or 150/5.6)	2.50
—	—	1331	54mm Slip-on cap, Repl. (Front cap for 135/5.6 or 150/5.6; Rear cap for 180/5.6)	2.50
—	—	1332	60mm Slip-on cap, Repl. (Rear cap for 210/5.6)	2.95
—	—	1333	70mm Slip-on Cap, Repl. (Front cap for 180/5.6)	3.25
—	—	1334	80mm Slip-on cap, Repl. (Front cap for 210/5.6)	3.50

#### Specifications

Focal length	135mm
Max. aperture ratio	1 : 5.6
Min. f/stop	f/64
Lens construction	6 elements in 4 groups
Covering power (full aperture) (f/22)	60° 73°
Image circle (full aperture) (f/22)	156mmφ 200mmφ
Usable format (full aperture) (f/22)	4" x 5" 4-3/4" x 6-1/2"
Shutter	No. 0 (Copal; designed exclusively for Nikon)
Shutter speed	T, B, 1-1/500
Sync socket	X contact
Weight	200g

#### Specifications

Focal length	180mm
Max. aperture ratio	1 : 5.6
Min. f/stop	f/64
Lens construction	6 elements in 4 groups
Covering power (full aperture) (f/22)	60° 70°
Image circle (full aperture) (f/22)	208mmφ 253mmφ
Usable format (full aperture) (f/22)	5" x 7" 5" x 7"
Shutter	No. 1 (Copal; designed exclusively for Nikon)
Shutter speed	T, B, 1-1/400
Sync socket	X contact
Weight	380g

#### Specifications

Focal length	150mm
Max. aperture ratio	1 : 5.6
Min. f/stop	f/64
Lens construction	6 elements in 4 groups
Covering power (full aperture) (f/22)	60° 70°
Image circle (full aperture) (f/22)	174mmφ 210mmφ
Usable format (full aperture) (f/22)	4" x 5" 5" x 7"
Shutter	No. 0 (Copal; designed exclusively for Nikon)
Shutter speed	T, B, 1-1/500
Sync socket	X contact
Weight	230g

#### Specifications

Focal length	210mm
Max. aperture ratio	1 : 5.6
Min. f/stop	f/64
Lens construction	6 elements in 4 groups
Covering power (full aperture) (f/22)	60° 70°
Image circle (full aperture) (f/22)	243mmφ 295mmφ
Usable format (full aperture) (f/22)	5" x 7" 5" x 7"
Shutter	No. 1 (Copal; designed exclusively for Nikon)
Shutter speed	T, B, 1-1/400
Sync socket	X contact
Weight	475g

