**PRICE \$1.50** MAY 20, 1977 PHONE (212) 260-4410 photo FOR TOLL FREE PHONE ORDERS ONLY

IE STOP SHOP FOR . . .QUALITY AND HUGE SAVINGS

CALL (800) 223-5661 OR (800) 221-5858 EXCEPT ALASKA, HAWAII OR N.Y.

RETAIL STORE 67 West 47th Street New York N.Y. 10036 Tel. (212) 260-4410



New York N.Y. 10003 Tel. (212) 260-4410



RETAIL STORE 67 West 47th STREET N.Y. 10036 (212) 260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212) 260-4410

FOR PHONE ORDERS ONLY CALL TOLL FREE 800-223 5661 or 800-221-5858

W/P W/OF	RESIDENCE FOR SELECTION OF SELECTION		FUJI PRINT FILMS W/P
KODACHROME 25 FILM (DAYLIGHT)	KODAK PLUS X PAN PROF. FILM	KODAK MAILERS PK20	Fujicolor II 20 exp. 6.16
KM-135-20 3.80 1.85	PXP120 .90 PXP220 1.80	SLIDES PK-26 2.05 PK-36 3.29	Fujicolor II 36 exp. 9.59
KM-135-36 2.70		PK-20 2.05 PK-36 3.29 PK-27 2.97 PK-59 2.30	Fujicolor N-100 126-20 exp. 5.80 Fujicolor N-100 126-12 exp. 4.00
KODACHROME 64 FILM (DAYLIGHT)	RX120 Kadas 1 1.19	ESPI 1.25	FUJI MAILERS FOR PRINT
KR-110-126-135-20 3.80 1.85	KODAK 2475 RECORDING FILM	PRINTS * 2R/Proc. 3R/Proc.	Fuji 20 exp. mailer ANCOLOR 4.75
KR-135-36 5.35 2.70	(Estar AH Base)	DP-12 PAR ENTECHNOON TO 3.75 DP-20 4.85 5.49	Fuji 12 exp. mailer 3.20
KODACHROME II PROF. FILM (TYPE A)	RE135-36 2.30	DP-36 8.19 9.89	Fuji 36 exp. mailer 7.70
KPA-135-36 6.45 3.10	KODAK TRI X PAN FILM	TX OR PX SUPER 8 3.25	FUJICHROME SINGLE 8 MOVIE FILMS
KODAK HIGH SPEED EKTACHROME	TX-120 .85 TX126-12 .85 TX-127 .85 TX-620 .85		Fujichrome ASA 25 or ASA 200 W/P 4.99
EH-126, 135-20 4.50 2.40 EH-135-36 6.65 3.40	TX-127 .85 TX-620 .85 TX135-20 .99 TX135-36 1.35	NEW AGFAPRINT FILM W/P	RT-200 W.P 5.49 FUJI FILM W/BERKEY PROC.
EHB-135-20 4.50 2.40	KODAK TRI X PAN PROF. FILM	Agfa Print 135, 110, 126-20 exp. 4.28	Fuji R-100 20 exp. w/Berkey proc. 2.69
EHB-135-36 6.65 3.40 KODAK EKTACHROME X FILM	TXP 120 .90	Agfa Print 135, 110, 126-12 exp. 3.25	Fuji R-100 36 exp. w/Berkey proc. 3.75
EV 440 400 405 00	TXP 220 1.80	NEW AGFA SLIDE FILM W/P	Fuji II 20 exp. w/Berkey proc. 4.40 Fuji II 36 exp. w/Berkey proc. 7.90
EX-110, 126, 135-20 4.05 1.99 EX- 127 3.65 1.55	KODAK VERICHROME PAN FILM	Agfachrome ASA 64 135-20 exp. 3.25	ILFORD BLACK & WHITE FILM
EX-135-36 6.09 2,90	VP110, 126-12 .75 das VP120, 127, 620 .75	Agfachrome ASA 64 135-36 exp. 4.89	HP-5 ASA 400, FP4 ASA 125, Pan F ASA 40
EKTACHROME INFRARED FILM	The second second	Agfachrome ASA 64 126-20 exp. 3.60	35mm 20 exp79
IE-135-20 5.35 3.30 EKTACHROME 50 PROF. FILM TUNGSTEN	FILM LISTED BELOW DO NOT INCLUDE	Agfacolor CNS Rapid W/P 5.20	35mm 36 exp. 1.19 35mm 50 feet 4.99
NEW KODAK E6 EKTACHROME SLIDE FILMS	KODAK PROC. THEY ARE PROCESSED BY BERKEY'	FI AGUI GUICE	35mm 100 feet 8.50
EPY-120 4.69 1.75	Kodachrome 25-20 exp. 2.95	FLASH CUBES	120mm 12 exp79
EPY-135-36 6.59 3.40 EKTACHROME 64 PROF'. FILM DAYLIGHT	Kodachrome 64-20 exp. 2.95 Kodachrome 25-36 exp. 4.60	Flipflash 1.49 Flashbar 1.95 Magicubes 1.70 AG1-AG1B 1.68	POLAROID POLAROID SX.70 LAND FILM
	Kodachrome 64-36 exp. 4.60	Flashcubes 1.19 M2-M2B 2.05	Polacolor II 108 4.75 New SX-70 film 5.19
EPR-135-36 6.59 3.40	Ektachrome X 20 exp. 3.05 Ektachrome x 36 exp. 4.80	Hi-Power cubes 1.19 M3-M3B 2.05 Press 25 2.10 Type 26/26B 2.45	Flashbar F/SX-70 2.00
EPR-120 Pro Pack (5 Rolls) 8.25 EPR-135-36 Pro Pack (4 Rolls) 12.60	H.S. Ektachrome 20 exp. 3.50	16mm FILM	Polaroid 32 Polaroid 37 3.15
EKTACHROME 160 PROF' FILM TUNGSTEN	H.S. Ektachrome 36 exp. 5.35 Kodacolor II 20 exp. W/3R proc. 4.60	Kodachrome II 16mm 100'	Polaroid 42 3.59 Polaroid 47 3.59
EPT-120 5.05 2.10	Kodacolor II 36 exp. W/3R proc. 7.80	Daylight or Type A 9.75	Polaroid 88 3.60
EPT-135-36 7.19 3.95	120 SIZE FILM W/P & MTG' INCL.	PK-49 Mailer 8.00	Polaroid 107 3.18
EPT-120 Pro Pack (5 Rolls) 10.00 EPT-135-36 Pro Pack (4 Rolls) 14.80	BERKEY PROCESSING	Ektachrome 16mm 100' 10.50 PK-10 Mailer 10.90	T665PN (105) 4.35
EKTACHROME 200 PROF' DAYLIGHT	Ektachrome X 127, 2.75	RIII K EII MC	GAF
EPD-120 5.05 2.10	Kodacolor x ,127,620 w/prints 3.00	50' Plus X, TX or Pan X 5.25	Ansco 500-36 exp. w/Ansoc proc. 5.80
EPD-135-36 7.19 3.95 EPD-120 Pro Pack(5 Rolls) 10.00	MOVIE FILM W/BERKEY PROC. INCL.	Ektachrome ER, ERB, MS, CPS404, 100 34.50 PX or TX Pan X 100' 9.50	Ansco 500-20 exp. w/Ansco proc. 4.04 Ansco 200-20 exp. w/Ansco proc. 3.45
EPD-120 Pro Pack(5 Rolls) 10.00 EPD-135-36 Pro Pack (4 Rolls) 14.80	8mm Kodachrome II double 25' w/p 3.75	EP4-404 100 Ft. 34.00	Ansco 64-36 exp. w/Ansco proc. 4.40
EKTACHROME SLIDE DUPLICATING FILM	Super 8 Kodachrome 40 w/p 3.95	EPR-404 100 Ft. 34.00 EPT-404 100 Ft. 36.00	Ansco 64-20 exp. w/Ansco proc. 3.09 Ansco 500-36 exp. 2.90
5071 2.50	KODAK INSTAMATIC FILM W/P BERKEY PROCESSING	EPD-404 100 Ft. 36.00	Ansco 500-20 exp. 2.40
2R 3R KODACOLOR II FILM	126 Kodachrome X 2.95	Kodak Direct Positive 100' DP-402 14.00	Ansco 200-20 exp. 1.80 Ansco 64-36 exp. 1.89
	126 Ektachrome X 3.05 126 Kodacolor X 3.25	FUJI SLIDE FILMS	Ansco 64-20 exp. 1.35
C110,126-20 6.90 1.49	126-20 Kodacolor X 4.55	F	GAF Super 8 w/p 3.45
C135-20 6.34 6.98 1.49 C135-36 10.20 11.88 1.99	KII Sound w/p 5.49 ELA Sound W/P 5.99	Fujichrome R-100 36 exp. 1.99	LEAD FOIL POUCHES FOR X-RAY PROTECTION
C116 C616 5.50 1.75	KODAK PR-10 INSTANT FILMS 5.29	Fujichrome 126-20 exp. 1.50 Fuji 20 exp. prepaid mailer 1.75	Protect your films for airport x-rays with FILMSHIELD lead foil pouches:
C127 C120 5.20 1.45 4.99 1.22	BERKEY MAILERS	Fuji 36 exp. prepaid maielr 2.75	Can be used over and over again
C828 4.80 .89	DP-12 2.00	Fujichrome R-100 36 exp. w/Fuji proc. 4.09 Fujichrome R-100 20 exp. w/Fuji proc. 2.99	Holds up to 22 rolls of 35mm film     Ends x-ray fogging     3.49
KODACOLOR ASA 400	DP-126,135-20 exp. 3.20 DP-110;12 exp. 2.00	FUJI PRINT FILMS	DI FASE NOTE:
CG-110-12 5.24 1.49 CG-110-135-20 6.62 7.25 1.79	DP-110-20 exp. 3.05	Fujicolor II 20 Exp. 1.49	PLEASE NOTE:
CG-135-36 10.70 12.40 2.55	PK-20, PK-59 1.05 PK-36 1.95	Fujicolor II 36 Exp. 1.99 Fujicolor N-100 126-20 exp. 1.09	2R PRINT SIZE; 2½" X 3½" 3R PRINT SIZE; 3½" X 5"
VERICOLOR II PROF. (TYPES)	PK-110-20 exp. 1.05	Fujicolor N-100 126-12 exp85	
VPS-620 5.27 1.50 VPS-120 5.15 1.39	KODAK MOVIE FILM	W/P W/O P	WESTERN 100 BULK LOADER \$9.95 TELESAR COMPUTERIZED 35mm DAYLIGHT
VPS-135-20 6.50 7.15 1.65	Ektachrome 160 Type G EG46		FILM LOADER
VPS-135-36 10.60 12.25 2.35 VPS-120 Pro Pack 5 Rolls 6.99	Ektachrome 160 Type A ELA	5.74 3.69	Engineered for easy handling     Compact designed-eliminates wasted frames
VPS-220 Pro Pack 5 Rolls 13.60	Kodachrome 40 Type A KMA4 Ektachrome 40 Type A EMA4	64 5.45 3.25	• Frame counter-automatically records number of frames being wound into cassette
KODAK HIGH CONTRAST COPY FILM-	Kodachrome 40 Sound Type A	KMA594 6.65 4.39	Remaining film counter     Keeps track of remaining bulk film in feet
HC-135-365069 1.85 KODAK PANATOMIC X FILM OR PLUS X	Ektachrome 160 Sound Type / Kodachrome 40 Type A Reg. 8	A ELA 594 7.10 5.05 8 KAM 459 5.20 2.99	and meters  Completely scratches proof
PX, FX 135-20 .99	Kodachrome 25 (Daylight) KM	1459 5.20 2.99	• Film guides protect film through channel \$7.95
PX, FX 135-36 1.35	MINIMUM FILM ORDER \$2	20.00	RELOADABLE CASSETTE  • Plastic cassettes w/screw on cap 4 for 1.00
KODAK PANATOMIC X PROF. FILM			
THE PARTY OF THE P	FILM PRICES ARE VALID		• Snap on type 5 for 1.00
FX-120 1.17	FILM PRICES ARE VALID I PRICES ARE SUBJECT TO (	CHANGE WITHOUT NOTICE.	Snap on type 5 for 1.00     Kodak snap caps 10 for 3.00
	FILM PRICES ARE VALID	CHANGE WITHOUT NOTICE.	• Snap on type 5 for 1.00





We are glad to present our latest catalogue to our many happy customers, introducing our low, low prices.

We are certain you will enjoy our efficiency and high quality service along with the excellent prices quoted in the enclosed catalogue.

We attempt to carry 100% of our catalogue items in stock at all times to give you the best service. Should we be out of stock, we will notify you of its earliest availability. We will not substitute without consent.

New equipment is always guaranteed by the manufacturer, or distributor for time and conditions specified by them. If your equipment turns out to be defective when received, return it to us immediately with a copy of original invoice and a letter giving complete details of its defect. Exchanges on defective equipment will be made within 15 days upon receipt of merchandise, only if accompanied by original factory packing and blank guarantee card. Some guarantee cards are filled out and sent in by us to the manufacturer, therefore, when you receive your camera, you will only receive one part of the card. Leave this part blank until the 15 day exchange period is over.

Miscellaneous Shipping Information:

We will ship by what we believe is the fastest and most economical method unless you specify a preference. Our experience is that United Parcel Service or Parcel Post Air Mail Special Delivery is received within a week or less from date of shipping. Parcel Post takes an average of 10 to 15 days. APO/FPO or Post Office Box cannot be shipped by United Parcel Service, only via Parcel Post.

Please add approximate shipping and insurance charges. If you over-estimate, we will credit you. Please add \$1.00 handling charge in addition to shipping charge.

MINIMUM SHIPPING & HANDLING CHARGE \$3.50

If you are in urgent need of your equipment, please request Air Mail delivery and estimate Air Mail shipping charges.

The following items must be shipped via Ground Carrier, due to postal regulation: Large enlargers, projectors and oversized items.

A 10% deposit is required upon COD orders. The balance will be collected upon delivery (including COD and shipping charges) (COD is either cash or certified check).

We accept Master Charge and Bank Americard \*as a 10% deposit upon COD orders.

**General Information:** 

To expedite shipment, please send certified check or money order. Personal checks may cause delay.

We also accept Master Charge and Bank Americard\* We therefore, request you send all information which appears on your card, such as: expiration date, account number, four digit number above your name, and the name of your bank. If the shipping address differs from your credit card billing address, please be sure to specify both.

All 47th Street prices include a Cash discount for Cash, Certified Check, Money Order, or Master Charge. There is no discount for Bank Americard, therefore add 1% to your total amount of merchandise, under \$300.00 All items and information concerning the products shown herein, including but not limited to description, prices, delivery and performance are believed by us to be accurate as of the date of the printing hereof.

We are not responsible for any inaccuracies, typographical errors, performance deviations, price fluctuations, or any other errors. Some drawing and pictures are for illustration only.

The material contained in the catalogue is intended to be a guide only. Availability of some items are subject to prior sale. We reserve the right to change prices whenever necessary. However, we will make every effort to hold our prices. All orders are subject to our acceptance.

our prices. All orders are subject to our acceptance.

If you wish to check an order you have placed it is advisable that you drop us a card containing all necessary information , such as name, address, date order was placed, item ordered, and amount of check enclosed.

**Telephone Ordering Information:** 

When placing an order by phone, please ask for mail order desk and you will be switched to the first available clerk. If you are calling long distance, please notify the receptionist. Catalogue prices valid for mail order only; not valid in retail store.

Use our toll free numbers, 800-221-5858 or 800-223-5661, to place your orders. You may also phone your orders on Sunday. For all other information call us at 212-260-4410

Problems with your equipment?

Now 47th Street Photo can repair your photographic equipment at discount prices through the mail. Free estimates given. Send your equipment to us with \$3.00 to cover postage and handling. (add additional money for heavier items). We have repair services for the following cameras:

Hasselblad, Leica, Nikon, Canon, Miranda, Minolta etc.



Sincerely yours,

47th Street Photo, Inc.

Mail Order Division


If you have any questions with regards to your order, please address your letter to our customer relations department, including a copy of your packing slip or invoice for prompt attention. If you must call us, please dial 212-260-4415, Mon. thru Thurs; 9:30-5:00 P.M. or Friday 9:00-2:00, which will put you directly in touch with the customer relations department. Unfortunately, we cannot accept any inquiries about orders on our regular or toll free numbers..

\*or VISA

IF YOU HAVE ORDERED THE 260 PAGE CATALOGUE FROM US, DON'T WORRY ... IT WILL BE RUSHED TO YOU AS SOON AS IT COMES OFF THE PRESS



F 200	cameras, lenses, films and accessories	Order Date _	TO SALES OF THE PARTY OF THE PA
1	MAIL ORDER DIVISION: 36 EAST 19th ST., NEW YORK, N.Y. 10003 • (212) 260-4410	\$	Enclosed
	Retail Store: 67 W. 47th St., New York, N.Y. 10036	Check	Master Charge
Name	Please Print Clearly	Money Order	
Address		The second secon	Bank Americard (VISA)
City	Please Print Clearly	Cash	Bank Americand (VISA)
	Please Print Clearly	#	
tate	Zip	and the second and the second second and	A-III-
HIP TO	(if different than above:)	Interbank No Exp	ration Date
		I CAN BE REACH	ED
95		Service of the servic	during the day
11.1%	The State of the Secretary of the Secret		in the evening
11200		UNIT PRICE MUST BE	SPECIFIED
OUAN	1 Program of the control of the cont		
QUAN.			PRICE AMOUNT
	The state of the s	Selection of the season of the selection	(A) (B) (B) (A)
13/3	The state of the s		
		The second of the second secon	图 图 图 图 图 图 图 图 图 图 图 图 图 图 图 图 图 图 图
	and the second s	CONTRACTOR AND A SECOND CONTRACTOR OF THE SECO	
1	•		
	The state of the s		90.0 No. 1 No. 1
		NOTES TO A MERCENT CONTROL OF THE PROPERTY OF	A STATE OF THE STA
1 100	The state of the s	TO THE RESIDENCE OF THE PARTY OF THE PARTY.	<b>绝外等一位公</b>
	The second of th	The state of the s	The state of the s
	A Section of the sect	to the same of the same of the same of the same of	WAY BELLEVILLE
			The second second
,	The second control of	and the first of the selection of the second	
		A CONTRACTOR OF THE STATE OF TH	
90000	The second secon	Laborator and Company of the Company	
		A Company of Control of the Control	
		177 · 17 · 2 · 2 · 20 · 20 · 20 · 20 · 20 · 20	
	N.Y. STÂTE CUSTOMERS AD	D APPLICABLE SALES TAX OF YOU	JR AREA
	WE CHARGE \$1.00 FOR HANDLING & PA IN ADDITION TO SHIPPING & INSURANCE	CKAGING HANDLING & PAC	KAGING \$1.00
	DOES NOT APPLY WHE SHIPMENT GOES COLL	N ESTIMATED SHIPPING & INC	
7 7 7	Sharing Gots Cott		6 & HANDLING \$3.00
ignature .	The Xuend Comment		
			TAL
	We will ship the best way possible which usually is U.P.S. whe	ere applicable.	
	☐ REGULAR PARCEL POST ☐ AIR PARCEL	POST U.P.S. WHEN	APPLICABLE
nip Via:	☐ PARCEL POST SPECIAL HANDLING ☐ PARCEL POS	ST SPECIAL DELIVERY	
	☐ AIR MAIL SPECIAL DELIVERY ☐ TRUCK		
			1. 1. 数据 1. 数是 1. 数据 1. 数是 1. 数据 1. 数是 1.
	ISTRUCTIONS		



- photography
- Extremely compact and
- light weight Wide range CdS auto metering for every light condition
- Great ease of operation Dependable Canon quality and value
- Built-in macro focusing capability



The Canon 514XL Low light lightweight!

- XL shooting with 5:1 zoom ratio
- Built-in macrophotography at wide-angle or telephoto settings
- Incredible compactness
- and light weight Built-in self-timer
- Unmatched Canon quality and ease of use

179.99

Canon Auto Zoom

1014 Electronic

The beautiful new

in 8mm filmmaking

way to go pro



**Super 8 sound** Exclusive Auto Level Control (ALC) for natura sound and sound fades

- Two-way Tone control for full-range sound or
- low frequency filtering
  Fast, sharp Canon f/1.4 zoomlens with 5:1 zoom ratio
- Macrophotography at either wide-angle or
- telephoto settings Available Wide Angle converter
- Available Wide Angle converted Exceptionally quiet operation, thanks to new 274.50

Optional Boom

Microphone BM70

#### Canon Low-light shooting a zoom with AUTO ZOOM 512 a zoom with that REALLY zooms!

- if/12 Canon 9.5—47.5n zoom lens.
  Spectra Coating to reduce flare and maximize contrast
  Macro capability to within 2" from subject
  Overall zoom ratio is more than 12x with converters

- Manual or election zooming Speeds of 1, 9, 18 fps plus slow motion (approx. 36 fps). Aperture can be closed completely for fade-ins and fade-outs. Through-the-lens viewing and focusing with auto exposure.



234.99

# ELECTRONIC

- Fast 18-element f:1.4 lens for extra brightness
- Fabulous zoom ratio of 1:10 TTL electronic metering
- for extra accuracy, with servo control
  Macro-filming capability,



444.50

# Canon

### The Very Best in ELECTRONIC LOW-Light Super 8!

- Shutter opens to a full 220° for XL filming Fast f1.4 8:1 zoom
- lens has pushbutton macro capability Special 8-pronged
- sound plug for pulse synch sound filming with auxiliary tape deck
- Super-sensitive servo controlled automatic exposure system
- Speeds of 9, 18 and 36 (instant slow motion)
  fps plus single frame
  Accessories available
  for almost any application



308.99

#### Canon Canonet 28

#### For results you never thought were possible.

- Fast, sharp Canon F2.8 lens
  Automatic flash with Carolite D
  Combined range/viewfinder shows
  shutter speeds, exposure warnings
  Fully auto exposure control, day or
  night
  Compact and lightweight
  Accepts a wider range of films than
  in cartridge cameras



67.50

#### Canonet G-1117 Perfect Pictures, Canon ay or Night Canonet Automatically Canonet Day or Night

- · Electric Eye for Automatic Exposures. Adjusts for automatic
- flash with accessory Canolite D
  electronic flash unit
  Canon's exclusive QL
  Quick Loading film mechanism
- Built-in self-timer
- Manual override of auto
- exposure system when desired



#### Canon DATEMATIC

- Exclusive date-imprint-ing mechanism
- Fully automatic exposure operation
- Automatic flash with the Canolite ED or conventional units
- Superb image sharpness with 40mm f/2.8 Canon lens
- Traditional Canon quality and dependability



84.90

# PS-1 CANOS

# The projector



- Fast f1.3 17-28mm zoom projection lens for brilliant images on the
- Exceptionally compact, functional

- Exceptionally compact, functional design with 400' reel capacity
   Exclusive Canon ALC (Auto Level Control) for more natural sound
   Sound-on-sound, mixing and cut-in recording
   Capstan drive for super-smooth sound and visuals

- sound and visuals Recording possible at any time; safety lock provided to prevent accidental erasure

USE TYPE ELB LAMP

229.90

#### Canon 110 ED **The Canon 110ED** Small size, BIG potential!

- Fast, sharp Canon all-glass lenses
- Date imprinting mechanism with the 110ED
- Fully automatic exposure for a wide range of lighting conditions
- Coupled rangefinder with the 110ED Automatic flash photography with the new Canolite ED

99.90



# Canon 20

#### Great things come in smali packages!



- Exclusive built-in date imprinting mechanism with date visible in viewfinder
- Accepts film up to ASA 400
- Built-in coupled range-finder and all-glass f 2.0 Canon lens for superior image quality
- Automatic exposure electronic shutter with speeds up to 1/1,000 second plus 1/125 second manual setting without batteries
- Automatic electronic flash with the Canolite ED
- Rangefinder-coupled Close-Up Lens 110 for clear close-ups

# Canolite D

21.50



The Canolite D permits completely automatic flash photography with the Canonet G-III 17 or Canonet 28. The user simply connects the unit, focuses and shoots. If the meter needle is outside the camera's metering range, the camera-tosubject distance should be altered

FOR PHONE ORDERS ONLY CALL TOLL FREE 800-223-5661 or 800-221-5858

- - Improved winding lever with contoured tip, shorter stroke
     Fast, easy double exposures;
     ASA range expanded to 3200
     Improved, brightened focusing system; memo holder for film box and

  - system; memo holder for film box end Screw-in type flash terminal for extra security Central spot metering measures only the center 12% of the finder area
  - ccepts more than 40 Canon
  - Accepts more than 40 Canon lenses for any application
     Accessories available for any photographic challenge
     A complete system camera for years of rugged, dependable use
  - Canon F-1N w/50mm F1.8 SC . . . . . 409.95 Canon F-1N w/50mm F1.4 SSC . . . . . 444.50 Canon F-1N w/55mm F1.2 SSC . . . . . 506.50 Canon F-1n Body . . . . . . . . . . . . . . . . . 344.50

					CONTRACTOR OF THE PARTY OF
Canon	F-1	w/50mm	F1.8	SC.	 . 379.50
Canon	F-1	w/50mm	F1.4	SSC	 . 409.50
Canon	F-1	w/55mm	F1.2	SSC	. 479.50
Canon	E 1	Rody			210 50

# The ultimate



- Shutter-preferred full automation with a wide range of shutter speeds
   Unique electro-mechanical
- shutter
- shutter
  Ultra sensitive and responsive Silicon metering cell
  Accepts all FD lenses
  Easy multi-exposure
  shooting
  All metering information
  shown in viewfinder
  Accepts CAT flash system
  Wide variety of accessories

- Wide variety of accessories

TEN STATE OF THE S

Canon	EF	w/50mm	F1.8	sc	308.90
Canon	EF	w/50mm	F1.4	SSC .	349.50
Canon	EF	w/55mm	F1.2	SSC .	407.50
Canon	EF	Body			

### **Your passport to** fine photography

- Selective, central area spot meteringAll metering information
- visible in finder
- Shutter speeds from
- 1-1/1,000 sec., plus "B" Accepts Canon Auto
- Tuning (CAT) system for foolproof auto flash Breech lock lens mount
- QL—Quick loading mechanism

Canon	FTBN w/50mm	F1.8 SC	229.50
Canon	FTBN w/50mm	F1.4 SSC	264.50
Canon	FTBN w/55mm	F1.2 SSC	329.50
Canon	FTBN Body		164.50



The electronic system camera that's changing the course of photography.

- Shutter-priority automatic exposure
   SLR
- Incredibly light weight, compact and
- easy to use
  Instant response, sensitive silicon
- Instant responses, sensitive sincon
   exposure metering
   Compact Power Winder A for motorized sequential shooting
   Speedlite 155A auto electronic flash sets shutter and aperture
   Accepts all Canon FD lenses for AE poseration.

- operation
  Unbeatable performance at an un-
- Canon AE-1 w/50mm F1.8 SC . . . . 259.50
  Canon AE-1 w/50mm F1.4 SSC . . . . 294.50
  Canon AE-1 w/55mm F1.2 SSC . . . 379.50



canon

#### Conventional photography redefined.

- · Match-needle CdS metering for critical exposures
- Super compact and light weight Accepts Power Winder A rapid film advance, Speedlite 155A automatic electronic flash and Databack A data imprinting system
- Uses more than 40 unsurpassed Canon FD and FL series lenses

  • Extra large, bright viewfinder and
- specially designed body for faster focusing and easier handling

Canon AT-1 w/F1.8 SC . . . . . 224.50 Canon AT-1 w/F1.4 SSC ... 259.50 Canon AT-1 Body ..... 156.50

#### Canon **Real value** in a GREAT camera!

- Canon quality in an economical price range
- · Center-weighted through-the-lens metering
- Hot shoe for cordless flash photography
- Accepts nearly 40 Canon FD and FL series lenses Exclusive breech-lock
- lens mount

Canon TX			
Canon TX	Body	 	 . 129.95

Canon AE-1 Body .

Catton New Standards in Image Quality D) with Canon's Aspherical and Fluorite Lenses

Versatility keynotes this selection of fine Canon FD lenses. With them, any creative challenge is within your scope—and you know that you will meet it with the technical excellence you demand. Canon lenses are renowned throughout the photographic community as some of the finest optics ever produced. Once you've used them, you'll say

the same. **Popular because** Canon Clearly Tupular Devause they're versatile. 

TE	
75mm F5.6 SSC Fisheye w.c	348.25
15mm F2.8 FDSSC Fisheye w.c.	311.50
17mm F4.0 FDSSC w.c	. 233.50
20mm F2.8 FDSSC w.c	. 187 50
20mm F2.8 FDSSC w.c	154.00
24mm F1.4 AL FDSSC w.c	154.99
24mm F1.4 AL FDSSC W.C	-674.50
28mm F2.8 FDSC w.c	- 134.99
28mm F2.0 FDSSC w.c	. 214.99
35mm F3.5 FDSC w.c	. 69.50
35mm F2.0 FDSSC w.c	165 50
35mm F2.8 TS SSC w.c & hood,	8
5511111 1 2.6 13 55C W.C & 1100u,	440.00
tripod adapter	416.90
50mm F3.5 FD SSC Wacro with	
extension tube FD-25	151.50
50mm F1.8 FDSC	. 71.00
extension tube FD-25	. 107 50
55mm F1.2 FDSSC	164 50
55mm F1.2 AL FDSSC w.c & ho	od 740 F
85mm F1.8 FDSSC w.c	ou /49.5
85mm F1.8 FD35C W.C	. 144.50
85mm F1.2 AL FDSSC w.c	.449.50
100m F2.8 FDSSC w.c & hood .	. 122.50
100m F4.0 FDSC Macro with ext	
tube FD-50 w.c	234.90
135m F3.5 FDSC w.c & hood	91 50
135mm F2.5 FDSC w.c	142.00
200mm F4.0 FDSSC w.c	. 144.50
200mm F2.8 FDSSC w.c	.284.50
300mm F5.6 FDSC w.c	.208.90
400mm F4.5 FDSSC w.c	.579.50
600mm F4.5 FDSSC w.c	999 50
200mm FE 6 EDSSC W.C	1074 50
800mm F5.6 FDSSC w.c	1074.50
20-50m F3.5 FD35C 200m W.C	200 50
and hood	399.50
and hood	
with case and bood	409.90
80-200m F4.0 FDSSC Zoom w.c	368.50
100-200m F5.6 FDSC Zoom w.c	168 50
85-300m F4.5 FDSSC Zoom w.c	407 10
300mm 5.6 SSC	240.50 E

500mm F5.6 F L-F w.c and 2 filters 95mm Y3, & Sky	
ACCESSORIES	
Eyecup 3R 2.15	
Eyecup 4S	
Lens Cap C-58	
Lens Hood BW-55A w/case 9.50	
Lens Hood BW-55b w/case 9.95	
Lens Hood BS-55 9.95	
Lens Hood BS-58 9.95	
Canonet Hood 4 w/case 5.75	
Accessories for MF Motor Drive	
Grip MF 87.95 Cord MF for Grip MF 17.75	
Extention Cord E-1000 11.95	
Remote Switch 60 MF 11.95	
1. 17: 1 50.50	

Interval Timer L . . . . . . . . . . . 59.50



Viewfinder & Viewfinder Accesso	ries
Servo EE Finder Set	194.90
Battery case for MD	.14.50
Battery Magazine 12V	6.75
Connecting Cord MF f/EE finder.	. 9.00
Power Cord 12V2E for EE finder	11.50
Booster T Finder Set	
Power Cord 6-volt 2B	.12.50
Speed Finder in case	113.50
Waist level finder	.24.50
Angle Finder A-2	.32.50
Angle Finder B	31.99
Magnifier R	. 12.50
Magnifier S	15.99
Booster in case for Canon FTB	44.95
FOCUSING SCREENS	
A Microprism	
B Split Image 15.50	
C Matta Curface 15 50	

Matte Surface w/grid . . 15.50 Split Image/Microprism .15.50 Microprism/large Apert. .15.50 Microprism/small Apert.15.50 Matte/Scale . . . . 15.50

### You've been waiting for real quality in automatic flash, and here it is in the Canon A-33, AB-46 and AB-56.

**Auto flash with the** 

quality you've been

They're better because their performance specifications are Canon CERTIFIED: given for performance under real conditions, not ideal circumstances. Because of this, you can depend on their performance shot after shot, year after year.
If you're in the market for a fine automatic flash

that will live up to all your expectations, you're in the market for a Canon.

#### MACROPHOTO & CLOSE-UP ACCESSORIES

Canon Bellows FL 64.90
Canon Bellows M
Slide Duplicator 48
Canon Slide Duplicator 48 28.90
Sanon Side Duplicator 55
Canon Slide Duplicator 55 28.90
anon Copy Stand 4
Canon Handy Stand F55 set 29.50
Canon Photo Micro Unit F 21.90
Canon Macro Hood 2.15
Canon Microphoto Hood 8.25
Canon 55 Macrophoto Coupler 4.75
Canon 48 Macrophoto Coupler 5.50
Canon FL55 Macrophoto Coupler. 30.90
Canon FL58 Macrophoto Coupler . 30.90
Canon Lens Converter A
Canon Lens Converter B 6.99
Canon Lens Converter E 8.79
Canon Lens Converter P 6.95
A Maria Mari

Attachment Ring 48 for Slide Duplicator . 3.20 Attachment Ring 55 for Slide Duplicator . 3.20 Attachment Ring 58 for Slide Duplicator . 3.20

#### Minolta Pocket Autopak 70



electronic operation assures perfect exposure

sets itself automatically for flash with battery-less X-cubes

uses #110 film cartridges

unique built-in close-up lens for beautiful portraits

all-glass lens for razor sharp snapshots or slide

#### It's so automatic. It even decides when to flash. **Electronic Minolta Hi-matic E**

Get brilliantly clear 35mm prints and ides with the completely automatic extronic Minolta Hi-matic E camera. Instantly adjusts itself for proper lens bening and shutter speed for perfect oposures in any light, indoors out. Leave its companion electroflash III strobe on all le time. Flash fires auto-latically only when needed; ask Rokkor fl. 7. glass lens ves you razor-sharp picress. Shutter speeds to 71000th second.

Even the flash settings are auto natic. Electronic Minolta Hi-matic F

\$104.90 w/c & flash

Electroflash Kit.

Get big, beautiful color and blackand-white pictures with Minolta's smallest 35mm camera. The electronically
controlled Hi-matic F automatically sets
lens opening and shutter speed for
perfect exposures, indoors or out. It even
sets flash exposures automatically as
well as time exposures for up to a full
seconds. So all you have to do is
focus and shoot.
Easy, crystal-clear
focusing and precision
ground optical glass
Rokkor fl.2.7 lens assure
razor-sharp color or black-

\$82.50 w/c & flash

### Minolta Autopak-8 D12.

The super-8 camera that's not for everyone.



Minolta XL-400. The

low-light

camera

Uses special high speed film for indoor movies without lights. Dramatic close-ups . subject can actually touch the lens Push-button 4x power zooming . . f1.2 optical glass lens Fully automatic . . just point, focus and short

564.50

000

156.50

But if you're serious about super-8 filming, this new Minolta is the only camera for you. The Autopak-8 D12 has every feature you want. or will ever need. for a professional approach to super-8 The list of handling and performance advantages in the Autopak-8 D12 is too long to even begin. So come in for a no-obligation demonstration.

Minolta XL Sound Movie Cameras The Minolta XL-225.

Super-8 home movies don't have to look or sound homemade.

- f/1.2 powered Zoom Rokkor lens
- Fully automatic exposure.
- Reflex viewing.



#### Minolta Pocket Autopak 200



#### A pocket full of quality.

- · Precision pocket camera with its own electronic
- Flash pictures at less than a penny a shot.
- Foolproof operation-just point and shoot.
- · Rokkor lens for brilliant slides and prints.

P o P minolfar

Beautiful slides and prints with drop-in #110 cartridges.

34.50 43.50 w/strobe With a Minolta Pocket Autopak 250.

The more flash pictures

you shoot, the more you save.

Pocket-size precision camera with electronic flash Takes flash pictures at much lower cost than with

Fully automatic, electronic operation.

Just point, focus, shoot.

Rokkor lens for sharp details, Only49.50 prilliant colors.

# Introducing the lowest priced

The compact Hi-matic G.

E-12-2



66.50

157.50

Case \$14.50

# 35mm automatic from Minolta.

Precision, full-frame 35mm • Fits in pocket or pucamera takes big, beautiful • Fully automatic; juprints and slides.

There's never been a camera like it.

10 film format, the precision of electronics and the advanced eatures of a single lens reflex camera. Remarkable yeasy to use.
Uses instant-load 110 film cartridges.
157.5
Built-in 2X aoom lens ranges from normal to telephoto.

The Minolta Color Enlarger.

Extremely smooth, precise operation


The Minolta

110

Zoom

Filters \$ 3.50 each

#### for creative effects. The Minolta XL-250.



Through-the-lens viewing and focusing...you see exactly what you'll get on film. "Information center" view-finder to check all filming functions instantly.

Uses high-speed film for low-light filming.



 Full-information viewfinder. · Many sound options, including FM wireless mike kit. 171.90 The Minolta XL-440

**The Super-8** 

system

with the super sound

system.

1/1.2 8.5-34mm powered Zoom Rokkor ens with macro focusing. 204.90 Reflex viewing, split-image rangefinder. Full-information viewfinder Many sound options, including FM wire-less kit and an attachment for mixing sound sources. The Minolta XL-660 Super-8 sound system camera. It lets you be as creative with the

## sound as you are with the pictures.



XL-660 Reflex viewing, split-image rangetinue... Auto fade of picture and sound. Many sound options, including FM wireless... Hachment for mixing sound sources.

**Get more** 

The Minolta Pocket Autopak 270 saves you money on every flash picture



This pocket sized, take-anywhere camera has all the quality and advanced features and top value you expect from Minolta.

\* Precision pocket camera with electronic flash—flash pictures at less than 1¢ each (after initial purchase).

flashcubes.

- Built-in close-up lens get as close as 19 inches from your subject.
- runy automatic foolproof electronic operation. Just aim, focus, shoot.

   ★ Drop-in #110 cartridges for beautiful slides and prints.

55.50

#### The slide projector with the camera-quality lens. The Minolta Autopak AF/2.



Put new life into your old slides with a Minolta Autopak AFT/2 slide projector



#### Minolta Celtic Binoculars You Don't Lose Quality, You Just Lose Weight.

Bright, clear, sharp images Finest optical glass lenses Center-focus design for easy operation Fold to fit easily in pocket or pack Weigh only 6 ounces

Minolta/Celtic

Pocket-Size Binoculars 6x20 CF w/c . . . 74.95 8x20 CF w/c . . . 83.50 Hikers, Hunters, Campers, Bird Watchers

Reduce the weight of your gear with Minolta/Celtic

compact binoculars

6x20 CF w/c 8x10 CF w/c



264.50

#### Accessories for Minolta XL Sound Movie Cameras

Standard Microphone . . . . . . . . . 4.90 FM Receiver W/Telescoping Antenna FM Wireless Microphone . . . . . . . . 16.90 Auxiliary Tyrumin Charminents . . p.90

Directional boom microphone w.c36.50 Directional zoom microphone w.c 51.75 Cable Release II . . . . . . . . . . . . . . . . 4.90

#### **Built-in pop-out electronic flash. Built-in close-up lens. Built-in picture-taking advice.** Minolta Pocket Autopak® 450E.

- · Full-information viewfinder Quality f/3.5 Rokkor lens

- Stop-action electronic flash and up to 120 flashes on one AA battery.
   Drop-in 110 cartridge loading.



#### Here's a camera that helps eliminate mistakes and flashbulbs. Minolta Pocket Autopak® 430E.

- Pop-out electronic flash for
- stop-action pictures.

   Viewfinder tells when to shoot, when to use flash.

   Drop-in cartridge loading.



#### MINOLTA COLOR ENLARGER Module III for 35mm . . . . . . 289.95 Module III for 6x6 . . . . . . 289.95

ACCESSORIES FOR COLOR ENLARG
Color Analyzer 199.00
35mm Negative Carrier 7.50
21/4 x 21/4 Negative Carrier
21/4 x 23/4 Negative Carrier
110 Negative Carrier
25 Clare Nonetius Causins 10.00
35mm Glass Negative Carrier 10.90
Mixing Box (35mm & 110) 18.00
Mixing Box (21/4 x 21/4 & 21/4 x 23/4) 25.00
Module III Filter Box 109.00
Module I Filter Box
Copy Stand Adapter Ring 12.75
Slide Copier CLose-Up Adapter . 36.50
COLOR ENLARGER LENSES
C.E. Rokkor X 50mm F2.8 for
35mm Negatives 55.00

C.E. Rokkor X 30mm F2.8 for 16mm & quarter size neg. . . . 55.00 C.E. Rokkor X 80mm F5.6 for 2½x2½ negatives . . . . . . 63.00

# St. Photo

### The Minolta SLR System. You can't beat it.

# CALL (800) 223-5661 OR (800) 221-5858 EXCEPT ALASKA, HAWAII OR N.Y.

#### The Minolta XK. The camera you'll neveroutgrow.

Minolta's finest. The ease and precision of an electronic shutter plus a total system of inter-changeable screens, finders, lenses and ac-



Minolta XK W/AE Finde	¥
XK Body	329.00
XK w/50mm Fl.7	
XK w/50mm Fl.4	
XK w/58mm Fl.2	462.50
For Case add	29.50

#### The Minolta XK Motor Drive. Are you the one person in 1000 who needs it?



Superb, automatic, maybe the ultimate 35mm SLR. Maybe for you. See the Minolta XK Motor Drive today!

XK Motor Drive w/AES	finder, no
lens	1179.00
XK Motor Drive w/o AE	S Finder,
no finder no lens	999.50
For case add	29.50

#### Try the camera The that whispers. electronic Minolta XE-7.

This fine Minolta 35mm single lens reflex camera features an advanced precision electronic shutter that's amazingly smooth, quiet and accurate.

**SR-T 200** 

XE-7 Body	209.50
XE-7 w/50mm Fl.7	264.50
XE-7 w/50mm Fl.4	
XE-7 w/58mm F1.2.	-345.90
For Case add	23.50

FOR TOLL FREE PHONE ORDERS ONLY



The cost of fine

The new Minolta XE-5 35mm SLR system camera.

Incredibly smooth, quiet operation.

Precise exposures automatically-every shot. Has a complete system of lenses and

accessories for maximum versa	itility.
XE-5 Body	178.50
XE-5 w/50mm F1.7	237.50
YE 5 w/50mm E1 4	200 E0

XE-5 Body	178.50
XE-5 w/50mm F1.7	237.50
XE-5 w/50mm F1.4	269.50
XE-5 w/58mm F1.2	315.90
For Case add	.23.50

#### The new Minolta SR-T 202. It has just about everything but a high price,

Fast, easy handling ... full-information view-finder lets you compose, focus and shoot without looking away from your subject.

Patented through-the-Hot snue, safe-load sig-lens "CLC" light meter-ing system prevents many more conven-underexposure in con-ience features.

Multiple-exposure control lets you shoot numerous exposures on the same frame.

\*Accepts the complete Minolta system of interchangeable lenses and over 150 accessories

SRT 202 body	. 153.50
SRT 202 w/50mm F1.7	216.50
SRT 202 w/50mm F1.4	244.90
SRT 202 w/58mm F1.2	
For Black add	10.00
For Case add	12.50

#### The new Minolta SR-T 201. It makes fine photography easy. And easy to afford.

Convenient memo holder so you always know what film you're using.


Shutter speeds to 1/1000 second.

Accepts the complete Minolta system of lenses and SR-T accessories for unlimited photographic versatility.

For Black add . . . . . . . . . . . . . . . . . 10.00 

#### A fine 35mm SLR doesn't have The new to be expensive. Minolta

You can't beat the Minolta SR-T 200 for features, fast, easy handling and solid value.



Accepts the complete Minolta system of lenses and SR-T accessories.

SRT 200 w/50mm f2. ....159.50

#### Minolta System Handbook

If you own a Minolta 35mm SLR, you can't





88.95 135mm F3.5 . . . . . . . . . . . . . 47.95 200mm F4 80 95 100-200mm F5.6 Zoom . . 116.50

ACCESSORIES FOR XI	
Accessory Hot Shoe w/c Soft Case Front	6.35

#### CLOSE UP ACCESSORIES

Auto Bellows I Outfit	. 168.50
Auto Bellows 1	
Auto Bellows III	
Focusing rail f/Bellows III &	
Slide Copier w/straip film at	tach.
for Bellow I & III	37.50
52mm Close Up lens No. 0.	11.70
52mm Close Up lens No. 1.	11.70
52mm Close Up lens No. 2.	11.70
Extension Tube Set II	22.50
MC Auto Extension Tube Se	
Microscope Adapter II	29.95
Microscope Adapter II	. 27.75
Copy Stand II	. 67.50

#### GENERAL ACCESSORIES

Panora											
Anglefi	ind	er	V								36.50
Magnif	ier	V			-				8		19.50

EYEPIECE CORRECTION LENSES FAR SIGHTED VISION

IV +0.5, 2V+1.0, 3V+1.5, 4V+2.0, NEAR SIGHTED VISION 6V-1.0, 7V-2.0, 8V-3.0,9V-4.0 . @ 5.75 Rokkor-X Lenses



更多。1962年開港也。1880mm的1960年	A STATE
7 5mm E4	409 50
7.5mm F4	209 50
17mm F4 FD	239 95
21mm F2.8 FD	209.50
24mm F2.8 LS	134.75
24mm F2.8 VFC LS	260.00
28mm F2.8 LS	114.00
28mm F2 LS	210.00
35mm F2.8 LS	73.00
35mm F1.8 LS	136.00
35mm F2.8 SHIFT	489.50
50mm F1.7	
50mm F1.4	116.50
58mm F1.2	158.50
85mm F1.7 LS	149.99
100mm F2.5 LS	119.99
135mm F3.5 LS	72.99
135mm F2.8 LS	120.00
200mm F4 LS	140.50
300mm F5.618	170 50
300mm F5.6 LS	219.00
400mm F5.6 APO w/2X co	nverter.
LS & Case	889.50
50mm F3.5 Macro w/life si	ze adapter
and reverse ring	138.19
100mm F3.5 Macro w/life	size adapter
LS	239.95
40-80m f2.8 LS, Zoom, Cas	e .355.50
100-500 F8 LS, Zoom, Case	
80-200 F4.5 LS,Zoom,Case	. 341.90

#### NON MC ROKKOR X LENSES

included in price.

Minolta Auto **Electroflash 450** 

Electroflash 450. An electronic nothing to flash that leaves desired. 157.50

The Minolta Auto-Electroflash 450 is a remarkably versatile electronic flash that functions in perfect harmony with the

# Minolta Meters

Minolta Auto Meter II



Color Meter

Minolta Flash Meter II



#### Minolta Auto Electroflash 28



Minolta Electroflash 20



Minolta Auto **Electroflash 25** 

36.50

Minolta Auto

Electroflash 32



Minolta Auto-Spot II



Contains: Case. handstrap, ND filter, lenscap, rubber lenshood, & 9V battery 304.90

Minolta Auto-Spot II Digital



Contains: case, hand strap, rubber lens, lens cap, & 9V battery

459.50



Nikon Motor Drive System

#### NIKON MOTORS AND ACCESSORIES

MIKON MOTORS AND ACCESSORIE	
Motor Drive w/cordless battery pack	
no. 2 & 18	50
MD-2 Motor Drive only w/auto rewind	JU
stop when optional Mf-3 back is	
used	50
MB-1 Cordless Battery Pack 79.	80
MF-3 Camera Back	90
MD-11 Motor Drive only f/Nikon	
FM	95
MF-1 250 exp. magazine back 392.	
Eiler Connector 2E0 Euro marco 24	20
Film Cassettes 250 Exp. w/case 24.	20
MF-2 750 exp. magazine back 2690	
MZ-2 Film cassettes 750 exp 122.	
Leather Case for 2077	25
Spool for 2077 7.	25
Film Winder for 2077	50
MS-1 AA Penlite batt. compartment	
ronlacement 12	00
replacement	23
NG-Z Intervalometer I/NID-1,2,F30	
243.	50
MT-1 Intervolometer f/MD-1,2,R-8,	MITTE
R-10499.	50
MW-1 Wireless Remote control for	
MD-1,2, R8, R10 786.	50
ML-1 Modulite Remote Control for	
MD-1,2, R8, R10 156.	50
MN-1 NC Battery pair 59.	00
MIN-1 NO Dattery pail	20
MH-1 NC Quick Charger No. 38 99.	วบ
MA-2 AC6	
MA-2 AC/DC Converter (Power F2	
Motor requires a no. 25 258.	50
MA-4 AC/DC Converter (Powers Ne.	
2 12, 44 takes a No. 25)	95
2 12, 44 takes a 140. 25)	70
	1399

#### The New Nikonos III.



Take a Nikonos when you go down under...

#### CAMEDAC

CAMERAS
Nikonos III Body
lens
LENSES
15mm F2.8 UW Nikkor IC
28mm F3.5 UW Nikkor
80mm F4 Nikkor
CLOSE UP OUTFIT consists of: supplementary close up lens, field frames f/28 35, 80mm lenses, flash holder & compartment case
FLASHES
Hardware Challer & CARL

Underwater flash gun f/Nikonos II
22½ volt B-C unit (less battery)
Uses no. 6 bulbs
Underwater flash gun-P f/Nikonos III
only. 22½ volt B-Č unit (less battery)
uses no. 6 bulbs
PC Flash adapter f/Nikonos III
f/use out of water

#### EXPOSURE METER

Underwater	Housing	Comp.	w/Sekonic_
L-86 meter			29.50

#### MEMEINDER

15mm Underwater optical finder .	199.90
28mm Underwater Finder	9.90
80 & 25mm Underwater Finder	. 10.25
80mm Optical Viewfinder	. 37.50

#### MISCELLANEOUS

Plastic lens protector f/Nikonos lens 3.50 Moisture Resistant 7x50 binocular263.50

#### MC-1 SC Remote Cord 10' . . . . . 26.90 SC Remote Cord 33' ..... SC Remote Cord 66' MC-2 Connecting Cord 10' No. 2, 12 motor to AC/DC converter ..... 26.50 MC-3 Coil Cord f/grip No. 45 f/ MC-4 Remote Cord 3' F2 Motor

### **CORD SYSTEM FOR NIKON MOTORS\*** ME-3 Basic Cord 3 Ft. . . . . . . . 6.40

ME-6 Basic Cord 6 Ft	7.5
ME-15 Basic COrd 15 Ft	8 9
ME-15 Basic Cord 15 Ft	8.5
ME-30 Basic Cord 30 Ft	
AE-1 Tripping Button	

IAIF O	o pasic cola so i (	24
AE-1	Tripping Button	.41
	Alligator Clips	
	Twn	
	Twin Lugs 6	41
AE-A		*

AE-5 Banana Plugs ..... 6.40 \* Connect a 91 cord to the 29 to use cord system with the F2 motor.

#### Nikon F, F2, & Nikkormat ..... 3.10 AUTO WINDER FOR NIKON EL2 & NIKKORMAT ELW

Auto W	linder l	AW-1	 	 1	23.50

#### MISC ACCESSORIES

BODY CAP

AN-1 Leather Neck Strap w/should	
AN-3 Leathe rette neck strap with	
shoulder pad	
Shoulder Pad	
AR-2 Cable Release	
AR-1 Soft Shutter Release	
AP-2 Panorama Head	
Film Cassette Model 1 36 exp. for	
Nikon Fonly	9 90

AP-2 Panorama Head	.62.90
Film Cassette Model 1 36 exp. for	
Nikon Fonly	9.99
Film Cassette for Nikon F=AM-1.	13.70
Pistol Grip Model 11	. 25.50
Cable for pistol grip no. 45	. 13.50
DR-2 Right Angle Finder	
Eyepiece Magnifier	
Accessory Shoe Model 11	7.50
Accessory Shoe Model 11 Black	
AR-3 Cable Release	5 25
AS-2 Flash Coupler	
Pistol Grip Model 11	25 50
Cable for Pistol Grip No. 45	13 50
Cable for Fistor Stip No. 45	.13.30

1	72mm FILTERS	
	Y-48, O-56, R-60, L-39 ea. L1BC Skylight	27.50
	72mm Polarizer	74.50
	L-37 UV Haze	.31.75
	AF-2 72mm Gelatin Filter holder	

#### Nikon Interchangeable Viewfinders

viewiniacis.
DP-1 F2 Photomic finder
DA-1 Prism reflex sportsfinder 169.00 FOCUSING SCREENS
Model A, B, C, D, E,
DA-1 Prism reflex sportsfinder 178.70 DW-1 Waist level finder 42.99 DW-2 6X Focusing Finder 118.50 DL-1 Photomic Illuminator 29.90 DR-2 Right Angle Finder 59.50 Eyepiece magnifier for Photomic T, TN, FTN and F2 23.50 CORRECTION EYEPIECES
Neutral 0 5.75 Minus 2 5.75 Minus 3 5.75 Minus 4 5.75 Minus 5 5.75 Plus 0.5 5.75 Plus 1 5.75 Plus 2 5.75 Plus 3 5.75 Replacement eyepiece for nikkormat only 5.75
CLOSE UP EQUIPMENT PB-4 Bellows Attachment IV 156.50 PS-4 Slide Copy attachment
PB-4 Bellows Attachment IV
AR-4 Doubel cable release
52mm FILTERS
Y-44, Y-48, Y-52, XO, Z1, O-56, R-60, 80B, 80C, 81A, 82A, 85, 85B CC30R each 9.50

Y-44, Y-48, Y-52, XO, Z1, O-56, I	
80B, 80C, 81A, 82A, 85, 85B CC3	
L-37C UV Haze	
L1BC Skylight	14 99
ND4X Neutral Density	15.50
ND8X Neutral Density	15.50
Filter Pouch CA-1	
AF-1 52mm Gelatin Filter Holder.	
52mm Filter adapter ring f/AU-1.	
Polarizing filter w.c.	38 50

#### SOFT CAMERA POUCHES

NIK	N/NIKKORMAT	
	pouch, black f/nikon F, EL-2	
or N	kkormat w/normal or small wide	
angl	lenses	I
	pouch, black f/Nikon F2, Photo-	
	TN w/normal lens or small wide	
	lone 1A E	ř

CS-9 pouch, black f/Nikon F, F2, EL-2 Nikkormat w/lenses up to 135mm F2.8 . . . . 16.50 CS-10 pouch, black f/Nikon f, F2, EL2, Nikkormat w/lenses up to 200mm F4, 80-200m F4.5 or small size lenses . . .

CF-6 Nikon semi-soft utility camera case f/F2, EL-2, Nikkormat w/a lense 16-200mm or 2 compact lenses & 

#### COMPARTMENT CASES

FB-8 w/bayonet	119.50
FB-11 A w/filter pouch	179.90
FB-12 w/filter pouch	
FB-13 w/filter pouch & came	era bag
The second second second	171.50
ED 44 Cami anda blank	440 05

	71.50
FB-14 Semi-soft, black 1	
No. 1 shoulder bag	14.50
CA-1 filter pouch repl	.12.25

#### NIKON F2A CASES

CH-4 Hard case, black	36.50
CF-1 Semi-soft case, black	
CF-2 Semi-soft case, f/actionfinder	
CH-5 Hard case f/F2, & F2 photo-	
mics w/16mm-43-86m-105mm	41.50
CS-12 Soft case f/F2 & F2 photo-	
mics	17 75

SCREV	VIN HOODS	
HN-15	18mm F4 repl	i
HN-14	20mm F4	ì
HN-9	20mm F3.5, Auto 28mm	
	F4 PC9.75	ĕ
HN-1	24mm F 2.8 AUto 8.88	
HN-1	28mm F2 Auto 8.88	
HN-2	28mm F2.8 Auto 8.88	
HN-2	28mm F3.5 Auto 8.88	
HN-1	35mm F2.8 PC 8.88	
HN-3	35mm F1.4 Auto 8.88	
HN-3	35mm F2 8 Auto 8 88	

35mm F2 Auto . . . 43-86mm Zoom . . . 45mm F2.8 GN . . . 8.88 HN-11 50-300r 13.95 . 8.88 9.50

10.25 32.90 10.55 10.55 HN-8 HN-8 135mm F3.5 Auto . HN-10 500mm F8 Reflex . 8.90 HN-12 f/Polarizer 52mm . . 13.75 HN-13 f/Polarizer 72mm

### **Nikon Binoculars**



NIKON BINOCULARS w/c & strap

Sports Glass 3x, Black, Grey, or Brow	n 25.00
Binocular 6x18 Compact	. 61.50
Binocualr 7x21 Compact	CALL
Binocular 8x24 Compact	
Binocular 7x35 Featherweight	
Binocular 7x50 Featherweight	139.00
Binocular 8x30 Wide Field	
Binocular 9x35 Wide Field	
Dispersion 7450 Majoute venistant	

SEE THE NIKON **SUPER-ZOOM CAMERAS! Nikon R-10/R-8** 



NIKON R-8/R-10 SUPER ZOOMS

Nikon R-10 Super w/cine Nikkor zoom C f1.4 macro focus, 7-70mm zoom, power/ manual variable shutter, slow motion, power zoom Servo elec. eye, wrist strap 649.50

R-8/R-10 ACCESSORIES
EH-1 Compartmnet case 32.95
EF-1 Soft case for R-10
EF-2 Soft Case for R-8
EA-1 Remote Control Cord for R-8
and R-10
EA-2 Tape Recorder Cord
EC-1 Close up lens for R-8
EC-2 Close up lens for R-10 103.50
ES-2 Slide Copy Attach. f/R-8, 25.25
MT-1 Intervalometer for R-8, R-10
MD-1, & MD-2510.50
ES-3 Slide copy attach for R-10 33.75
HR-2 RUbber lens hood for R-8 6.75
HR-3 Rubber lens hood for R-10 8.40
52mm Snap on lens cap for R-8 4.25
67mm Screw in front lens cap f R-106.50

FOR PHONE ORDERS ONLY CALL TOLL FREE 800-223-5661 or 800-221-5858

Four new 35mm slr cameras and a full array of brand new AI-Nikkor lenses, are joining the Nikon System.

Here is the line-up for the new Nikon generation.



#### The Nikon FM.

A New Compact, Without Compromise.

Amazingly small and light, surprisingly moderate in cost... but every inch a Nikon. with uncompromising Nikon pretision, ruggedness, and versatility. You'll enjoy the accuracy of full-aperture, center-weighted metering, and the convenience of automatic aperture indexing with all Al-Nikkor lenses.

Nikon Em. Chrome body. 231 50

Nikon FM Chrome body	231.50
Nikon FM w/50mm F2 Ai	.304.99
Nikon FM w/55mm F1.2 Al	441.50
Nikon FM w/50mm F1.4 Al	369.99
Nikon FM w/MD-11 motor drive	.389.90
BLACK NOT AVAILABLE YET	Γ



#### The Nikon EL2

A New Electronic, Automatic Nikon.

Here's the automatic choice for people who want the absolute best in automatic slr's...and a camera in which automation is your servant, never your master.

Nikon EL2 Chrome Body	324.50
Nikon EL2 w/50mm F2 Al	369.99
Nikon EL2 w/50mm F1.4 Al .	466.50
Nikon EL2 w/55mm F1.2 Al .	537.50
Nikon EL2 w/AW-1	446.50

For Black Add Additional . . . . . . 15.00 Auto Winder AW-1 for Nikon EL-2 and ELW



#### The Nikon F2A and F2AS. The Professional's Professionals.

The latest, state-of-the-art models of the camera chosen by an overwhelming majority of today's top professionals... now adding the convenience of automatic aperture indexing with all Al-Nikkor lenses to the proven accuracy of full-aperture, centerweighted metering.

Nikon	F2A	Photomic	Chrome	Body.	40	19.50
Nikon	F2A	<b>Photomic</b>	w/50mm	F2 AI	41	84.50
Nikon	F2A	<b>Photomic</b>	w/50mm	F1.4	AI .54	19.50
Nikon	F2A	<b>Photomic</b>	w/55mm	F1.2	Ai. 61	14.50
For Bla	ck A	dd Additi	onal			15.00

Nikon F2AS Photomic Chrome Body . . .51 9.50 Nikon F2AS Photomic w/50mm f2 Al . . 593.50 Nikon F2AS Photomic w/50mm f1.4 Al.659.50



#### The Nikkormat FT3.

Most Economical Way Into the Nikon System Whether you're just starting in fine photography, or adding that second or third body to your present Nikon system, the Nikkormat FT3 is the perfect

choice.	o pericet
Nikkormat FT3 Chrome Body	164.90
Nikkormat FT3 w/50mm F2 AI.	
Nikkormat FT3 w/50mm F1.4 Al	
Nikkormat FT3 w/55mm F1.2 Al	
For Black Add Additional	7.00

# JUST OUT AR NEW AI-NIKKOR LENSES.

More compact, lighter, faster handling

sharpness and multi-layer Integrated Coating	
For all Nikon F-mount system cameras	5
FISHEYE	
180 <sup>0</sup> 8mm F2.8 Auto 170 <sup>0</sup> full frame cover	Nikor Al
Auto Nikor Al+	424.50

	<b>建在深刻</b>
WIDE ANGLE	
15mm F5.6 Auto Nikor Al	916.50
18mm F4 Auto Nikor Al w/hood	423.50
20mm F4 Auto Nikor Al	275.50
24mm F2.8 Auto Nikor Al	
28mm F2 Auto Nikor Al	
28mm F2.8 Auto Nikor Al	
28mm F3.5 Auto Nikor Al	
35mm F2.8 AUto Nikor Al	
35mm F2 Auto Nikor Al	192.50
35mm F1.4 Auto Nikor Al	
Commit in the state in the stat	

NORMAL AI			
50mm F2 Auto	Nikor Al	 	. 74.

50mm F2 Auto Nikor Al	/4.9
50mm F1.4 Auto Nikor Al	139.9
55mm F1.2 Auto Nikor Al	
55mm F3.5 Auto Micro Nikor	Al
lens only	169.5
Auto Extension Ring PK-I3 Al	
55mm F3.5 Auto Micro Nikor	Al
w/PK-I3 ring Al	
EE- E2 E Missa Al/DV 2	242 5

55mm F3.5 Micro Al w/PK-3.	213.50
TELEPHOTO AI	
85mm F2 Auto Nikor Al	202.50

TELEPHOTO AI	
85mm F2 Auto Nikor Al	.202.50
105mm F4.5 Auto Micro Nikor A	11
lens only	320.90
Auto Extension RIng PN-11 AI.	
105mm F4.5 Auto Micro-Nikkor	Al
w/PN-1 Auto Ring	.385.50
105mm F4.5 Auto Micro-Nikkor	AI
w-PN-11 Auto Ring Al	381.50
105mm F2.5 Auto Nikor Al	. 209.50
135mm F2 Auto NIkor Al	

IJJIIIII I Z A U LU IVIKUI AI	442.30
135mm F3.5 Auto Nikor Al	160.50
135mm F2.8 Auto Nikor Al	209.50
180mm F2.8 Auto Nikor Al	447.50
200mm F4 Auto Nikor Al	222.90
300mm F4.5 Auto Nikor Al	320.00
TELE NIKOR	

(requires 199 adapter or 205 listed be	low)
400mm F4.5 Auto Nikor 677	7.50
600mm F5.6 Auto Nikor IC 894	
Focusing mou t adapter w/cradle (onl	
adapter required for above lenses) 371	.50
Cradle only for 199 (repl.) 156	.90
Focusing adapter AU-1 f/above 519	9.99
52mm Filter holder f/AU-1 (repl.) 29	0.50

### ALL NIKON CAMERAS ACCEPT ALL AI LENSES WITHOUT MODIFICATION

CAMERA CASES FOR NIKON EL-2 & NIKKORMAT EL	
CH-3 hard case, black 28.90 CS-11 soft case black	
CH-8 hard case, black f/16mm-105mm 43-86mm zoom	
CH-9 Hard case for Nikon EL-2 & Nikkormat ELW w/AW-1 37.95	
CH-10 hard case for Nikon EL-2 &	
Nikkormat ELW w/AW-1 f/105mm & 43-86mm zoom 41.50	

	THE RESERVE THE PARTY OF THE PA
NIKON F (all models)	
CTT hard case black	. 27.50
SCT semi soft case black	
CITZ f/camera w/43-86mm, 105	
black	
ACT f/camera w/prism reflex spo	rtsfinder
semi-soft black	28.50

#### NIKON F2 PHOTOMIC. THE PROS DEPEND ON IT FOR GREAT **EXPOSURES!**



Nikon F2 Chrome Body	319:50
Nikon F2 w/50mm F2	393.50
Nikon F2 w/50mm F1.4	454.50
Nikon F2 w/55mm F1.2	518.50
For Black add additional	. 13.95

Nikon F2 Photomic Chrome Body . 339.50 Nikon F2 Photomic w/50mm F2 . 413.50 Nikon F2 Photomic w/50mm F1.4 . 478.50 Nikon F2 Photomic w/55mm F1.2 .. 548.50

For Black Add Additional



### It does things

#### even a Nikon

couldn't do before! Nikon F2SB Photomic Chrome Body .469.50 Nikon F2SB Photomic w/50mm F2 . .542.50 Nikon F2SB Photomic w/50mm F1.4 607.50 Nikon F2SB Photomic w/55mm F1.2 668.50 For Black Add Additional . . . . . . . . . 14.95

#### Nikkormat ELW and Auto Winder AW-1 These latest additions to the Nikon System

offer all the advantages of the automatic Nik-kormat EL plus the capacity for fast, auto-matic film winding/shutter recock.



Nikormat	ELW	Black Body	308.90
		w/50mm F2	
		w/50mm F1.4	
		w/55mm F1.2	

#### **NIKKORMAT FT2**



Here's a great new camera. from Nikon, fast and easy to handle, with outstanding features, It's a gilt-edged investment in fine photography. There isn't a better

value to	ady!	
Nikormat	FT2 Chrome Body	154.90
	FT2 w/50mm F2	
	FT 2 w/50mm F1.4	
	FT2 w/55mm F1 2	350 50

#### NIKON LENSES More than 40 reasons for buying a Nikon



MIKKUR FISHEYE	
180° 8mm F2.8 Auto Nikor v 220° 6mm F5.6 w/160° optio	v.c . 799.00
finder	924.95
finder	optical
finder w/c	829.50
1700 Full frame coverage, 16m	nm f3.5
auto nikor	

#### WIDE ANGLE

MIDE MINUEL	THE RESERVE OF THE PERSON NAMED IN
15mm F5.6 Auto Nikor IC w/c.	. 809.50
18mm F4 Auto Nikor IC	.388.50
28mm F3.5 Auto Nikor IC	149.00
28mm F4 PC Nikor IC w/c	. 504.50
35mm F2.8 PC Nikor w/c	. 249.50
35mm F2.8 Auto Nikor IC	
35mm F2 Auto Nikor IC	
35mm F1.4 Auto Nikor IC	. 289.90

#### NORMAL

45mm F2.8 GN Auto Nikor IC.	79.00
50mm F2 Auto Nikor Al	
50mm F1.4 Auto Nikor Al	. 138.90
55mm F1.2 Auto Nikor Al	. 199.00
TELEPHOTO	
105mm F4 Auto Micro Nikor IC	with
PN-1 ring	. 378.50
105mm F4 Auto Bellows Nikor .	.138.95
135mm F3.5 Auto Nikor IC .	
135mm F2 Auto Nikor Ic	368.50
200mm F4 Auto Nikor IC	189.90

#### TELE-NIKOP

ICLC-NIKUN
(requires 199 adapter or 203; listed below)
400mm F4.5 Auto Nikor 624.95
600mm F5.6 AUto Nikor IC 824.95
focusing mount adapter w/cradle (only one
adapter requires for above lenses) 359.95
Cradle only f/199 (repl.) 149.90
Focusing adapter AU-1 f/above 477.50
52mm Filter holder f/AU-1 (repl.) 24.50
VILL WORK ON NEW NIKON CAMERAS
WITH MFGR. MODIFICATION

#### LENS CASES

01 000 0 1/000 545500
CL-20A Case f/300mm F4.5 ED &
300mm F4.5
CL-II Case f/8m F2.8 Repl 37.25
CL-4 Case f/10mm F5.6 Repl 21.75
CL-28 Case w/strap & rear cap 24.50
CL-27A Case f/400mm F5.6 repl 39.95
CL-15 Case w/strap 20.50
CL-35A Case w/strap & rear cap 22.99
CL-31 Case w/strap & rear cap 13.90
CL-32 Case w/strap & rear cap 20.50
CL-33 Case w/strap & rear cap 13.99
CL-34A Case w/strap & rear cap 23.00
CL-35 Case w/strap & rear cap 23.00
CL-26 Case f/15mm F5.6 repl 33.00
Case f/7.5mm F5.6 repl 17.00
Case f/35mm F2.8 PC repl 12.50
Case f/180mm F2.8 repl
Case 1/100mm F4
Case f/200mm F419.95
Case f/300mm F4.5
Case f/500mm F8 repl 39.00
CE-5 Case w/strap 159.90
CE-6 Case w/strap 188.50
CE-7 Case w/strap191.50
CZ-1860 Case w/strap
CZ-3612 Case
CE-2 Case f/50-300m w/camera 55.25
CE-3 Case f/200-600m w/camera57.90
CL-33A Case f/28-45m F4.5 repl 26.25
REAR LENS CAPS
LF-1 f/Nikkor F mount lenses 2.95
LF-2 Fisheye & 21 mm 3.25
Tele-Nikkors 400,600,800 &1200m 3.50
1010 141KH013 400,000,000 & 120011 3.30

For Black Add Additional 5.95 FOR PHONE ORDERS ONLY CALL TOLL FREE 800-223 5661 or 800-221-5858

### ivitar 220/SL

- Sensitive through-the-lens metering system for consistently accurate exposures
- Accepts all Universal Thread Mount Lenses &
- Razor sharp Vivitar Lens produces brilliant pictures or slides
- Full shutter speed range from 1 to 1/1000 sec. plus "B'
- Self Timer Built-in Hot Shoe Durable Copal Square Shutter
- Electronic Flash Synchronization to 1/125th sec.

Vivitar 220 SI

with 50mm f1.8 lens 119.50



Case ....14.50

### Vivitar 250/SL

35mm SLR

- Center-weighted averaging meter system for easy & ccurate exposure readir
- Versatile Universal Thread Mount accepts hundreds of lenses & accessories
- Reliable metal Copal Square Shutter gives electronic flash synchron



Vivitar 250 SL

with 50mm f1.8 lens 129.50

Case . . . . 14.50





**Vivitar ENDURO** 16.90

Vivitar. 35 CA **Compact Camera** 



The Vivitar 35 CA is the super-compact, superlightweight camera with all the features you need the proven quality of a Vivitar 38mm f2.7 4element lens.

It's fully automatic . just point and shoot. Rangefinder focusing assures sharp, crisp prints or slides. Even the flash is automatically controlled for those beautiful indoor

# **Point** in Shoot **Pocket Camera Kit** ivitar 600

The low-priced pocket camera with built-in electronic flash - you'll never pay for a pocket-full of burntout flash cubes. The Model 600 uses convenient drop-in 110 film cartridges for beautiful color or black & white prints or color slides with its sharp 24mm f8 lens.

27.95



Case 2.95 Vivitar Model 118

Flectronic Flash
The 118 easily attaches to the camera in seconds and conveniently fits in your pocket or purse when not in use. And its vertical styling helps eliminate those ugly red eyes in flash pictures. 14.20



Vivitar 220/SL 35mm Camera - the SLR camera with

- professional features and renowned Vivitar quality. Fast 50mm f1.8 lens delivers crisp, sharp pictures. Choice of black or chrome body styling.
- Vivitar 135mm f2.8 Telephoto Lens ideal for candids of people or capturing sports action.
- Vivitar 2X Tele Converter provides extra versatility by making the 50mm lens into a 100mm telephoto and the
- 135mm into a 270mm super telephoto.

  Vivitar 200 Electronic Flash— forget flashbulbs forever.

  You get 400+ picture-perfect flashes per set of batteries.
- Vivitar Enduro Case Ruggedly constructed, handsomely styled. Protects all your new equipment. 209.90



Vivitar 250 SL 35mm SLR Camera — the camera that has th all beat for quality and value. It features through-the-lens viewing and exposure metering, a superb 50mm f1.8 normal lens for your everyday picture-taking needs, a self-timer and many other features.

of cameras twice as expensive.

Vivitar 135mm f2.8 Telephoto Lens — the ideal accessor lens for portraits and sports photography, razor sharp and easy

Vivitar 2X Tele Converter — increase your lens versatility with this unique accessory. Your 50mm lens becomes a 100mm for perfect portraits and your 135mm lens becomes a super 270mm telephot for those distance shots nature photographers love.

Vivitar200 Electronic Flash — you'll never need flashcubes or bulbs again with this light, compact flash unit. You get up to 400 great flash pictures per set of inexpensive penlight batteries.

Vivitar Enduro Case — protect and carry your equipment in style. Ruggedly constructed and body contoured for the action photographer. Holds all of your new equipment with room to spare for filters and film.

**Vivitar** 

Tele Point'n Shoot Camera

Model 603

#### MODEL ivitar 602

The elegant pocket camera with built-in electronic flash — you'll never pay for a pocket-full of burnt-out flash cubes. The Model 602 uses convenient drop-in 110 film cartridges for beautiful color or black & white prints or color slides with its sharp 23mm f4 all-glass lens.



### ivitar 604

The pocket camera with built-in electronic flash — you'll never pay for a pocket-full of burnt-out flash cubes. The Model 604 has a sharp 23mm f4 all-glass lens that focuses as close as 2 feet — great for portrait snapshots. It uses convenient drop-110 film cartridges for beautiful color or black & white prints or color slides.



The Tele 110 Pocket Camera with built-in Electronic Flash . Tele 110 pictures at the flick of a switch

Sharp, all-glass 24mm f7 lens switches to a 36mm f7 for Tele pictures

**Built-in Electronic Flash** 150 flashes on a set of batteries

**OLYMPUS** 

44.95 Case

2.99

Three very compact, completely automatic 35mm cameras capable of producing the

Which camera suits your needs? They all have: Olympus Zuiko lenses Automatic exposure for

outdoors Automatic flash exposure for indoors

10-second self-timer Easy loading film system and advance lever Viewfinder control center Rangefinder focusing Built-in hot shoe and

PC connection for flash accessory Camera case

The 35RC f2.8 In addition to the above, the 35RC offers the choice of completely automatic or manual operation allowing you to pick your own aperture and shutter speeds up to 1/500th second. The shutter release automatically locks when there is insufficient light, or too much light, to take pictures



The 35RD f1.7 This model has a faster 6 element lens for low-light close as 34" and gives you the choice of completely automatic or manual operation with shutter speeds from 1/2 to 1/500 seconds plus B. The shutter locks automatically in insufficient light or too



The 35ED f2.8 Fully automatic electronic shutter with speeds up to 1/800th second to as slow as 4 seconds for automatic time exposure.



sharpest most beautiful pictures you've ever taken

pocket-size

RANGEFINDER ACCESSORIES

43.5 Filters
Close up lens 43.5
43.5 hood
43.5 hood
Pouch case 4/35 E
Pouch case 4/35 ED
Semi hard case f/35 E
Pouch case f/35RC
Semi Hard case f/35 RC
Eveready case f/35 RC

Picture Yourself on Vacation

PAGE 12

itterence



or starters, take the OM-1 35mm SLR. The OM-1 body weighs only 18 ounces! It's 35% smaller than conventional 35mm SLR system cameras, and its shutter is so quiet you will think it's a rangefinder

Add a choice of 30 state-ofthe-art lenses, a sophisticated motor drive group, and the full line of Olympus close-up equip-ment, and you've got the finest SLR system available!

No matter what kind of camera you have now, it's worth \$\$\$ in trade toward the OM System. Come on in and try the OM-1 on "for size" today. You'll be amazed!



**OLYMPUS** 

OM1	Chrome Body	.164.50
OM1	Black Body	179.50
OM1	w/50mm F1.8	219.50
OM1	w/50mm F1.4	254.50
OM1	w/55mm F1.2	319.50
	BLACK ADD	

FOR CASE ADD 14.90 HARD CASE 24.90



OLYMPUS OM-1 MD 5 PIECE SLR OUTFIT

- OM-1MD Body
   50mm F1.8 Zuiko lens
- 135mm F2.8 Aut Tele
- Flashoun
- 20 page album

TTL Cord

Bounce Grip

\$ 275.50 For MC 135 add \$19.00



**OLYMPUS** 

OM2 Chrome Body . . . . OM2 Black Body . . . . . OM-2 w/50mm F1.8 . . . OM-2 w/50mm F1.4 . . . OM-2 w/55mm F1.2 . . . FOR BLACK ADD. . FOR CASE ADD 14.90

HARD CASE 24.90



In 1972 Olympus dazzled the photo world by introducing the remarkable OM-1. Now — Olympus continues to lead in design with the brilliant OM-2. The first automatic 35mm SLR camera measuring light directly at the film plane
DURING THE ACTUAL EXPOSURE! Accurate automatic exposures all the way up to 60 seconds. And with Olympus Motor Drive, get a fast 5 frames per second! The OM-2 retains the same exceptional features as the OM-1 including compatibility with the complete OM system of over 200 accessories. See the new Olympus OM-2 today. It's another trendsetter from Olympus!



ZUIKO INTERCHANGEABLE LENS GROUP

Zuiko lenses, designed and manufactured by Olympus, have long enjoyed a world-wide reputation for excellence. Building upon this experience and employing the most up-to-date, innovative lens technologies, Olympus engineers have produced a new generation of superb lenses and optical accessories for the OM-System.

These lenses have a host of special features. New optical constructions automatically compensate for close distance aberrations. Mechanical designs have been refined in order to achieve ultra-compact, lightweight configurations.

| Symm | Olympus Zuiko Interchangeable lenses w/c 38mm F3.5 Macro 108.50 +80mm F4 Zuiko 1:1 Macro . . 184.50 OM lens adapter f/Pen F . . . . . 26.95 \* No Case Supplied

+ Requires Bellows

THE OLYMPUS QUICK AUTO 310 Quick Auto TTLCENTRALIZED 310

CONTROL ELECTRONIC FLASH SYSTEM

\*Through-the-lens direct light measuring for automatic flash exposure control with your Olympus OM-2.

310 & ACCESSORIES



Allows mounting camera of focusing rail. Convenient ans of shifting came sition back and forth or from left to right.

ACCESSORY SHOE 1 rectly into Penta Prism of OM-1 to provide cordless ot shoe contact for flash. VARI MAGNIFINDER bination of an gle finder and magnifier orporating nine element 280° to allow focusing m any position. Cen e adjusted for individual inged from 1.2x to 2.5x

ist level viewing.



50



**FOCUSING SCREENS** Interchangeable focusing scri are available to compliment OMsystem accessories and to meet virtually every picture taken

DIOPTRIC CORR' LENSES An aid for easier focusing with far sighted or near sighted vision. To be used with the eye cup 1. Fits into base of eye cup 1. It's held in place by a retaining ring. EXTENSION TURES

These bayonet type extension tubes may be used alone or in combination to achieve seven different extension possibilities When used with the standard f1.2 lens, subject-to-lens distances can be continuously ied from 15%" to



EVE CUP 1 Designed to prevent glare and loss of contrast caused by stray light hitting the

SLIDE COPIER

For use with auto bellow to copy slides or film strips. LENS MOUNTS PM-MTob Designed to mount either 38mm f3.5 macro or 20mm f3.5 macro

to auto bellows.

RECORDATA BACK for the OM-1 converts the camera into a data camera by allowing the photographer to incorporate re One numerical and one alpha-numerical selector, each with

OM Lens Adapter for Pen F Adapts any OM System Zuiko lens for use on Olympus Pen F

blanks, provide 1332 combi-



MOTOR DRIVE GROUP
Motor Drive 1 293.50
M 18V Control Grip 1 w/battery holder 1
One complete Motor Drive,all of the above
charger complete
6V batt. pack f/above 8.95 Motor Drive Cap, Chrome 1.95 Motor Drive Cap, Black 1.95
FOCUSING SCREENS Focusing Screen 1-1 (micro prism matte). 11.95 Focusing Screen 1-2 (micro prism matte). 11.95 Focusing Screen 1-3 (split image matte). 11.95 Focusing Screen 1-4 (all matte) 11.95
rocusing ocreen 1-4 (all matte) 11.95

	varied from 1:
OM CLOSE UP PHOTOGRAI	PHY GROUE
Close up lens 49mm	13 25
Close up lens 55mm	15 50
Extension Tube 7	17.50
Extension Tube 14	15.95
Extension Tube 7 Extension Tube 14	15.95
Extension Tube 25	18.95
Adapter King 55-49mm	6.25
Handy Copy Stand Copy Stand	33.25
Copy Stand	193.50
OM MACROPHOTOGRAPHY	
Auto Bellows	113.90
Double Cable Release	12.00
Slide Copier	52.75
Roll Film Stage	15.50
Focusing Rail	45.50
OLYMPUS OM OTHER UNIT	
OM lens adapter f/Pen F	26.95
Accessory Shoe	6.75
Accessory Shoe 7	7 00
Carimagni Finder	56.50
Carimagni Finder Eyecup 1 Eye Coupler Body Cap for OM Eyer Coupler	6.75
Eye Coupler	4.50
Body Cap for OM	1.75
Near Lens Cap	1./5
49mm Front Lens Cap	1.75
55mm Front Lens Cap Recordata Back 1	1.75
Recordata Back 1	92.95
Dioptric Correction Lens +1,+	2.0.
-1, -2, -3, -4, -5,	. ea.3.75

2	5/8".
	49mm FILTERS Skylight, UV-Haze, ND-2, ND-4, Y2, O2, R1, 81C, 82C
	55mm FILTERS Y2, O2, R1, 81C, 82C ea 9.50 Polarizing
	ea.26.00
	OLYMPUS OM LENSHOODS  for 21mm F3.5
	OM CASES & SHOULDER STRAPS           Semi hard case f/fl.8 &fl.4         .17.95           Semi hard case f/fl.2         .17.95           Camera shoulder strap         .4.50           Camera shoulder strap pad         .2.75           Compartment Case S         .29.50           Compartment Case M         .43.50           Compartment Case L         .71.50           OM-2 Cases         .24.95



#### KONICA

Accessories For Konica SL	R Cameras
Exacta Topcon Mount Adapter	13.85
Pentax Praktica Mount adapter	13.85
Nikon Mount Adapter	13.85
49mm Filter	
Y2, UV, 1A skylight	7.95
55mm Filter	
Y2, UV, 1A skylight	8.95

HEXANON LENSES		
21mm f4 Auto	198.40	
24mm f2.8 Auto	169.50	
28mm f3.5 Auto	119.00	
35mm f2.0 Auto	149.00	
35mm f2.8 Auto	108.00	
50mm f1.7 Auto	64.50	
50mm f1.4 Auto	104.50	
57mm f1.2 Auto	169.50	
85mm f1.8 Auto	129.00	
100mm f2.8 Auto	112.00	
135mm f2.5 Auto	134.50	
135mm f3.2 Auto	69.50	
200mm f3.5 Auto	159.50	
300mm f4.5 Auto	248.50	
300mm f6.3 Auto Flourite	825.00	
45 100 3.5 Auto	421.50	
80 200 F4 New COMPACT-C	OATED 35	
15mm f2.8 Auto Fisheye (buil	t-in) 330.0	
28mm f1.8 286.00		

28mm f 1.8 286.00			
35-100mm f2.8 Auto	399.50		
65-135mm f4.0 Auto	189.50		
80-200mm f3.5 Auto	289.50		
400mm f4.5 Manual	506.00		
800mm f8.0 Manual	652.50		
55mm f3.5 Auto Macro	175.00		
105mm f4.0 Auto Macro f/use			
Bellows	129.95		
1000mm f8.0 Manual	975.00		
all lenses w/c & shade except standard			
Hexanon lenses	Salar Salar		
KONICA HEXAR AUTOMATIC	LENSES		

28mm f3.5 Auto w/c

135mm f3.5 Auto w/c

200mm f4.0 Auto w/c

X-28 Flash;

KONICA FLASH ACCESSORIES	
X-14 Compact Electronic Flash	19.9
X-20 Electronic Flash	27.50
Cuboflash w/Cord & Hot shoe cont	act 7 QF

#### MIRANDA

65.25

53.50

88.95

39.90

34.95

MIRANDA CAMERA ACCESSORIES

#### FINDERS FOR SENSOREX EE' & II VFE-2 Eye Level Penta Prism

VFE-1 Waist level finder w/3X magnifier VFE-3 Critical Magnifier w/5X & 15X magnifier 20.95 29.50 22.50 VFE-4 Critical Focuser Diopter adjustment

FOR SENSOREX, AUTOMEX VF-2 Eye level Penta Prism VF-1 Waist Level finder w/3X magnifier VF-3 Critical Magnifier w/5X &15X magnifier 34.95 19.50 28.50

CLOSE UP ACCESSORIES 73.50 Focabell A-III Double Track Automatic lens ring w/double cable release Extension Tube set 8-16 32mm w/bayonet adap-31.50 14.50 AUTOMATIC EXTENSION TUBES

Universal Helicold CLose up focusing mount 23.95 Lens reverser ring (f/50mm Miranda lenses w/46mm 5.95 front diameter) Lens reverser Ring (f/50mm Miranda lenses w/52mm 5.95 front diameter LENS ADAPTERS

PM adapter f/practica, Hexacon, Pentacon, Contax S & D, Consol Pentax Lenses NM adapter f/Nikon LSR lenses

14.95 11.95 XM adapter f/exa. Topcon lenses

### MIRANDA AUTO SENSOREX EE



- Dual metering-spot and averaging
- Interchangeable viewfinder
- . Built-in hot shoe

Auto Sensorex EE f1.8 w/c 164.90 Auto Sensorex EE f1.4 w/c 199.50 Auto Sensorex EE Body 162.50 For Black ADD 10.00

#### RANDA EE-2 LATEST MODEL

Miranda EE-2 w/f1.8 lens 199.00 Miranda EE-2 w/f1.4 lens 229.50 Miranda EE-2 body 162 50 For Black Additional 11.95 11.95

# MIRANDA

MIRANDA REII f1.8 MIRANDA REII f1.4

139.90 w/c 169 50 w/c

# MIRANDA dx-3



DX3 f1.8 DX3 f1.4 DX3 Body

159.50 204.90 158.50 14.50

**BLACK ONLY** 

SOLD ONLY WITH CASE

### **MIRANDA® AUTO LENSES**

LENSES FOR AUTO SENSOREX EE W/C & SHADE

105mm f2.8	69.50
135mm f2.8	89.50
135mm f3.5	59.50

Sensorex & Automex Automatic Lenses

1/mm 14	129.50
21mm F3.8	89.50
135mm f3.5	44.00
105mm f2.8	59.50
300mm	67.50

#### FC lenses w/case & hood

The state of the s	
28m F2.8	123.50
35m f2.8	87.95
105m f2.8	107.50
135m f2.8	119.95
200m f3.5	149.50
80-200 f3 5 zoom	187

#### **Automatic Extension Tubes**

17-725 32mm Sensomat 18.75 17-716 8mm Sensorex 19.95		n Sensomat m Sensomat	
---	--	--------------------------	--

17-721 16mm Sensorex 21.50 17-726 32mm Sensorex 24.50

### mamiya AUTO XTL



219.50

#### LENSES FOR XTL

28mm f2.8 Auto ES	99.50
35mm f2.8 Auto ES	84.95
55mm f1.8 Auto ES	66.00
55mm f1.4 Auto ES	90.00
60mm f2.8 Macro Auto ES	209.50
105mm f2.8 Auto ES	102.00
135mm f2.8 Auto ES	89.50
200mm f3.5 Auto ES	99.75

#### Accessories For AutoX 1000 & Auto XTL

Hard Carrying Case	21.50
Soft Carrying Case	17.90
Auto Bellows	118.80
Microscope Adapter E S	24.95
P Lens Adapter	14.50
Body Cap	3.50
Rear Lens Cap	3.00
T Lens Adapter	14.00
Portable Copy Stands	43.50
Front Lens Caps	3.50

SETS THE LENS OPENING AUTOMATICALLY



TLS EE w/f1.7 164.95 lens TLS EE w/f1.4 184.95 lens SOLD ONLY WITH CASE

RICOH LENSES

Lenses for EE 28mm f2.8 Auto EE lens 109.00 35mm f2.8 Auto EE lens 98.00 135mm f2.8 Auto EE lens 109.00





f2.8 lens 119.50 f1.7 lens 139.95 f1.4 lens 154.95



IC-1

209.50

Case



Color corrected Rikenon 40mm f/2.8 lens, shutter speeds to 1/500th sec. and fully automatic CdS exposure control system with manual over-ride for quality picture-taking. Range-finder focusing Quality features include brilliant view-finder, built-in-self timer, and 'Hot Shoe' flash accessory shoe. ASA Range 25-800.

#### LENSES FOR RICOH SINGLEX & RICOH TLS 401



17mm f4 Auto w/c	139.00
21mm f3.8 Auto w/c and hood	113.00
24mm f2.8 Auto w/c and hood	99.00
28mm f2.8 Auto w/c and hood	75.00
35mm f2.8 Auto w/c and hood	63.00
135mm f3.5 Auto	49.00
135mm f2.8 Auto w/c and hood	81.00
200mm f3.5 Auto w/c and hood	99.00
300mm f5.5 Auto w/c and hood	102.00
400mm f6.3 Auto w/c and hood	135.00
55-135mm f3.5 Auto w/c and hood	119.00
90-190mm f5.8 Auto w/c and hood	114.00
70-230mm f4.5 Auto w/c and hood	192.00



# KONICAC35 with "pop-up" flash

- Built-in electronic flash no extra attachments, no costly bulbs!
- Fully automatic exposure control – indoors and out!

  Razor-sharp Konica
- 79.50 Hexanon f/2.8 lens Ultra-Compact, Easy-To-Use! **CASE 10.00**

UNDERWATER HOUSINGS

KONICA C35 W/5383 HOUSING \$138.50



### KONICA



Automatic thru-the-lens exposure control PLUS...total manual control option Exposure "memory lock" controls Control-center full-info viewfinder Easy-to-use multiple exposure control

THE NEW KONICA N-T3

New Body Styling Built-In Hot Shoe Built - In Eyepiece Shutter Improved Multi-Exposure

KONICA AUTO REFLEX N.T3

	14 10
N-T3 chrome body	194.99
N-T3 w/50mm f1.7	249.50
N-T3 w/50mm f1.4	289.50
N-T3 w/57mm f1.2	364.50
for black add	15.00
for split image add	7.00
case when purchase w/camera	10.00

SPECIAL PURCHASE

#### The all new KONICA BREAKTHROUGH!

For the first time in camera history, a full-feature reflex that's part of the magnificent Konica Autoreflex System, at an unprecedented low cost Full shutter-preference exposure automation, stainless-steel Conal shutter to 1/1000 sec., Konica bayonet mount for lenses from 15mm to 1000mm, "control center" view-finder and many more professional features. In a precision Konica body that's 25% smaller and lighter. See it to believe it today!

Konica TC Cam. Body 13 Konica TC w/50 f1.7 lens 18 Konica TC w/50 f1.4 lens 22 Konica TC w/57 f1.2 lens 29 224 90

Case . . . . . \$14.50

Take it Along-Everywhere! Fast f/1.8



SO VERSATILE...

### THE TOMORROW CAMERA.

KONICA C-35V CAMERA

6 25

12.95

1 95

1.95

1.99

2 75

4.40

27.00

38.50

69.95

4.70

4.25

17.95

Auto-Up f/S-3

Lens Hood Rubber

Accessories For Rapid Omega Cameras

FLASH/CORDS BRACKETS

Universal flash bracket 17.50

Cable Release 8" w/lock 8.50

Comp. case f/Rapid Omega

Neck Strap f/Rapid Omega

Rubber eyecup assem. 6.50

Sportsfinder f/90, 135,

Auto Up No. 1 f/Rapid

Auto Up No. 2 f/Rapid

Folding Rubber Eyecup

2X Eyepiece Magnifier

CARRYING CASES, NECK STRAPS

Flash Cord 5 ft, Heavy

Type H Flash bracket

Flash Guide Plate GN

Flash Guide Plate

Filter retaining ring

Filter retaining ring

Filter retaining ring

VIEWFINDERS

180mm lenses

series 6

series 7

series 8

Omega

Omega

299.50

duty coiled

140/200

### Auto S3



Hexanon Lens...Shutter to 1/500th... Coupled Rangefinder ... Auto Indoor/ Outdoor Flash Exposures . . . Every Wanted Feature!



### KONICA

BLACK A

World's first 35mm with built-in electronic flash-no flashbulbs to buy, no cords to connect.

It's automatic - the C35-EF sets the correct exposure

All this and more in a beautifully compact, lightweight camera with razor-sharp Konica Hexanon f/2.8 lens



79.50

**CASE 10.00** 

### New C35EFN . . . . . . 99.50

#### INTERCHANGEABLE BACKS 120 Magazine complete 109.00 220 Magazine complete 121.50

#### COMPONENTS OF MAGAZINE

120 Roll Holder w/cover	74.00
120 Roll Holder w/o cover	71.50
220 Roll Holder w/cover	89.00
220 Roll Holder w/o cover	86.00
Housing only for Magazine	36.50

#### Accessories For Konica SLR Cameras

	Telemac II Auto. 2X tele conv.	27.50
	Auto Bellows & Double cable release	130.50
	Auto Bellows Slide Copier Kit	189.50
	Standard Bellows III	61.50
	Macro Stand f/Auto Bellows	23.95
	Reverse Mount Adapter	10.25
	Bellows Adapter Ring f1.2 lens	6.50
	Slide Copier	48.50
	Reversal Ring f/Slide Copier	8.50
	Extension Ring Set III	32.50
	Auto Helicoid	98.75
	Close Up No. 1-55mm	17.95
	Close Up No. 2-55mm	17.95
	Auto Ring & Double Cable Release	33.75
	Microscope Adapter II	23.85
5	Copy Stand II w/focusing rail	102,25
	Konica Autoreflex Manual 2nd Ed.	0.75
	Konica Reflex Guide Latest T3 Ed.	8.75
	Instruction book f/Konica	2.85
	Soft Case	1.00

#### KONICA

Rapid Omega

2½"x2%" PROFESSIONAL FORMAT RAPID ACTION ROLL FILM CAMERAS

Model 200

with quick-change magazine

Latest model of world-renowned professional favorite, combines handling speed and versatility of 35mm systems with the advantages of large-format negative quality. Interchangeable lenses, roll film holders, and film magazines; total systems accessory cap-

Rapid Omega 200 w/120 Mag. 90mm f3.5 Super Omegon

414.50

Rapid Omega 200 w/220 Mag. 90mm f3.5 Super Omegon 428.50

Rapid Omega 200 w/220 Mag. 305.00 w/o lens

Rapid Omega 200 w/120 Mag. 293.50 w/o lens Rapid Omega 200 body only



#### Model 100

with quick-change preloadable roll film holder

New companion model features same rugged construction, professional performance, interchangeable lens and roll film holder capability as Model 200. Performs all RAPID OMEGA 200, functions except that it has no magazine housing, thus mid-roll film change is not possible. Offers exceptional versatility at lower cost.

Rapid Omega 100 w/220 roll holder, & 90mm f3.5 Super Omegon lens 319.00 Rapid Omega 100 w/120 roll holder, & 90mm f3.5 Super

Omegon lens

Rapid Omega 100 w/220 roll holder w/o lens 216.50

Rapid Omega 100 w/120 roll holder, w/o lens 199.50

Rapid Omega 100 Camera body only w/o roll holder 129.00



Interchangeable Lenses For Rapid Omega

Wide angle finder only 31.95 90mm f3.5 Super Omegon lens w/o case 128.50

180mm f4.5 Tele Omegon lens w/c

58mm f5.6 wide angle w/ optical finder & case

Right Angle Finder III 32.95 Eyepiece Corr. +1, +2, +3 @ 7.25 Eyepiece Corr. -1, -2, -3, \* @ 7.25 Soft case f/autoreflex T3/A3 12.95 Case extender f/T3/A3 f/use w/85mm 199.00 100mm, 105mm, 135mm when attached to camera 9.95 Deluxe compartment case 32.50 239.50 Prof. Compartment case 59.95

Hard Eveready case f/T3/A3

### YASHICA Rollei

#### The Yashica Electro 35 GSN. Great pictures outdoors, indoors-even by candlelight!

- Precision optics—45mm f1.7 lens
- Fully automatic CdS exposure control for perfect pictures in any
- lighting conditions

   Electronic shutter with speed range from 1/500 sec. to full 30 seconds.
- Big. brilliant viewfinder with built-in frame for parallax correction.



Electro-35 GSN w/45mm f1.7 94.50 Electro-35 GTN w/45mm f1.7 w/grip

tripod, & lens shade 122.50

#### Yashica MG-1. All the camera you need, at a price you Electronic shutter can afford.



- utomatic exposure control.
- Brighter viewfinder
- CdS "Top-Eye" exposure
- Red and yellow indicator
- Top quality Yashinon f2.8 45mm lens
- "Hot shoe" for direct flash attachment.
  - 76.50

Acc. for 35mm rangefinder

Conversion lens set f/Electro 35 GSN Consists of: Telephoto lens, wide

angle lens, viewfinder

49.90 Auto Close-Up lens f/Electro 35 GSN 25.95

It's here! **Super-8 Sound** from Yashica

> 159.50 f/1.1 XL-type zoom lens Automatic exposure

> > YASHICA Sound

289.50





樂ELECTRO 8 LD-4

Lap dissolve—at a budget

YASHICA

price!

Automatic lap dissolve

4X zoom lens

Automatic exposure control

Fade-in/fade-out control dial

118.20

Fully automatic exposure control

- Top quality Yashinon 38mm f2.8 lens
- Four zone focusing
- symbols
   Easy flash attachment for perfect indoor pictures

71.50

The Yashica Super YXL 1.1. **Great movies indoors**without

> lights! 2 AA batt. req. 77.20

YASHICA **ELECTRO 8 LD-6** 

Professional features



Automatic lap dissolve
Automatic exposure control for perfect color movies

139.50 4 AA batt. req. .60 Each







- Sharp 23mm Tessar f/2.8 Lens\*
- Electronic Programmed shutter speeds—1/400 to 4 seconds
- Apertures f/2.8 to f/16 Electro-magnetic shutter release
- the world's smallest Push-Push Film Transport 110 Pocket Camera! Focuses as close as 3.5 feet
  - Flash cube adapter (electronic cubes only)
  - Weighs only 6½ ounces ■ Size: only 3.3 x 1.75 x
  - 1.2 inches Comes complete with case, flash cube adapter and carrying chain.

A110 . . . . . . . . 156.50



- Xenon 1.8
- Interchangeable lens Range 12 to 6400 ASA
- Self timer
- Through-the-lens metering
- Shutter 1 to 1/1000
- Flash synchronization

149.50

### Rolleiflex SL35M



- Features same as SL35 plus: Full Aperture Metering—All new lenses designed for the SL35M which have aperture simulator key.
  Information in Viewfinder-
- Meter needle and index, meter range limits by red flag, f/stop in window above viewfinder area.
- Built in Hot shoe. Finish-Black only

/50mm f1.8 w/50 mm f 1.4

#### ROLLEIFLEX SL35 ACCESSORIES

Case for Distagon 25mm	19.95
Case for 35mm f2.8, 50mm, 85mm	and the last
	10.05
f2.8	19.95
Case for 135mm	19.95
Case for 200mm	21.95
Lenshood for Distagon 25mm	10:50
Lenshood for 35mm f2.8, 50mm.	10.50
Lenshood for 85mm f2.8, Tele-Tess	
135mm	10.50
M42-Auto Adapter	15.00
Thread Adapter M39	15.00
Microscope Adapter	33.75
Auto Ext. Tube Set SL35	109.50
Auto Extension Bellows	132.00
rubber Eye Cup	7.50
Accessory Shoe	11.70
Eveready Case	18.70
THE RESIDENCE OF THE PARTY OF T	



- Precision built
- Lightweight
- Sharpness 3 ft. to infinity
- 13.5 to f22 with half stops
- 40mm high-definition lens
- Special leaf shutter

99.50 For black add 15.00

# NEW high-speed 5-element

- Rollei HFT\* 40mm Sonnar f/2.8 high-definition multi-coated lens'
- 12.8 to f22 with half stops
- Sharpness 3 ft. to infinity
- Special leaf shutter

Shirt pocket size


Computer Flash

- Precision built
- Lightweight-pocket size For black add 10.00

126.50 w/c

40mm Sonnar f/3.5 lens

Wide Exposure Range



LENSES for ROLLEIFLEX SL35	
HFT F-Distagon 16mm f2.8	262.50
HFT Distagon 18mm f4	243.50
Distagon 25mm f2.8	74.50
HFT Distagon 35mm f1.4	283.80
HFT Planar 85mm f1.4	236.50
Distagon 35mm f2.8	69.50
Sonnar 85mm f2.8	69.50
HFT Sonnar 135mm f2.8	185.90
Tele-Tessar 135mm f4	64.50
Tele-Tessar 200mm f4	119.50



- IT'S FULLY AUTOMATIC!
- . IT HAS A COUPLED RANGEFINDER!
- PROGRAMMED CdS AUTO EXPOSURE!

- FEATURES 5-ELEMENT 40mm SONNAR 1/2.3 LENS!\* IT'S COMPACT! 4.4 X 2.8 X 1.25 INCHES! SPEED AND APERTURE SETTINGS ARE SHOWN IN THE VIEWFINDER! • IT WEIGHS ONLY 121/2 OUNCES! . CAN BE FOCUSED AT A MINIMUM
- OF 3.5 FEET IT HAS A LEAF SHUTTER! • IT'S THE CAMERA YOU ASKED FOR

83.50 case 7.95



Flash Recycles in 10 Seconds

Rechargeable Nicads 96.50 Lightweight-Under 16 oz.

Soft Case R35, B35 Eveready Case R35, B35 Folding Lenshood R35, B35

Non Original Color Filter Original Rollei Color Filter Non Original Case

6.50

4753 Photo
VOIR ONE STOP SHOP FOR ... DIALITY AND HIGE SAVINGS

RETAIL STORE 67 West 47th STREET N.Y. 10036 (212) 260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212) 260-4410

# Rollei

### the Rollei B35



#### The Compact, "Keep It With You" Camera

- 40 mm f/3.5 Triotar lens made by Rollei; mounted in retractable barrel; click stops f/3.5 to f/22; focusing range 3 feet to infinity.
- New Rollei Prontor shutter; speeds 1/30 to 1/500, B; with X contact hot shoe.
- Built-in Gossen exposure meter; film speed range 25 to 1600 ASA; needle indicates required f/stop.
- Rapid wind film transport with 180° swing; self-resetting film counter.
- Cable release socket, tripod bush, accessory shoe for flash guns, fitting for wrist strap.
- Size: 3¾" x 2¼" x 1¼"; 9½ ounces.

68.90

### Leica SL-2



The SL-2 is the successor to the famed Leicaflex SL. It offers eight-times more sensitive metering, a new meter scale illuminator, split-image focusing, display of both aperture and shutter speed.

LEICAFLEX SL-2 BODY: 799.50 BODY WITH 50mm f2.0: 999.50

#### **FUJICA ST801**



with the Light Emitting Diode System.

Advanced SLR technology for advanced creativity. With the first Light Emitting Diode metering system. Accurate readings down to a quarter stop. Solid-state, shock-proof dependability. Extra-bright viewfinder. Flare resistant Electron Beam Coated lenses. 1/2000th second shutter speed. Compact, lightweight body. Screw-in type Praktica

mount.
ST801 w/55mm f1.8 EBC 184.50
ST801 w/50mm f1.4 EBC 219.00
ST801 chrome body
For black add 5.00
Hard Case for ST801 13.50

#### FUJICA ST 901



The world's first totally automatic SLR camera with LED Digital Readout. A new era in electronic automation. You select the aperature, the ST 901's solid state brain reads the precise light, automatically computes the exact shutter speed, and reports it instantly via Light Emitting Diode Digital Readout. Fractional exposure control dial, Multi-layer Fujinon Electron Beam Coated lenses.

ST901 w/55mm f1.8 EBC 269.50 ST901 w/50mm f1.4 EBC 299.50 ST901 chrome body 219.50

For black add 5.00 Hard Case for ST901 15.00

**FUJICA ST605** 

- Lightweight, compact design.
   Extra-fast accurate silicon cell metering.
  - 3-way focusing.
     Precision focal plane shutter.
- Sharp Fujinon f2.2, 55mm lens.
   Accepts all standard thread mount lenses
  - and accessories.

     Special internal flare protection.

FUJICA 605 W/55mm f2.8 126.50

#### FUJICA LENSES WITH CASE & LENS SHADE\*

(except 16mm lens supplied with case only) 16mm f2.8 Fisheye EBC 258.50 19mm f3.5 EBC 199.50 28mm f3.5 EBC 106.90 35mm f1.9 EBC 123.50 35mm f2.8 EBC 96.50 55mm f3.5 Macro EBC 123.50 85mm f4 EBC Soft Focus 142.50 100mm f2.8 EBC 99.50 135mm f2.5 EBC 119.90 135mm f3.5 EBC 96.50 200mm f4.5 EBC 117.50 400mm f4.5 EBC 199.50 600mm f5.6 EBC 473.50 1000mm f8 589.95 75-150mm f4.5 Zoom EBC 209.50 75-205mm Zoom EBC 294.75 54-270mm f4.5 Zoom EBC 413.99

2X Converter Meter Coupled: 29.90

# ST70S FUJICA Fastér

#### FUJICA ST 705

- Exceptionally lightweight.
  - Exceptionally compact.Full aperture metering.
  - Extra bright viewfinder.
- Faster responding Silicon Cell meter.

   1/1500 sec. shutter speed.
- Complete series of Fujinon lenses.
   Screw-in type Praktica mount to
- Screw-in type Praktica mount to let you use your present lenses.

705 W/50mm f1.8 169.50 W/ 1.4 199.90

#### NOW, THE ULTIMATE AUTOMATIC 35mm CAMERA: THE NEW LEICA' R3.



The R3 combines the latest electronic technology with Leica's traditional mechanical precision and optical quality.

It's more than a camera. It's a Leica.

699.50

### Leica CL.

Although small in size and relatively small in price, the CL is the first compact to offer through-the-lens metering and interchangeable



CL WITH 40mm f2.0 SUMMICRON \$439.90

### LEICAFLEX LENSES

90mm Auto Aperture Elmarit R f2.8 434.50 135mm Auto Aperture Elmarit R f2.8 289.50 180mm Auto Aperture Elmarit R f2 8 695.90 250mm Auto Aperture Telyt-R 429.50 400mm f6.8 Telty-R 879.50 560mm f6.8 Telyt-R 1123.50 180mm F4 Elmar 576.50 24mm Elmarit R f2.8 474.50 16mm Fisheye Elmarit R f2.8 550.00 80-200mm Vario Elmarit R f4.5 884 90 100mm Macro 299.50 19mm Elmarit R 459.80 180mm f3.4 589.00 21mm Auto Aperture Super Angulon R f4 589.50 28mm Auto Aperture Elmarit R f2.8 486.60 35mm Auto Aperture Summicron R f2 345.50 35mm Auto Aperture Elmarit R f2.8 399.50 35mm PA Curtagon R f4 487.50 45-90mm Angenieux R f2.8 1199.50 50mm Auto Aperture Summ-

ilux R f1.4

icron R f2

icron R f2

50mm Auto Aperture Summ-

90mm Auto Aperture Summ-

60mm Macro Elmarit f2 8

# BANKAMERICARD Unliverse for a

### master charge

### LEICA M BAYONET LENSES

<b>《美华</b> 》(1995年) <b>阿拉</b>		(A) (A) (A)	
50mm Summicron f2	229.50	21mm Super Angulon f3.4	613.50
50mm Summilux f1.4	459.50	28mm Elmarit f2.8	318.50
90mm Tele Elmarit f2.8	209.50	35mm Summicron f2	209.50
90mm Summicron f2	281.50	35mm Summilux f1.4	266.50
135mm Tele-Elmar f4	372.50	28mm Viewfinder	109.90
135mm Elmarit f2.8	294.50	21mm Viewfinder	165.50
(A. A. W. W. W. ) 1985 (1985) (B. W.		Company of the second	and the second

### VISOFLEX LENSES

11162	65mm f3,5 Elmar	242.50
11026	90mm f2.8 Elmarit	249.90
11133	90mm f2.0 Summicron	180.50
11852	135mm f4.0 Tele-Elma	279.50
11828	135mm f2.8 Elmarit	173.50
11063	200mm f4.0 Telyt	499.50
11914	280mm ,f4.8 Telyt	389.50
11904	280mm f4.8 Telyt-head	281.50
11903	400mm f6.8 Telyt-head	541.50
11966	400mm f6.8 Telyt	869.50
11864	560mm f6.8 Telyt	779.00

585 50

189.50

609.50

292.50

#### SERIES with new 'BAYONET' MOUNT HONEYWELL PENTAX 35mm SLR with 'SCREW' MOUNT **ASAHI PENTAX 35mm SLR**

#### **ASAHI PENTAX K2**



The new Pentax K2 - If what you want is the a camera that most automatic camera around takes all the guesswork out of fine 35mm SLR then what you want is the new Pentax K2. It can be used either as a completely automatic camera . . . or fully manual, with a choice of 15 shutter speeds. Pentax K2 also features: New center-weighted metering • new fast-reacting silicon photo diode • new 10-bladed metal shutter . new viewfinder that allows a 95% full field of view . much, much more

Pentax K2 chrome body	275.50
Pentax K2 w/55mm f 1.7M	349.90
Pentax K2 w/50mm f1.4 M	399.90
Pentax K2 w/50mm f1.2 M	456.50
For Black Split add	18.50

#### **ASAHI PENTAX KX**



The remarkable, new KX camera from Pentax has a even your f/stop setting, so viewfinder that tells all that you never have to take this camera away from your eye once you start shooting. In addition, it features new, easy meter switch system • new pentaprism that delivers 10% brighter viewing than previous models built-in light meter with easy-to-use match-needle metering • choice of 15 shutter speeds, 8 to 1/1000 sec See this sophisticated new camera today.

Pentax KX chrome body Pentax KX w/55mm f1.7M 212.75 Pentax KX w/50mm f1.4M 264.50 Pentax KX w/50mm f1.2M 320.50

> KX Motor Body 239.50 Black Split add 18.50

#### THE NEW PENTAX KM:

#### **ASAHI PENTAX KM**



35mm Super-Multi-Coated

the perfect way to get started in fine photography.

The new Pentax KM may be a lower priced camera but it delivers all the features you need to get started in fine 35mm photography, including
• Shutter speeds B, 1 to 1/1000 sec. KM Motor Body

· Built-in light meter 214.50 • Human engineered for easier use Pentax KM chrome body 128.50 Pentax KM w/55mm f1.7M 205.75 Pentax KM w/50mm f1.4 259.50

Pentax KM w/50mm f1.2 318.50

52mm skylight filter

52mm UV filter

500mm SMC Pentax f4.5

52mm skylight SMC filter

58mm Cloudy SMC filter

499,50

10.50

9.99

9.99

12.95

#### **Pentax Lenses with** 'K' Pentax Bayonet Mount 35mm SMC PENTAX LENSES 50mm SMC Pentax f1.4 M 132.50 55mm SMC Pentax f 1.7M 76.50 15mm SMC Pentax f3.5 439.50 17mm SMC Pentax Fisheye f4.0 162.50 20mm SMC Pentax f4.0 129.00 24mm SMC Pentax f4.0 28mm SMC Pentax f3.5 88.50 129 50 35mm SMC Pentax f2.0 35mm SMC Pentax f3.5 57.50 50mm SMC Pentax-Macro f4 0 87.95 45-125mm SMC Pentax-257.50 Zoom f4.0 135-600mm SMC Pentax-Zoom f6.7 1019 50 50mm SMC Pentax f1.2 M 174.50 136.50 85mm SMC Pentax f1.8 85-210mm SMC Pentax-319.50 Zoom f4.5 100mm SMC Pentax-Macro

126.50

88.50

102.50

119.50

99.50

119.00

119.50 229.50

283.50

Sollilli Cloudy Sivic Title	12.00
58mm UV SMC filter	12.95
58mm Y2 SMC filter	12.95
58mm O2 SMC filter	12.95
58mm R2 SMC filter	12.95
58mm skylight SMC filter	12.95
35mm SUPER-MULTI C	OATED
TAKUMAR LENSES WI	тн
"S" MOUNT. (SCREW MC	
15mm f3.5	490.00
45-125mm f4.0 Zoom	311.00
85mm f1.8	149.00
17mm f4.0	181.50
20mm f4.5	169.75
24mm f3.5	152.50
28mm f3.5	114.00
35mm f2.0	152.00
35mm f3.5	85.50
50mm Macro f4.0	108.00
85-210mm f4.5 Zoom	311.50
120mm f2.8	119.50
100mm f4.0 Bellows Tak.	110.00
105mm f2.8	110.00
135mm f3.5	104.50
135mm f2.5	137.00
150mm f4.0	119.00
200mm f4.0	136.50
100mm f4.0 Macro	154.50
300mm f4.0	249.50
CONTRACTOR OF THE PARTY OF THE	

#### HONEYWELL PENTAX SPOTMATIC F



- · Wide open through-the-lens metering
- = 20 to 3200 ASA range
- Classic Pentax feel and handling
- Choice of 26 Super-Multi-Coated Takumar lenses from 15mm to 1000mm
- · Locking snutter release, hot shoe, self-timer

Pentax Spot. F w/50mm f2 199.50 Spot. F f1.8

HONEYWELL PENTAX FSII

- Electronically timed automatic shutter speeds from 8 seconds to 1/1000 second.
- Manual shutter speeds from 1/60 second to 1/1000 second, plus B.
- Full aperture, averaging metering system.

64.50 20 to 3200 ASA range. 4x to 1/2 x exposure factor dial to compensate for difficult lighting situations.

Pentax ES II w/50mm f2 319.50 329 50 Pentax ES II w/55mm f1.8

#### HONEYWELL PENTAX SP1000



This new popular-priced Pentax embodies the same exacting craftsmanship and design that has made the Pentax Spotmatic a classic: full-format through - the - lens. (stopped-down aperture) metering for good exposures fast and easy, trim styling, conveniently located controls, precise handling and that naturally good "feel". Plus, the new Honeywell Pentax SP 1000 features a top shutter speed of 1/1000 second AND a flaretaming Super-Multi-Coated Takumar lens

Pentax Spotmatic 1000 f2 149.50

#### Pentax K-1000 139.50

135-600mm to. / 200111	1133.00
400mm f5.6	266.50
500mm f4.5	419.50
1000mm f8	949.50
Special 35mm Lenses	
85mm Ultra Achromatic	1155.00
300mm Ultra Achromatic	
lens 'S'	1320.00

TAKUMAR LENSES ARE SUPPLIED WITH LENS CASE. (EXCEPT STANDARD)

49mm skylight filter	10.50
49mm UV filter	10.50
49mm Y2 filter	10.50
49mm light orange	10.50
28mm f2	276.50
28mm f3.5 Shift	434.50
100mm Bellows	119,50
CAMERA CASES	the Principle
35mm 'K' Cases & straps	
Soft case f/KX & KM	24.90
Soft Case f/K2	32 50

100mm Bellows	119.50
CAMERA CASES 35mm 'K' Cases & straps	
Soft case f/KX & KM	24.90
Soft Case f/K2	32.50
Med. front f/KX, KM soft	
case	15.80
35mm 'S' Cam. Casès/Strap	os
Black hard case	18.95
Black soft case	14.95
Case top	14.50
Pentax Foam case	27.50
Soft case, Pentax ES	24.95
Soft case, SP II, SP-F	23.50
Hard case, SP II, SP-F	23.50
Hard case, SP 1000	23.50
Non original Pentax case	12.50

	STATE OF THE PARTY
35mm 'K' MACRO' MICRO' COPY	
EQUIPMENT	37.50
Right Angle Finder	27.50
Magnifier	
Slide Holder IX-'K'	48.95
52mm SMC close up lens	13.95
S40	13.95
52mm SMC close up lêns	
T80	13.95
52mm SMC close up lens	
T160	13.95
58mm SMC close up lens	
T95	15.25
58mm SMC close up lens	
T183	15.25
Auto Extension Tube Set K	67.50
Extension Tube Set 'K'	26.50
Reverse Adapter 'K' 52mm	6.50
Microscope Adapter 'K'	31.50
Bellows Unit 'K'	61.50
Helicoid Ext. Tube 'K'	38.50
	33.50
Copipod 'K' 52mm	93.50
Copy stand III 'K'	54.50
Slide Copier 'K'	
Right Angle Finder II	68.50
Auto Bellows 'K'	128.95

Right Angle Finder II Auto Bellows 'K'	68.50 128.95
35mm 'S' MACRO' MICRO	
COPY EQUIPMENT	
Copipod	31.50
Reverse Adapter S	5.00
Magnifier	27.50
Close Up lens	13.75
Slide Copier f/auto bellows	39.50
Deluxe Copy Stand S	93.50
Focusing Ext. Tube S	38.50
Bellows Unit II S	62.00
Microscope Adapter II S	27.50
Pentax Auto Ext. Tube S	27.50
Auto Bellows S	115.95
49mm lenshood	11.50
Right angle finder	37.50
Leica Adapter A-S	9.00
Leica Adapter B-S	9.00
Accessory Clip II	8.50
Mirror Adapter	80.50
Stereo Adapter Kit 49mm	48.95
Pentax 'S' mount to 'K'	Pares II
mount adapter	8.75
Right Angle finder II	68.95
Slide Copier S	58.60

f4.0

105mm SMC Pentax f2.8

120mm SMC Pentax f2.8

135mm SMC Pentax f2.5

135mm SMC Pentax f3.5

150mm SMC Pentax f4.0

200mm SMC Pentax f4.0

300mm SMC Pentax f4.0

400mm SMC Pentax f5.6

RETAIL STORE 67 West 47th STREET N.Y. 10036 (212)260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212)260-4410

# It's here!



- Carl Zeiss T-Star (T\*) coated
- Porsche design ■ Yashica electronics
- Contax/Yashica bayonet
- Electromagnetic shutter release
  - Air-damped electronic shutter Real Time Winder lightweight motor drive

#### CAMERAS

	Contax RTS body w/o cae Planter T 50mm f1.4 w/0	369.90
0.120.10	case	164.90
	Contax RTS body w/50mm	510 00

931200	Standard Eveready Case	27	.50
992519	Real Time Winder (compa	ct	
	Motor Drive)	134	5n

#### CARL ZEISS T-STAR COATED INTERCHANGEABLE LENSES: w/c

799.50
469.50
349.95
239.50
367.50
473.50
154.50
164.90
299.50
243.50
429.50
225.50
299.50

Tele Tessar	1 200mm T3.5	299.50
REMOTE	CONTROL SYSTEM	CONTRACTOR OF THE PARTY OF THE
992719 II	nterval Timer	58.50
992729 C	able Switch 30	12.75
992769 C	able Switch 100	13.95
	able Switch 300	16.90
	able Switch 1000	22.50
THE RESERVE AND A SECOND	frared Controller Set	104.50

Viewing Screens 13	.00 ea.
992019 Eye Cup	6.90
991600 Diopter Lens Set (8 types)	41.50
Diopter Lenses	6.99 ea.
992110 Right Angle View Finder	82.50
DATA BACK	06.05

FINDER SYSTEM

DATA BACK	
992419 DATA BACK	96.95
LENS CASES	00.00
920019 55mm Softar Type 1 II	111 49.50
920119 67mm Softar Type I II	

LENS CASE FOR 16mm F2.8, 18mm F4. 25mm F1.8, 28mm F2,35mm F1.4, 35mm F2.8, 85mm F1.4, 85mm F2.8 & 135m F2.8 15.50 each

LENS CASE FOR 15mm F3.5 & 135mm F2 18.99 each

#### FOR ML LENSES SEE NEXT PAGE

OFF HEVI I MO	Land Charles Inc. 24
935510 Tele Nose Cover	31.50
935520 Wide Nose Cover	25.50
CAMERA CASES	
931200 Standard Eveready Case	27.30
931210 Deluxe Eveready Case	45.50
021220 Aluminum Drof Coop	447 50

The New Pentax MX

The New Pentax® ME

MX CHROME BODY 204.50 MX BLACK BODY ..... 224.50 ME CHROME BODY 215.50 ME BLACK BODY ..... 231.50

MX CHROME W/f1.7..264.50 ME CHROME W/f1.7..269.90 FOR 1.4 ADD 54.90 ME & MX CASE...... 23.90

ME & MX WINDER....94.99 MX MOTOR DRIVE ATBA..319.50 MX FOCUSING SCREEN-SA-1, SD-1,SA-3,SB-1,SC-1,S1,SE,SG..15.50

		MX LENSES	20.50
17mm SMC Pentax f4.0 Built	IVIL & I	Filter	
in Fish Eye Filter	202.50	Size	
18mm SMCP f3.5 Pentax Size	288.90	400mm SMCP f5.6 77mm	328.2
20mm SMCP Pentax f4.0 58mm	187.50	500mm SMCP f4.5 52mm	581.7
24mm SMCP Pentax f4.0 58mm	129.50	1000mm SMCP f8.0 52mm	1049.50
28mm SMCP Pentax f2.0	276.50		
· 28mm SMCP Pentax f3.5 52mm	88.00		
28mm SMCP Pentax f3.5 Shift	434.50	40mm SMC Pentax M f2.8	74.50
30mm SMCP Pentax f2.8	131.90	50mm SMC Pentax M f1.4	131.90
35mm SMCP Pentax f2.0 52mm	129.00	50mm SMC Pentax M f1.7	79.50
35mm SMCP Pentax f3.5 52mm	57.00	28mm SMC Pentax M f2.8 w/c	153.50
50mm SMCP Pentax-Macro f4.0	87.95	35mm SMC Pentax M f2 w/c	179.90
45-125mm SMCP Pentax-Zoom		35mm SMC Pentax M f2.8 w/c	
f4.0 67mm	298.50	50mm SMC Pentax Macro M f4 w	
85mm SMCP Pentax f1.8 52mm	156.50	100mm SMC Pentax M f2.8 W/C	
85-210mm SMCP-Zoomf4.5 58mm	295.00	and hood	136.50
100mm SMCP-Macro f4.0 52mm	126.50	100mm SMC Pentax M f4 w/c	
100mm SMCP Bellows f4.0	119.50	and hood	183.50
105mm SMCP f2.8 52mm	88.50	135mm SMC Pentax M f3.5 w/c	124.50
120mm SMCP f2.8 52mm	119.00	Section 1 to 1	
135mm SMCP f2.5 58mm	113.50	IT'S LIET	
135mm SMCP f3.5 52mm	99.50	IT'S HER	1 4
135-600mm SMCP-Zoom f6.7	20192	the second secon	
52mm	1174.50	THE NEW	
150mm SMCP f4.0 52mm	119.00		
200mm SMCP f4.0 58mm	113.50	PENTA	
300mm SMCP f4.0 77mm	237.50		70

## to take great photos, by Minox:

Three small ways



#### Minox 35 EL.

The size of a cigarette pack and weighing only seven ounces, the Minox 35EL is the world's smallest and lightest full-frame 35mm

camera
With its flap-covered retractable lens and smoothly finished body of strong, scratch-resistant Makrolon, the Minox 35EL is a very pocketable camera. Fully automatic electronic exposure control and a high quality f/2.8 lens assure outstanding pictures.

169.95 **CASE 14.90** 

#### PETR PETRI FA-1

Here's the fully automatic 35mm LR with the greatest versatility. Shutter speed to 1/100th second. • Fully automatic, super sensitive CdS exposure system with manual override for controlled exposure. Full open aperture viewing and





FA-1.....159.50

PETRI FTE ......149.50 PETRI FT-500....134.50 PETRI FT-1000...114.50





Petri FT-500 35m SIngle Lens Reflex with "Fail-Safe" focusing and screw mount versatility. Exposure System- Built in cross oo coupled CdS exposure meter in thru-the-lens system. ASA: 25 to 1600,

e Here's real value in a 35mm SLR with thru-the-lens Cd5 metering. e Universal screw-in lens mount. e Focal plane shutter with speeds from 1 to 1/100th second and B. e "Fail-Safe" focusing system for

a Here's the precision made 35m SLR that offers the very utmost in convenience and performance. a Fully automatic, super sensitive CdS Exposure system with manual control override for controlled exp. a Full open aperture viewing and focusing.

Minox C. The same compactness and photographic quality that made the Minox C famous as a "spy" camera now make it an ideal camera for

people on the go.

The Minox C measures 4-3/4 x 1-1/8 x 5/8"; weight 3-1/2 ounces. It is easy to use.

Each picture is automatically and correctly exposed. And the Minox C offers clear, sharp pictures from eight inches to infinity.

W/C & CHAIN FOR BLACK ADD \$15.00

164.90

#### Minox 110s.

As the smallest and lightest rangefinder 110, the Minox 110S has many truly

sophisticated features.
For example, you select the aperture; the camera selects the shutter speed from an exceptional range of 1/1000 of a second to four seconds. Its fast f/2.8 lens is superbly sharp. The viewfinder has parallax compensation and displays warning lights in long or over exposure situations. 149.90

CASE \$14.50 F110 FLASH \$35 00

TELLI EE FEMOCO IOL LY-1 & LIE	
28mm f3.5 EE Auto Petri Lens with case	59.95
35mm f2.8 EE Auto Petri Lens with case	57.95
135mm f3.8 EE Auto Petri Lens with case	59.95
200mm f4.0 EE Auto Petri Lens with case	79.95
85-210mm f4.5 EE Auto Petri Zoom Lens with car	se 169.95
2x Auto EE Tele Converter	29.95
3x Auto EE Tele Converter	34.95

FOR PHONE ORDERS ONLY CALL TOLL FREE 800-223-5661 or 800-221-5858

249.50 224.90

RETAIL STORE 67 West 47th STREET N.Y. 10036 (212)260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212)260-4410



50mm f1.4	375.00
Topcon Super DM w/Penta Prism	
50mm f1.8 lenshood	305.00
Topcon Super DM body only w/CC	
finder	239.00
Topcon Super DM body only w/Penta	
Prism	210.00
The state of the s	

Topcon Supreme 1, Super DIVI W/CC	
finder, 50mm f1.4 lenshood, auto	
winder	472.00
Topcon Supreme II Super DM w/CC	
finder 50mm f1.8 lenshood, auto	
winder	409.00
Topcon Super DM w/CC finder	
50mm f1.4 lenshood	370 50

Auto Winder with above

Topcon Super DM w/CC finder	
Prism 50mm f1.8	336.00
RE Topcor Lenses For DM	Cameras.
BF GN 50mm f1.4	165.00

RE Topcor Lenses For Divi	Cameras
RE GN 50mm f1.4	165.00
RE GN 50mm f1.8	97.00
RE Auto 20mm f4.0	191.85
RE Auto 25mm f3.5	141.50
RE Auto 28mm f2.8	143.95
RE Auto 35mm f2.8	117.95
RE Auto 85mm f1.8	175.50
RE Auto 100mm f2.8	117.95
RE Auto 135mm f3.5	112.50
RE Auto 200mm f5.6	149.95
RE Auto 300mm f5.6	210.75
RE Auto 500mm f5.6	724.90
RE Zoom 87-205mm f4.7	246.90
R Topcor 300mm f2.8	747.50
R Topcor 300mm f5.6	193.50
RE Macro 58mm f3.5	122.90
Macro 30mm f3.5	79.95
Macro 58mm f3.5	75.95
Macro 135mm f4.0	82.50
UV Topcor 28mm f4.0	87.50
UV Topcor 35mm f3.5	64.95
UV Topcor 100mm f4.0	64.95
UV topcor 200mm f4.0	124.50
87-205mm HC Zoom	198.50

Camera Cases for DM	No.
Camera Cases	
Eveready case f/Super DM	18.00
Box Case f/Supreme I & II	25.00

Accessories for Topcon DM Cameras 83.50 Bellows Attachment Model IV 38.95 Slide Copying Attach. Model II 38.50 Bellows type Microscope attach. 59.80 CC Finder Penta Prism 38.50 29.50 Waist Level Finder w/c High Magnification Waist Level finder 39.50 w/c 7.50 Accessory shoe f/Super DM **Motor Drives & Accessories** Auto Winder 99 50

for other accessories call or write

#### The new Yashica FX-1



24 28 3! 1:

89.50



FX-1 w/55mm f1.2 M FX-1 w/50mm f1.4 M	
FX-1 w/50mm f1.7 M	
for case add	

19.95 FX-1 Body 209.50 For Black add 9.90

INTERCHA	NGEABL	E LENSES
5mm f2.8 ML w/c		200mm f4.0 ML w/c
1mm f3.5 ML w/c	132.50	300mm f5.6 ML w/c
4mm f2.8 ML w/c	116.50	'400mm f5.6 ML w/c
8mm f2.8 ML w/c	99.95	500mm f8 Reflex w/c
5mm f2.8 ML w/c	81.50	1000mm f11 Reflex w/c
35mm f2.8 ML w/c	99.00	55mm f4 ML Macro w/c
John Land Wile Wyo		80-200mm f4 ML Zoom

#### The Yashica FX-2! • Electronic metering. Yashica's new pro/SLR!

Contax/Yashica lens mount.

Yashica FX-2 w/DSB 50mm f1.9 w/o

153.50 case **Eveready Case for** FX-2 16.90



#### The new Yashica FR

The first pro/SLR to offer 124.50

75.95	Contax RTS systems advantages:	
287.50	Yashica FR Black Body w/o case	179.99
269.95	Yashica FR w/ML 55mm f1.2 Black	343.00
615.95	Yashica FR w/ML 50mm f1.4 Black	259.99
117.50	Yashica FR w/ML 50mm f1.7 Black	229.19
234.75	Yashica Winder for FR	99.00

#### YASHICA *ELECTRO AX*

ELECTRO-AX w/50mm f1.7 DS w/case ELECTRO-AX w/50mm f1.4 DS w/case 209.50 ELECTRO-AX w/50mm f1.2 DS w/case

LENSES &

YASHICA INTERCHANGEABLE

169.50 289.00

#### YASHICA TLELECTRO-XX



TL Electro X ITS w/DSM w/50mm

TL Electro X ITS w/DSM w/55mm 295.00 f1.2 TL Electro X cam. w/c TL Electro X w/DS 55mm f1.2 TL Electro X w/DS 50mm

177.50 TL Electro X ITS camera w/c TL Electro X ITS w/DSM TL Electro X w/DS 50mm 204.50 w/50mm f1.7

185.00 TL Electro X body 156.50

#### **ACCESSORIES** f1.7 AUTO YASHINON ZOOMS w/c f1.4 Close Up Lens 52mm No.1 14.25 Close Up Lens 52mm No. 2 14.25

Yashinon 75-230mm f4.5 1	29.90
Yashinon 90-190mm f5.8	95.00
Yashinon 45-135mm f3.5	186.95
Macro Yashinon 60mm f2.8	59.90
<b>Auto Extension Bellows Set</b>	
(consists of: auto extension	
bellow, slide copier & doub	
cable release)	122.95
Macro Stand f/auto ext.	
bellow	21.50
Manual Ext. Bellow Model	
III	27.50
Auto Ext. Tube Set (3	resolved by
rings)	13.90
Slide Copier	19.75
Microscope Adapter	19.50
Magnifier	16.25
Right Angle Viewfinder	23.50
Copy Stand	119.95
CASES	19.99
Case f/Electro AX	19.99
Case f/TL Electro-X ITS, &	A SUPPLY TO

ULO EXT. I UDO OUT TO	No. of the last of the last
rings)	13.90
lide Copier	19.75
licroscope Adapter	19.50
lagnifier	16.25
ight Angle Viewfinder	23.50
opy Stand	119.95
CASES	
ase f/Electro AX	19.99
ase f/TL Electro-X ITS, &	2.484
TL Electro X	16.90

Yashinon DS 35mm f2.8 Yashinon DX 135mm f2.8 Yashinon DX 200mm f4.0 99.50 Yashinon DX 300mm f5.6 146.00 Yashinon DX 500mm f8.0 271.70 Yashinon DX 1000mm f11 425.50 **AUTO YASHINON DS-M w/CASE** Yashinon DS-M 24mm f2.8 118.95 Yashinon DS-M 28mm f2.8 101.95 Yashinon DS-M 35mm f2.8 95.00 Yashinon DS-M 135mm 115.50 f2.8 Yashinon DS-M 200mm 149.50 f4.0

Yashinon DS 28mm f2.8

Close Up Lens 55mm No.1 14.25 Close Up Lens 55mm No. 2 14.25 AUTO YASHINON DS &DX w/case Yashinon DS 20mm f3.3 217.00 93.50 67.50

### ASHICAMAT-124

284.95

 Accepts 120 or 220 film size without adaptor Critical focusing in adverse

light conditions Shutter speeds from 1 sec. to 1/500 sec.

38.50
38.50
14.99
14.99
5.95
4.95

### SEERITE 6X6 PROJECTOR Ideal for

16.90

FIRST NEW OFAQUE PROJECTOR DESIGN IN YEARS. Low Showing Silhouette produces compact and efficient lighting and optical results. Showing Optically Ground and Polishad Glass Leness of Superb quality. Feed thru switch on 8° U. Approved Gord. Optically Ground and Polished Glass Lenses of Superb quality. Feet thru switch on 8° UL Approved Gord. Cool Wood Handle, for positioning unit over copy. Heat Resistant fine plate Glass Mirror. Accommodates two 200 watt household bulbs. (Not Furnished). Welded Steel Body, Scientifically Louvered Cool Operation. Larger than 6"x6" Copy can be projected in section by removing tray. Prints

Case f/TL Electro



ASTRASCOPE 3000/2

The ASTRASCOPE 3000/2 projector is used to project Polaroid prints...
Kodacolor prints...diagrams, drawings, blueprints, paintings, watercolors, maps,
coins, stamps and other objects (up to 5 × 5 inches)...in black and white or
color...clear, birght and brilliantly enlarged up to 54 x 54 inches from a distance

In addition, the ASTRASCOPE is an ideal selling tool for proof-passers, to show prospective customers how their enlargements will appear.

A maximum of light power is obtained because of: the high speed 200mm f3.5 projection lens; and, the quartz halogen lamp. A revolutionary lighting system featuring a peanut sized hi-intensity lamp to yield brighter lighting an oversized projection lamps. A quiet powerful turbo-blower keeps the projector cool, so as not to damage valuable prints.

The ASTRASCOPE is a time-saving enlarging projector that eliminates the tedious copying and pantagraphy metholds of reproducing items. It will cast images to the increased required size, and yet retain all original color and proportions. The ASTRACOPE will not reverse nor reduce. 129.00



#### mamiya/sekor DSX cameras

YA DSX-1000



Dual through-the-lens average or spot (6% of picture area) open-aperture metering (with SX lenses) • Shutter speeds from 1 to 1/1000 second 4 Hot-shoe flash contacts for X sync • Self timer for delayed action • ASA speeds from 25 to 3200 • Stop-down meter reading possible (with other than SX lenses) • Many more desirable feature than SX lenses) • Many more desirable resure sincluding non-slip grip pad, FP and X flash terminals, rewind crank, multi-slot film loading, and meter-off button.

Mamiya Sekor DSX 1000 f2 Mamiya Sekor DSX 1000 f1.8 139.50 149.95

SOLD ONLY WITH CASE

MAMIYA DSX-500



Dual through-the-lens average or spot (6% of picture area) open-aperture metering (with SX lenses) • Stopped-down metering also possible (with other than SX lenses) • ASA speeds from 25 to 3200 • Shutter speeds from 1 to 1/500 second • Easy multi-slot film loading • Non-silp grip pad for easy handling • Meter On/Olf button for battery conservation • Other features include automatic resetting exposure counter, FP and X flash terminals with accessory shoe available as an option, single or multi-stroke film advance.

Mamiya Sekor DSX 500 f2 Mamiya Sekor DSX 500 f1.8 132.00 142.00

SOLD ONLY WITH CASE

### **MSX** cameras

MAMIYA MSX-1000



The MSX 1000 offers ease-of-operation and versatility for the most discriminating

hotographer

Spot metering (10% spot with aperture wide open) \* 1/1000 second shutter speed

\* ASA speeds 25 to 3200 \* Easy multi-slot film loading

\* Self-timer Hot flash shoe

Mamiya Sekor MSX 1000 f2 134.50 Mamiya Sekor MSX 1000 f1.8 144.90

SOLD ONLY WITH CASE

### mamiya/sekor enses

Mamiya DSX Lenses	
21mm f4.0 Auto SX w/c	112.50
28mm f2.8 Auto SX w/c	84.50
35mm f2.8 Auto SX w/c	71.50
60mm f2.8 Auto SX w/c	104.90
85mm f1.3 Auto SX.w/c	145.50
85mm f2.8 Auto SX w/c	82.50
100mm f2.8 Auto SX w/c	109.50
105mm f2.8 Auto SX w/c	95.70
135mm f2.8 Auto SX w/c	73,70
200mm f3.5 Auto SX w/c	59.50
90-230mm f4.5 Auto SX	
Zoom w/c	192.00
Soft Eveready Case f/DSX	16.95
Flash Gun Accessory shoe	4.50

AUTOMATIC SINGLE-LENS FEFLEX CAMERA 582A



- Built-in behind-the-lens automatic CdS exposure system plus manual settings
- \* Mamiya/Sekor 48mm f/2.8 lens
- 1 / 500 second shutter
- Penta-prism split-image viewfinder
- Accepts telephoto and wide-angle conversion lenses

\$99.50

#### THE DSX 500 KIT

The DSX 500 Camera body complete with

- 50mm f/2.0 Auto SX lens
   135mm f/2.8 Telephoto lens
   Electronic flash
   Accessory shoe
   Eveready carry case

\$199.50

#### SPECIAL MAMIYA CAMERA OUTFITS

MSX 1000 KIT—consists of MSX 1000 camera with 55mm f/1.8 lens. electronic flash, bicentennial camera

carrying strap 179.50

DSX 1000 KIT-consists of DSX 1000 camera, 55mm f/1.8 lens. electronic flash, bicentennial camera carrying strap (189.90

MSX 500 KIT-consists of MSX 500 camera. 50mm f/2.0 lens, camera case, accessory shoe. electronic flash, bicentennial camera carrying strap

179.50

# cromofilter

A neutral sky can be varied to suit your taste

from a striking blue to



- makes color photos true to life
- photos are richer, more spectacular creates sensational special effects

• Crates sensational special effects
Your prio and dedicated amateur will flip over these versattle color filters. They are scientifically designed to enable you to vary and add colors to your photos without altering the main subject. Cromofilters can be rotated, superimposed, raised and lowered... they're perfect for fashion, architectural and industrial uses as well as for the creative individual, who wishes to paint with his camera. Available in seven colors to fit most SLR cameras. And remember... Comofilter is an exclusive Samigon product. Write or call for this money-maker today!

49mm . . . . 10.95 55mm . . . . 12.99 62mm . . . . . 15.50 

#### SPECTACULAR-AMAZING SPECIAL EFFECTS FILTER




A special grid pattern of grooves, in which to 30 million "prisms" are embossed into h square inch of optical-quality acrylic, spreads the light into a star-burst design with one

spreads the light into a star-burst design with one to three orders of spectra. When a non-diffused light source strikes the surface, it is deffracted into its component parts (spectral colors) in the same way that a rainbow is created.

The effect is spectacular—and you see it all clearly in the viewfinder of your SLR. Direct light sources such as matches, candles, street lights, ceiling lights, studio lights, electronic flash, etc., plus reflected light sources (non-diffused). ngits, ceiling lights, studiolights, electronic flash, etc. plus reflected light sources (non-diffused) such as from car bumpers, off water or glass, etc., burst into prismatic star bursts of color creating spectacular effects. Fantastic sunsets are now in the reach of all photographers—amateur and pro alike if you use a Spectralstar Filter—the special effects filter you have been waiting for.

49mm . . . . . 9.25 52mm . . . . 9.70 55mm . . . . 10.99 58mm . . . 11.50 62mm . . . 12.70 67mm . . . . 13.50 77mm . . . . 22.90

For Circular Defraction add \$3 95



### COLOR-MIX **FILTERS**

Each unit consists of two components, one is the special Color Combination Unit, and the other is a polarizer made to work in conjunction with the Color Combination component. By simply rotating the front component, any shade from the lightest to the darkest can be achieved, and all shades in between. For Example: if you are using the Red/Yellow Combination, you can achieve all shades from Yellow, to Red, and a continous, variable combination of both colors, in between. At one extreme, is Yellow and at the other extreme[ Red, and in between are varying shades of the two colors, that will be correct for the MOOD or EFFECT that you are creating.

#### WHAT DO COLORMIX FILTERS DO?

By simply rotating one component of the Colormix filters, you gradually and continually vary the range of the colors from a very pale hue to deep color-ation (Single color model); in Bicolor models, rotation produces a slightly lesser variation in color intensity, but of two different colors; an intermediate color is also produced.

Colormix filters make available a range which includes both subtle and extremely saturated colors - to emphasize as well as to exaggerate specific colors, providing an important tool for the creative photographer. "(They) ... have so many possibilities that no one person will be able to fully explore them in one lifetime", commented Norman Rothschild in his evaluation of Color-mix filters.

Available Combinations: Red Yellow Red, Green Red, Blue AKM491 Samigon Kolor-Mix Filters, 49mm Red/Blue AKM492 AKM493 49mm Red/Green 16.50 49mm Red/Yellow 16.50 A KM521 52mm Red/Blue 52mm Red/Green 18.00 AKM522 AKM523 18.00 52mm Red/Yellow 18.00 AKM551 55mm Red/Blue **AKM552** 55mm Red/Green 21.50 21.50 **AKM553** 55mm Red/Yellow AKM071 Series VII Red/Blue Series VII Red/Green Series VII Red/Yellow 21.50 **AKM072 AKM073** 21.50

## SOLIGOR C/D LENSES



28mm 1/2 Type: Soligor C/D Focal length: 28 Apertures: f/2 – f/16 Angle of view: 74 degrees Groups/Elements: 7 gr. 8 el. Closest Focus: 9.05"

109.50

35mm f/2 lype: Soligor C/D Focal length: 35 Apertures: f/2-f/16 Angle of view: 62 degrees Groups/Elements: 7 gr. 8 el. Closest Focus: 11.8"

Filter size: 58
Diameter: 2.56"
Length: 2.00"
Weight: 9.53 oz.
Coating: Multi-layer
Magnification: 0.7x

79.50



55mm f/2.8 Macro Type: Soligor C/D Macro Focal length: 55 Apertures: f/2.8 — f/16 Angle of view: 41 degrees Groups/Elements: 4 gr. 5 el. Closest Focus: .8 ft. Filter size: 62

Diameter: 2.75" Length: 2.7" Weight: 16.9 oz. Coating: Multi-layer Magnification: 1:1.7 (without Macro Adapte 1:1 (with Macro Adapter)

114.90

100mm f/2.8 Macro Type: Soligor C/D Macro Focal length: 100 Apertures: f/2.8 - f/22 Angle of view: 24 degrees Groups/Elements: 4 gr. 6



nm f/2.8 :: Soligor C/D ! length: 200 !tures: f/2.8 - f/22 e of view: 12 degrees ps/Elements: 4 gr. 6 el. est Focus: 7.2 ft.

Diameter: 2.87 "
Length: 5.21 "
Weight: 27.2 oz.
Coating: Multi-layer
Magnification:
1:1.8 (without Macro Adapter)
1:1 (with Macro Adapter)

152.50



135mm 1/2
Type: Soligor C/D
Focal length: 135
Apertures: 1/2-1/22
Angle of view: 18 degrees
Groups/Elements: 5 gr. 6 el.

128.90

**IGOR® "Macro & Zoom" Lenses** 

Filter size: 77 Diameter: 3.27" Length: 4.88" Weight: 18.35 oz. Coating: Multi-layer Magnification: 4.0x

149.50



Introducing Soligor C/D lenses. In 5 or 10 years, there might be something better.

We're featuring the new line of Soligor C/D lenses. Smaller, faster, lighter, more advanced than any lens line in existence. Soligor's unique, multi-coated C/D lenses offer superior performance and advanced computer design standards; their engineering staff carefully designed 6 lenses with the most oppular focal lengths to meet the needs and demands of the advanced and professional 35mm photographer. There's one right for you

#### SOLIGOR **GOES TO EXTREMES** TO GIVE YOU WHAT YOU WANT!

With C/D "Macro & Zoom" lenses from 35mm all the way up to 300mm and way back down to macro as close as one inch. Five lenses in all. Each practically a system in itself for all popular 35mm SLR cameras. And we have them all.



249.99



35mm-105mm f/3.5 

Agrimation 17.5.S Multicoated 17.5.S Multicoated 13 elements 11 groups April 20.5. The degrees of the course of t



214.50

70mm-210mm f/3.5

Multicoated
Construction: 12 elements, 9 groups
Angle of View: 34-11 degrees
Min Focus Distance:
Telephoto — 4.2 ft. Macro — 8.6 in.
Magnification Ratio.
Al Macro Setting — 1.4
Al Telephoto Setting — 1.4
Disphared Telephoto Setting — 1.4
Disphared — 1.



234.90

300mm f/5.5



Multicated
Construction: 12 elements, 9 groups
Angle of View: 24-8 degrees
Min. Focus Distance.
Telephoto 5-88 tt.; Macro — 19.3 in.

Magnification Ratio:
At Macro Setting = 1.5
At Telephoto Setting = 2.0x - 6.0x
Aperture Range: I/5 - I/22
Filter Size: 67mm
Length at ± 8.5 in. — Wi:: 41.6 oz.
Diaphragm: Fully Automatic

### SOLIGO

17mm f/4



149.95



28mm f/2.8



75.50




54.50

55-135mm f3.5 139.90

75-205mm f3.8 109.95

85-205mm f3.8 139.50



f/3.5 C/D Zoom







f/4.5 Zoom

87.50



104.95

135mm f/2.8



59.90

135mm f/3.5





200mm f/3.5

72.50



75-260mm f/4.5

128.50



147.50

115.50

### vitar LENSES

For Nikon, Canon, Konica, & OM Mounts add 5.90

#### 24mm f2.8

Angle of Acceptance Optical Construction 8 elements/7 groups **Aperture Range** f2.8-16

Minimum Focusing Distance From Film Plane 22.2 cm (8¾ in.)

61mm (2% in.) 270 g. (9½ oz.) 69mm (2% in.) Length at Weight Diameter (Maximum) Accessory Size
Case Size 58mm



99.50

28mm f2.5


**Optical Construction** Aperture Range Minimum Focusing Distance

From Film Plane Length at -Weight Diameter (Maximum)

30.5 cm (12 in.) 60mm (2% in.) 318 g. (11¼ oz.) 70mm (2¾ in.) 67mm

Accessory Size Case Size

86.50



Angle of Acceptance 634 **Optical Construction** 6 elements/5 groups f2.8-16 Aperture Range Minimum Focusing Distance

From Film Plane 40.6 cm (16 in.) Length at ∞

Diameter (Maximum) Accessory Size Case Size

54mm (21/s in.) 226 g. (8 oz.) 60mm (2% in.) 52mm A

57.90



Pocuses a close at 42.5cm
10.5cm from 10.7cm
10.7cm from film plane
1:3.8 reproduction ratio
at closest focuses
Cam operated focusing syst.
remains in focus throughout
entire zoom range
Multicosted lens slements
Optical Construction—15
elements in 10 groups
Angles of Acceptance—320
a The Vivitar.

#### 35-105mm f3.5 automatic fixed mount zoom lens!

Focal Length-35mm to

Zoom Ratio-3:1 Angle of Acceptance-63° at 35mm, 23° at 105mm tical Construction 13 elements in 11

groups
Aperture Range-f3.5 to f16

Accessory Size-058mm Weight-340g (12 oz)

ngle of Acceptance

Minimum Focusing Distance

**Optical Construction** 

Aperture Range

From Film Plane

Weight Diameter (Maximum)

Length at x

Accessory Size Case Size

62.90

135 mm f2.8

224.90

1.4m (4½ ft.)

82mm (31/4 in.)

425 g. (15 oz.)

55mm B

62mm (21/2 in.)

5 elements/5 groups f2.8-22

ngle of Acceptance Optical Construction 5 elements/4 groups Aperture Range

From Film Plane Length at ∞ Weight Diameter (Maximi

.95



#### 55mm Macro f 2.8

EY FEATURES
Ideal for copying docur
other flat field subjects
Maintains exceptionally ents, stamps and



#### 200mm f3.5

Minimum Focusing Distance

595 g. (21 oz.) 68mm (2% in). Accessory Size Case Size



102.50

### 85-205mm f 3.8



149.50

atio. 2.14:1
of Acceptance—34°
mm; 16° at 150mm
Aperture Hange—13.8 to
Aperture Hange—13.8 to
Aze Tide 10° at 150mm
Aze Tide 10° at 150mm
Film Plane—1.5m (4f 111 m)
Telephoto mode 40.5cm
116 in) (10cs Foousing mode
Weight—550g (19.5 oz.)
Length—6 100; 112mm (4.4 m)
Accessory Size—0752mm





Angle of Acceptance

28° @ 85mm 12° @ 205mm

Optical Construction 13 elements/9 groups
Aperture Range 13.8-22 Minimum Focusing Distance From Film Plane

Normal Focusing Mode 1.9m (6 ft. 2 in.)
From Front Element

Close Focusing 31.8cm (12.5 in.) Length at x 184mm (71/4 in.) 794 g. (28 oz.)

Diameter (Maximum) 63.5mm (21/2 in.) Accessory Size 141 .50 58mm

#### 400mmf5.6



Angle of Acceptance
Optical Construction 5 elements/5 groups Aperture Range Minimum Focusing Distance 15.6-22

6.1m (20 ft.) From Film Plane 280mm (11% in.) Length at on Weight 1.2 kg (43 oz.) Diameter (Maximum) **Accessory Size** 

154.50

#### Vivitar TX LENS SYSTEM

28mm f2.5 Wide Angle Seven optical elements in 7 groups. Weight: 7.5 oz. Length: 1.9". Minimum focusing: 9.45" Angle of acceptance: 75 degrees. Aperture range f2.5 to f16.



69.99 28MM f2.5

24mm f2.8 Wide Angle Fight optical elements in 7 groups. Weight: 7.4 oz. Length: 1.8" Minimum focusing: 8.78" Angle of acceptance: 84 degrees, Aperture range: f2.8 to f16.



79.99



24MM f2.8



35MM f2.5

35mm f2.5 Wide Angle Sewen optical elements in 7 groups. Weight: 8.2 oz. Length: 2.1" Minimum focusing: 10.7" Angle of acceptance: 63 degrees. Aperture range: f2.5 to f16.

58.99

#### The TX lens system adapts to:

Pentax ES and Spotmatic F series

Mamiya/Sekor DSX and DTL
Olympus CM-1 and OM-1 MD
Nikon F and EL series

Canon FL and FD mount
series including EF.

Case Size

Minolta SR and XK series Konica Autoreflex series Vivitar SL series Pentax Spotmatic Other Universal thread

14.50 each



### CLOSE **FOCUS**

90-230mm f4.5 Zoom 90--30mm 14.5 Zoom Eleven optical elements in 7 groups. Weight: 30.6 oz. Length: 7.3". Minimum focusing 4.8 ft. Built-in lens hood. Tripod socket. Angles of acceptance: 11-27 degrees. Aperture range 14.5 to 122.

90-230 f4.5

### 135mm f2.5 Telephoto

146.70



58.99



135MM f2.5



71.90



200MM f3.5

400MM f5.6

400mm. f5.6

127.50

#### 300mm f5,6



78.50

Angle of Acceptance Optical Construction 5 elements/3 groups Aperture Range Minimum Focusing Distance 15.6-22

From Film Plane Length at ∞ Weight Diameter (Maximum) Accessory Size Case Size

(191/2 ft) 178mm (7 in.) 753 g. (261/2 oz.) 70mm (2¾ in.) 58mm

#### **New Product**

Introducing the Vivitar 100-300mm f5.0 Close-Focusing TX Zoom Lens



New! With a wide range of telephoto focal lengths. For all sorts of pictures. Portraits, candids. For all sorts of people Boyfriends, baseball players birdwatchers, and bead

167.50 Focuses as close as 17 inches from the film plane — 1:3.5 Reproduction Ratio

Stays in focus throughout

FOR PHONE ORDERS ONLY CALL TOLL FREE 800-223-5661 or 800-221-5858

FOR MORE VIVITAR LENSES SEE NEXT PAGE

### Vivitar Series 1 Lenses

28mm f1 9 VMC Wide Angle Lens

groups
ffective Focal Length—28mm
ngle of Acceptance—75<sup>0</sup>
linimum Focus Distance from
Film Plane—30.0cm (11.8 in)

(VMC)
Accessory Size—658mm
Weight—340g (12 oz)
Length at Infinity—61.0mm (2.4 in)
Max. Barrel Dia.—66.0mm (2.6 in)
Aperture Range—f1.9-f16
Front Lens Cap Size—65mm
Front and Rear Lens Caps incl 161.50



90mm f2.5 **Telephoto Lens** Corrector-Macro Adapter

8 elements in 7 groups Macro Adapter—3 element 3 groups
ffective Focal Length—90m
ngle of Acceptance—27<sup>0</sup>
linimum Focusing Distance
from Film Plane—39.3cm
(15.5 in) without adapter
35.5cm (14.9 in) with

adapter
Max. Magnification—1:2 w/o
adapter 1:1 w/adapter
Accessory Size—0 58mm 229.50

Vivitar Series

THE ULTIMATE

IN ACCESSORY LENSES. **COMPACT AND** LIGHTWEIGHT. AVAILABLE IN **MOUNTS TO FIT** MOST 35MM. **SLR CAMERAS** 

Weight- Main Lens: 644gms (23 oz.) Macro adapter: 936 gms (33 oz.) Length-9.0cm (3.5 in.) with out adapter 13.8cm (5.4 in) w6adapter 10 w6adapter Max. Barrel Dia.-70mm (2,75 in.)

in )
Aperture Range- f2.5 f22
Lenshood-Use Viv. 58m

#### Bausch & Lomp Discoverer Balscope Zoom 60

20 Year Limited Warranty

Use Your Discoverer as a 1000mm to 4000mm Zoom Telephoto Camera Lens

n and functions as an extra powerful on lens.

The two accessories needed for this is a #22-3030. Telephoto Adapter, and camera Body Adapter that matches or particular camera:

Pextax, Praktica, Edixa, Yashica, Penta J, Mamiya Sekor, Exakta, Topcon RE, Nikon F, Minolta SR, Canon-flex, Canon FTB, Miranda, Olympus, Konica Pentax K.

COMPLETE WITH TELEPHOTO ADAPTER AND CAMERA BODY ADAPTER

\$159.50

### Super Telephoto Effects 750mm to 3000mm

COMPLETE WITH SPACEMASTER CAMERA MOUNT, CAMERA BODY ADAPTER & CHOICE OF EYEPIECE. PLEASE SPECIFY CAMERA

HOW TO USE YOUR SPACEMASTER AS A TELEPHOTO LENS

ushnell Spacemaster

For Single Lens Reflex Cameras

Add a few accessories to your Fixed Power Spacemaster Telescope and it becomes a dramatic telephoto lens for your single lens reflex camera-(not for use with 45° or ZOOM Spacemaster)



#22-3025 Spacemaster Camera Mount Provides variable telephoto effects depending upon standard

If purchased separately \$18.50

or these SLR cameras

Pentax, Praktica, Edixa, Yashica, Penta J, Mamiya Sekor, Exakta, Topcon RE, Nikon F, Minolta SR, Canor flex, Canon FTB, Miranda, Olympus, Konica, Pentax K



able Ever

24.50

79.00 37.50

42.50

648.50 723.50

693.00

(PIGRIFF-B)

(PIGRIFF B)

(LINSE 400)

(PIGRIFF B)

(PIFAS B)

(N 600)

(PIFAS B)

#78-2215 15 power eyepiece provides 750 to 1500mm telephoto effect (magnifies from 15-30 power).

#78-2220 20 power eyepiece provides 1500 to 2160mm telephoto effect (magnifies from 30-43 power)

#78-2225 25 power eyepiece provides from 2160 to 3000mm telephoto effect (magnifies from 43 to 60 power).

VMC 269.50 Variable Focusing Lens
Construction—12 elements in 9

Construction—1.e semm.
groups
Effective Focal Length—35-85mm
Focal Length Ratio—2.4:1
Angle of Acceptance—28-630
Min. Focau Distance—Subject to
front element—4.3" Subject
to front element—4.3" Subject
to front element—4.3" Subject
to front properties
Accessory Size: 72mm
Weight—27.0"
Length at infinity—3.6"
Max. Barrel Dia—3.2"
Aperture Range—12.8-16
Lens Hood—Slip on lens.hood in



70-210mm, f3.5 Automatic Zoom
Lens W/Macro Focusing
Construction-15 elements in 10

Construction—15 elements in 10 groups
Effective Focal Length—70-210mm
Back Focal Length—40mm
Angle of Acceptance—11-320
Minimum Focus Distance—
6'6%" from focal plane (norm)
5'10%" from focal plane (macro)
3' from front element (macro)
3' from forot element (macro)
0'7 from forot element (macro)
0 from forot

271.90 \* EE Coupled lenses only



134.50

135mm, f2.3 Automatic ction-6 elements in 6

Construction—s etc.
gruops
Effective Focal Length—59.78mm
Back Focal Length—59.78mm
Angle of Acceptance—18<sup>o</sup>
Minimum Focus Distance—3'
from focal plane 2'.6.2" from n-1:4.5 norma

from focal plane 2.6.2 fron front element
Max. Magnification—1: 4.5 norr size
Accessory Size—72mm
Weight—22 oz.
Overall Length—3.6 in
Track Length—78 in
Max. Barrel Dia —3.1/8 in
Aperture Range—12.3-22, 12.3-16\*

16\*
Lens Hood—Built in retractable

\* EE Coupled lenses only



153.50

200mm, f3

Construction—6 elements in 6 groups Effective Focal Length—200m Back Focal Length—77.8mm Angle of Acceptance—12<sup>0</sup> Minimum Focus Dist.
Minimum Focus Dist.—4' from focal plane 3'4.7" from element ix. Magnification—1: 4 norma

size Accessory Size-72mm Weight-27 oz. Overall Length 4.7 in. Track Length-1.18 in. Max. Barrel Dia. 3-1/8 in Aperture Range-13.0-122 f3.0-116\* f3.0-f16\* ens Hood—Built in, retra

#### TELESAR UNIVERSAL LENS CASES

Reinforced black leather construction Modular interior design with removable dense foam sleeves, enabling each case to securely hold a range of lenses of differing tocal lengths

· Tight fitting lid with positive snap lock

(Note: Center foam sleeve is included in size A & B and size BB lens cases only.)

inside Dimensions		
31/2" x 31/4"	Α	5.70
3" x 43/4"	В	6.50
31/8" x 61/2"	C	7.50
31/6" x 83/4"	D	8.50
3¾" x 12"	- E	11.90
31/4" x 43/4"	BB	6.50

on SLR CAMERAS, add camera adapte focusion bollows kit indicated:

Focusing Range Comparison of Close Focus-ing Bollows Kit VS Camera Adapter

21/2×31/2

31/4×41/2

51/2×81/4

400mm

focusing range with hellows

1'3"/inf. 13'/inf.

26'/inf.

65'/inf.

6' /inf.

13'8"

### NOVOFLEX **FOLLOW FOCUS LENS SYSTEMS**

Consisting of metal rifle stock, sling & swivels, front trigger handle and cable release. 123.00 Same outfit with Schneider instead of standard front handle 173.50

MISCELLANEOUS ACCESSORIES FOR FOLLOW FOCUS SYSTEM:

Chest or shoulder support Tripod clamp ring

CARRYING CASES:

CLOSE FOCUS BELLOWS KIT

TO ORDER

NAME

'OF CAMERA

PLUS

CODE

"BA"

w/Adapter

ALA-BAL U
CANA-BAL U
REXA-BAL U
AUXA-BAL U
VISA-BAL U
VISA-BAL U
LEA-SI-BAL U
KONIA-BAL U
MIRA-BAL U
MIRA-BAL U
MIRA-BAL U
PRAA-BAL U
PRAB-BAL U
IXA-BAL U
I

109.50

62.50

for 280mm Follow Focus Lens for 400mm Follow Focus Lens for 640mm Lens with barrel

NOVOFLEX SURVEILLANCE & NATURALIST KIT

Consisting of Novoflex Follow Focus lens system described above PLUS special close focusing bellows kit with rear mount adapter, metal rifle stock complete with leather sling and swivels, front trigger handle with cable release. Specify camera and code.

Complete Kit with 280mm lens Complete Kit with 400mm lens Complete Kit with 600mm lens

Complete Kit with 400mmf.3 lens

	CONSISTS OF:
	(1) Pistol unit wi
-0-	(2) 280mm lens (3) Sunshade
280mm	(X) Camera ada



411.50



# 600mm 525.00

COMPLETE 280mm SYSTEM (CODE: PI 280 B)

th squeeze focus handle

and diaphragm

(B 280) (SONPI)

(X) Camera adapter or Close Focusing Bellows Kit are not part of the System and must be ordered separately. See list-ing below. Specify code name and/or item required.

COMPLETE 400mm SYSTEM (CODE: PI 400 B)

(1) Pistol unit with squeeze focus handle

(4) Diaphragm (for use with 400 or 600 lens)

(5) 400mm lens head

(SONFE) (6) Sunshade (for use with 400 or 600 lens)

(X) Camera adapter or Close Focusing Bellows Kit are not part of the System and must be ordered separately. See list-ing below. Specify code name and/or item required.

#### COMPLETE 600mm SYSTEM (CODE: PI 600 B) CONSISTS OF

(1) Pistol unit with squeeze focus handle

(4) Diaphragm (for use with 400 or 600 lens)

(7) 600mm lens head complete with barrel (6) Sunshade (for use with 400 or 600 lens)

(SONFE) (X) Camera adapter or Close Focusing Bellows Kit are not part of the System and must be ordered separately. See listing below. Specify code name and/or item required.

FOR PHONE ORDERS ONLY CALL TOLL FREE 800-223-5661 or 800-221-5858

CLOSE UP TO INFINITY MEDICAL,

CLOSE UP STROBE PROBLEMS ARE ELIMINATED since the location of the point light source strobe) is based on the inverse square law. As the bellows extends to provide greater magnification, additional illumination is required to compensate for the added extension. With the Novoftex kits, the strobe is mounted at the lens position and moves forward with the lens; its movement forward, or closer to the subject, provides the increased amount of light required. The predetermined exposure remains constant.

EXPOSURE. Any strobe with an accurate guide number of 40 will produce excellent pictures at F22 with all lens to subject distances from 2 1/2 feet to eight inches (1:1) with either Novo-flex kit. For greater than 1.1, extreme close ups, extension tubes are added and the aperture increased one half stop. For head and shoulder, or full figure overviews, the guide number

for strobe and film is divided by light to subject distance for proper opertur

FLEXIBILITY UNEQUALLED BY ANY

OTHER LENS OR CLOSE FOCUSSING DEVICE

MODEL TWO (internal automatic) specify camera

REPLACEMENT COMPONENTS:

MODEL ONE
EXTERNAL AUTOMATIC
FOCUS WIDE OPEN. DOUBLE CABLE RELEASE STOPS
DOWN . . REOPENS DIAPHRAGM . . ACTIVATES

MODEL TWO INTERNAL AUTOMATIC

MECHANICAL COUPLING BETWEEN CAMERA, BELLOWS
AND LENS DIAPHRAGM ... NO CABLE RELEASES ...
FOCUS AT FULL APERTURE AS YOU WOULD WITH ANY
AUTOMATIC LENS.\*

MODEL ONE (external automatic) specify camera

MODEL TWO (internal automatic) specify camera

DENTAL AND SCIENTIFIC PHOTOGRAPHY MADE AUTOMATIC WITH TWO SPECIAL SYSTEMS. FOR ALL POPULAR SINGLE LENS REFLEX 35mm CAMERAS COVER THE FULL RANGE OF PHOTOGRAPHY from 1:1 reproductions of teeth, coins, stamps, specimens and small objects to full extra-oral portraits or focus to infinity. Nothing is too large, too small or too distant for the Noveflex Intra Oral Camero Accessory Kits.



### Novoflex Flash Bracket NOVOFLEX INTRA EXTRA ORAL CAMERA ACCESSORY KITS

#### FOR MACRO FLASH/STROBE PHOTOGRAPHY DOWN TO ONE INCH


WITH ANY CONVENTIONAL LIGHT SOURCE




**DUAL STROBE COPYING** 



PHOTOMACROGRAPHY



**BOUNCE LIGHTING** 



**ROTATING MOUNT** 

#### SIMPLIFIED EXPOSURE CONTROL

CLOSE UP EXPOSURE IS A CONSTANT F16 WITH 50 TO 58mm FOCAL LENGTH CAMERA LENS, KODACHROME II AND GUIDE # 30 LIGHT SOURCE.

Created by the genius and research of Novoflex/West Germany, the new Flash Bracket (code: X-SHOE) has many unique features making possible controlled strobe/flash exposures as close as 1" from the subject with any manufacturer's small strobe and without complicated exposure calculations. In most cases, exposures with 50-58mm focal length camera lenses at short distances are simple; merely use F:16, Kodachrome 2 and guide # 30. The X-SHOE provides the rotation and angle adjustments to properly direct the light to the subject.

The NOVOFLEX X-SHOE is clamped to the lens by interchangeable X-RING adapters made in 40.5, 48, 49, 52, 55 and 58mm screw-in filter sizes and permits the light source to be rotated and locked into any position from left to right. Bounce, right angle or parallel illumination can be obtained by properly adjusting the X-SHOE. The strobe supporting platform of the X-SHOE can be tilted to a variety of angles, some of which are illustrated. The strobe is attached to the X-SHOE by means of rubber strap or standard flash shee supplied with the unit.

As shown, two Novoflex Flash brackets may be used simultaneously. Two opal diffusers are included with each bracket, should a reduction of light be required. Screw-in filters can be used with the complete unit.

The uses of the X-SHOE are many and limited only by the imagination. While this unit is ideally suited for use with Novoflex Automatic Bellows and Automatic Short Mount 105mm lenses (available for Nikon, Pentax, Canon, Minolta, Miranda, Konica, Topcon) it can be employed with any brand of bellows or lens with excellent results.

NOVOFLEX FLASH BRACKET (LESS ADAPTER RING, LISTED BELOW) CODE: X SHOE 29.95 ADAPTER RINGS FOR ABOVE, SCREW IN FILTER SIZES: 40.5, 48, 49, 52, 55, 58. CODE: X RING AND SIZE 11.75

#### **NOVOFLEX AUTOMATIC BELLOWS**

Automatic bellows for cameras listed. Non interchangeable mounts. Patented mechanism activates automatic diaphragm of any auto lens supplied by camera manufacturer, or, the new short mount 105mm F4 Auto-Bellows Noflexar. Cable release not required. Diaphragm stops down to desired aperture when camera shutter is activated. Iris reopens automatically or by reset mechanism. Minolta model also meter coupled. Four track, calibrated, built on focussing rail. Slide copy kits and other accessories listed below. Order by code name:

PISTOL GRIP for model two intra-extra oral kit (without cable

REPLACEMENT COMPONENTS:
Light source mounting bracket for Model One intra-extra oral kit
Light source mounting bracket for Model Two intra-extra oral kit
NOVOFLEX FLASH BRACKET, less adapter ring
NOVOFLEX FLASH BRACKET ADAPTER RINGS, 40.5, 48,
49, 52, 55mm. For X-Shoe Use Only--Specify Size and Code
PISTOL GRIP with double cable release for model one intra-extra
oral kit

misplace or fumble with another lens cap.




19.99

28.99

11.75

Vivitar 🛥



Discover for yourself how easy it is to enjoy the wondrous world of ultra close-up photography with this unusually versatile macro system.

BELLOWS uses compatible "T" mount adapters for most any 35mm SLR camera and lenses. Rack & pinion focusing with oversize, easy-to-use controls. Precision construction Magnifications up to 5½ times life size with standard

FOCUSING RAIL to assure razor sharp macrophotographs SLIDE COPY ATTACHMENT lets you make beautiful duplicates of your favorite color slides . . . and much more.





BELLOWS 49.95 FOCUSING RAIL 27.50 SLIDE COPY ATTACH. 29.95 MACRO STAND 27.50 FRONT MOUNT ADAPTERS 8.50 8.50 PENTAX NIKON 8 50 CANON 8.50 MINOLTA 8.50 MIRANDA 8.50 T-MOUNT ADAPTER 4.95 ea.

NEW AUTOMATIC **EXTENSION** BELLOWS

AVAILABLE FOR: NIKON

MINOL TA

· CANON

PENTAX Lightweight, easy to handle. A double KONICA track construction with deluxe engraved scale. Genuine leather bellows. 42.50

BROOKS/KOMURATELEMORE

MULTICOATED . FOUR ELEMENT . FOUR GROUP





HASSELBLAD 500C and EL. TT Type and Later Installation and removal simple as that of automatic extension tubes. Couples to shutter and film advance mechanisms. Automatic features are retained.

167.50

BRONICA "C" and "EC" New, special optical glass plus considerable research made the telemore a reality— resulting picture quality will amaze you. 94.50 MAMIYA 6x7 PENTAX

KOMURA 35mm PROFESSIONAL 7-ELEMENT TELEMORE 95 II EXTENDERS

2x Tele Extender for Nikon, Canon, Pentax, Minolta, Olympus, Konica—Telemore 9511 54.90

KOMURA 35mm TELEMORE EXTENDERS 2x Tele Extender for Nikon, Canon, Pentax, Minolta, Olympus, Konica (Specify camera when ordering) 34.99

YOUR ONE STOP SHOP FOR . . . QUALITY AND HUGE SAVINGS

### adaptall



28mm

f/2.8
Automatic Wide-Angle
Lens BBAR Coating

amror AUTOMATIC WIDE ANGLE LENS

\$77.00

- \* Ultra-Sharp Computer-Designed Optics
- \* Takes in 40% more than normal SLR lenses
- \* For Canon, Nikon, Minolta, Pentax, Konica



\$87.50

105mm f2.5 Automatic Telephoto Lens BBAR Coating

#### amror

Focal Length - 105mm Aperture Range - f2.5-f22, EE; Positive full & half click stops

Construction-4 elements in 4

groups
Angle of View—23° 10'
Minimum Foçus from Film Plane—
51.2" (1.3m)
Filter/Accessory Size—55mm
Length—2.3" (59mm)
Maximum Dia.—2.6" (65mm)
Weight—10. 20: (290g)
Remarks—Infrared index



135mm 1/2.8

Automatic Telephoto Len BBAR Coating

#### amron AUTOMATIC TELEPHOTO LENS

\* Sharp-Cutting Computer-

- ized Optics
- \* Close Focusing, built-in lens hood
- For Canon, Nikon, Minolta, Konica, Pentax-Mount SLRs



\$104.50

\$66.95

200mm f/3.5

Automatic Telephoto Lens **BBAR Coating** Lamror

AUTOMATIC TELEPHOTO LENS Razor-Sharp at every open-

- ing \* Brings your world four
- times closer \*For Canon, Nikon,
- Minolta, Konica, Pentax-Mount SLRs



\$109.95

300mm f5.6 Automatic Telephoto Lens

BBAR Coating

#### 

Focal Length—300mm Aperture Range—f5.6-f22, EE; Positive full & half click stops
Construction—4 elements in 2

groups
Angle of View—8<sup>0</sup> 12'
Minimum Focus from Film Plane—94" (2.39m)
Filter/Accessory Size—62mm
Length—7.9" (196.5mm)
Maxim8

Maximum Dia. – 2.8" (71mm)
Weight – 27.9 oz. (790g)
Remarks – Infrared index; Integral
retractable lens hood; rotating

RETAIL STORE 67 West 47th STREET N.Y. 10036 (212) 260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212) 260-4410

#### tamron

38-100mm. f3.5 Automatic Zoom Lens BBAR coating



\$149.00

38-100mm 1/3.5 - 1/22, EE; positive full and half click stops. 13 elements in 10 groups 59º 16' - 24° 30'

54" (1.37m), with built-in close-up ring, to 11" To 0.25 X (1.4)

72mm 4.4" (110.5mm) 3" (75mm) 26.4 oz. (750g) Built-in close-up (macro) system; infrared index.

(adaptall

24mm t/2.5 AUTOMATIC WIDE ANGLE LENS

Focal Length . . Aperture Range f/2.5-f/16, EE Angle of View Construction: 10 Minimum Focus from Film Plane 9.8" (25cm) Lens Accessory Size 55mm 1.5" (38mm)

109.90



Weight

#### tamron

85-210mm. f4.5 MACRO Automatic Zoom Lens BBAR coating

85-210mm 1/4.5 - 1/22, EE, Positive full and half click stops Construction
Angle of View
Minimum Foc
Film Plane 12 elements in 9 groups 280 5: 110 50: 70" (1 79m)

55mm 5.6" (141mm) 2 6" (65mm) 25.4 oz (720g) Infrared index, integral re tractable lens hood

#### tamron

70-150mm. f3.8 AUTOMATIC ZOOM LENS WITH CASE with multiple-layer BBAR coating

in 10 groups

rction—12 elements
0 groups
f View—34<sup>0</sup>—16<sup>0</sup>
click stops Angle of View-34<sup>0</sup>-16<sup>0</sup> climeximum Focus from Film Plane-54.0" (1.37m)

54.0" (1.37m)
Filter/Accessory Size-55mm
Length-4.6" (117.5mm)
Maximum Dia.-2.5" (64.5mm)
Weight-16.4 oz. (456g)

retractable lens hood



\$135.00

#### tamron

70-350mm. f4.5 AUTOMATIC ZOOM LENS WITH CASE with multiple-layer BBAR coating

Focal Length – 70-350mm Aperture Range – 14.5-122, EE, Positive full and half click stops Consturction – 15 elements in 13 groups Angle of View – 34° – 7°

Minimum Focus from Film Plane-80,5" (2.0m) Filter/Accessory Size-82mm Length -10.8" (274mm) Maximum Dia.-3.8" (96mm) Weight-5.8 ibs. Remarks—Infrared index; integral retractable lens hood; roating tripod socket

\$385.00

### amron

200-500mm. f6.9

**AUTOMATIC ZOOM LENS WITH CASE** with multiple-layer BBAR coating

Focal Length – 200-500mm Aperture Range – 16.9-122; Positive full & Half click stops Construction – 14 elements in

8 groups Angle of View-12<sup>o</sup> 16'-4<sup>o</sup> 56' imum Focsu From Film Plane-112" (2.84m)

Filter/Accessory Size—82mm Length—14.8" (370mm) Maximum Dia.—3.6" (89mm Weight—98.7 oz. (2798g) Remarks—Infrared index: Integral retractable le hood; roating tripod

\$399.50

# 

tamron F-SYSTEM

#### 28mm f/2.8

**Automatic Wide Angle Lens** 

remarkably compact wide-angle focusing to a close 10 nches without accessories. Excellent for landscapes, nteriors, and architectural photography.

#### SPECIFICATIONS

Focal length															. 28	nπ
Aperture Range																
Construction		4	8						7	el	еп	ne	nts	in	7 gro	up
Angle of View				4						3						75
Minimum Focus from	F	iln	•	PI	an	e							10	.0"	10.25	im
Filter/Accessory Size				1						1					. 52	mn
Length											1		1.9	" (1	17.5m	ım
Maximum Diameter					-				2				.2	.5"	(64n	m
Weight				8	N.								8.	1 0	2. (23	lOg
Other Features		D	ei	ot	h-	of	-fi	el	d	sc	ali	0;	inf	rare	ed inc	iex
			F		de	t	ac	ha	b	le	le	nı	he	bod	supp	lie



56.98

#### tamron F-SYSTEM 135mm f/2.8

Automatic Telephoto Lens

One of the lightest telephoto lenses ever created — just 12.7 ounces! Preferred for sports, action, portrail, and creative scenic work.

#### SPECIFICATIONS

Focal Length	135mm
Aperture Range	1/2 8 1/22 (1/16 on EE lenses
	4 elements in 4 groups
Angle of View	180
Min. Focus from Film Plane	58" (1.47m
Filter/Accessory Size	55mm
Length	2.9" (72.5mm
Maximum Diameter	
Other Features	Depth of field scale
	infra red index



52.50

#### tamron F-SYSTEM 200mm f/3.5

Automatic Telephoto Lens

Weighs less (17.6 oz.) than many 135mm lenses; a scant 4.8" long for convenient storage. Brings distant subjects four times closer in sports, wildlife, and candid photo graphy.

Focal Length					
Aperture Range		 /3.	5	1/2	2 (1/16 on EE lense
Construction				. 4	elements in 3 group
Angle of View	6.5				
Min. Focus from Film F	lane				94.5" (2.4n
Filter/Accessory Size					J 62m
Length					4.8" (121mm
Maximum Diameter .					
Weight					
Other Features					
and the second second					infra-red inde
					built in lens hor



66.50

#### tamron F-SYSTEM

#### 85-210mm. f/4.5 Automatic Zoom Lens

Unusually crisp, flare-free images in one of the world's closest-focusing 300mm lenses – at 8 feet, gives the same image size as a standard lens at 16 inches. Weighs just 20.5 ounces – far less than conventional 300mm lenses.

#### SPECIFICATIONS

Focal Length																
Aperture Range .					1,	5.	6	1/	2	2	17	1	6 0	in I	EE	len
Construction							*		4	el	81	ne	ent	s ir	14	gro
Angle of View						*										
Min. Focus from Fi	Im	PI	ar	10					7	17	×	10	96	3.0	. (	2.4
Filter/Accessory Siz	20	2					-	1								58
Length																
Maximum Diameter																
Weight																
Other Features																
THE STATE OF THE S																s h



75.95

#### Lamron F-SYSTEM 300mm. f/5.6

Automatic Telephoto Lens A beautifully compact, beautifully-sharp zoom covering 126 principal focal lengths. Less than 6" long, stays in

focus as you zoom; accepts o	convenient 55mm filters.
SPECIFICATIONS	
Focal Length	
Aperture Range	. 1/4.5-1/22 (1/16 on EE lenses)
Construction	12 elements in 10 groups
Angle of View	
Min. Focus from Film Plane	
	56mm
	5.9" (151mm)
Maximum Diameter	
meximon Diameter	



118,90

FOR PHONE ORDERS ONLY CALL TOLL FREE 800-223-5661 or 800-221-5858

#### ADVANCED TECHNOLOGY / AUTOMATIC LENSES

### 16mm f2.8



180° Fisheye Lens

filtermatic Built-in O-56, Y-48, LB-180, L-1A filters

Min. Focusing Distance (from front element)

1° (2.5 cm); (from film plane) 6° (15 cm)

Angle of View 180° diagonal, 150° horizontal,

100° vertical

Aperture Range (2.8 to (22)
Diam./Length/Weight (2.99" (76 mm); 2.84" (72 mm);
12.36 oz. (350 gms)
Optical Construction 11 elements in 8 groups
Lens Hood Built-in
CASE Vivitar BB CASE Vivitar BI Circular Image Adapter Crops to 100° circle

145.90



Min. Focusing Distance 13" (33 cm)
Max. Reproduction Ratio 1.1

Max, Reproduction Ratio 1,1
Magnification 2X
Angle of View 24
Aperture Range 128 to 122
Diam:/Length/Weight 2.87" (73 mm); 4.57" (116 mm);
22.6 oz. (640 gm)
Optical Construction 7 elements in 5 groups
Filter Size (Dual) 40.5 mm & 62 mm
CASE Vivitar' or soliment 100. CASE Vivitar C or Soligor 100

114.90



Telephoto Min. Focusing Distance 22' (6.5m)
Magnification 8X Angle of View 6 Aperture Range f5.6 to f22 Diam./Length/Weight 31/2" (82mm); 12" (300mm) Optical Construction 4 elements in 4 groups

Filter Size 77mm Lens Hood Built-in Freely-rotating tripod collar 129.50

18mm f3.2



Wide-Angle Lens

Multi-Coated
Min. Focusing Distance (from front element)
29/4" (7 cm); (from film plane) 6.5" (17 cm)
Angle of View 100"
Aperture Range 13.2 to f22
Diam./Length/Weight 2.95" (75 mm); 2.72" (69 mm); 11.7 oz. (333 gm)

Optical Construction 12 elements in 10 groups Filter Size 72 mm CASE Vivitar BB

144.50



"Scalemant"
Min. Focusing Distance 6.5' (200 cm)
Magnification 2.7X
Angle of View 18
Aperture Range f1.8 to f22
Diam./Length/Weight 3.15' (80 mm); 3.74" (95 mm)
27.72 (755 mm) 27 oz. (765 gm) Optical Construction 6 elements in 4 are

Filter Size 77mm CASE Vivitar BB

149.95

152.95





Multi-Coated Filtermatic Built-in 62 mm, O-56, Y-48, LB-180, L-1A Filters

Min. Focusing Distance (from front element)
4" (10 cm); (from film plane) 8" (20 cm)
Angled of View 84"
Aperture Range (2.8 to 122
Diam/Length/Weight 2.87" (73 mm); 2.25" (57 mm);

8.2 oz. (273 gm)

Optical Construction 10 elements in 8 groups

Filter Size 62 mm CASESoligor 20

99.50

135mm f2.8 Macro-System Focusing



200mm f2.8

Macro-System Focusing

130.95

Macro System Focusing
"Scalematic"
Min. Focusing Distance 22" (60 cm)
Max. Reproduction Ratio 1:1/1 Magnification 2.7X Angle of View 18"

Aperture Range (2.8 to (22

Dlam/Length/Weight 2.87" (73 cm); 3.39" (86 mm); 15.9.oz (450 gm) Optical Constructio

Macro System Focusing
"Scalematic"
Min. Focusing Distance 36" (90 cm)
Max. Reproduction Ratio 1:1/1

Optical Construction 6 elements in 5 gro

Filter Size (Dual) 52 mm and 62 mm 91.75

Angle of View 12"
Aperture Range 12.8 to 122
Diam./Length/Weight 2 95" (75 mm), 6 18" (157 mm), 39.9 oz (1,130 gm)


28mm f2.8 Wide-Angle Lens



Multi-Coated
Min. Focusing Distance (from front element)
9" (23 cm); (from film plane) 11.75" (30 cm)
Angle of View 74" diagonal
Aperture Range 12.8 to 122
Diam/Length/Weight 2.58" (65.5 mm); 2.32" (59 mm)

9.8 oz. (278 gm)

Optical Construction 7 elements in 6 groups



35mm f2.8 Wide-Angle



Multi-Coated Min. Focusing Distance 20" (50 cm)

Angle of View 62° Aperture Range f2.8 to f32 Diam./Length/Weight 1.85" (47 mm); 2.52" (64 mm)

8 oz. (230 gm)

Optical Construction 6 elements in 5 groups Filter Size (Dual) 52 mm and 62 mm

74.50

92.50



Multi-Coated
Min. Focusing Distance 10" (25 cm)
Max. Reproduction Ratio 1:1/2
Magnification 1.1X

Angle of View 43"
Aperture Range 12.8 to 122
Diam./Length/Weight 2.76" (70 mm); 3.15" (80 mm);
14.8 oz. (420 gm) Optical Construction 7 elements in 5 groups Filter Size (Dual) 55 mm & 62 mm

200mm f4 Macro-System Focusing

Multi-Coated Macro System Focusing Min. Focusing Distance 34" (87 cm) Max. Reproduction Ratio 1:1/3

Magnification 4X

Filter Size 72 mm

CASE Vivitar D or Soligor 50

Magnification 4X Angle of View 12° Aperture Range f4 to f22 Diam./Length/Weight 2.87" (73 mm) 3.82" (97 mm) 17.6 oz (500 gm)

Optical Construction 5 elements in 5 groups
Filter Size (Dual) 52 mm and 62 mm CASE Vivitar B 99.50


300mm f4 ocusing

Multi-coated Macro-System Macro-System Focusing

Min. Focusing Distance 66" (170 cm)
Max. Reproduction Ratio 1:1/4 Magnification 6X 29.5 oz. (835 gm)

Aperture Range f4 to f22 Diam./Length/Weight 3.15" (80 mm); 6.62" (168 mm Optical Construction 6 elements in 5 groups Filter Size 77 mm CASE Vivitar D

149.99



VIVITAR	В	\$7.50
VIVITAR	BB	\$7.50
VIVITAR	C	\$8.50
VIVITAR	D	\$9.50
SOLIGOR	20	\$5.79
SOLIGOR	30	\$5.90
SOLIGOR	50	\$7.99
SOLIGOR	60	\$7.99
SOLIGOR	100	\$7.99

FILTER STACK CAPS

Now, a safe compact filter storage method. Comes in Set of 2—Front and Rear. Easy to identify the filter colors.

3.99



### HOYA HMC MULTI - COATED COLOR FIL

I.	Sky, 1A,	UV, Yell	ow, Orang	80B, 81A, 81B, 82A, ND2X, ND4X						
	46	48	49	52	55	58	62	67	72	77
	6.00	6.00	6.00	6.30	7.00	7.70	10.40	11.40	16.60	21.00

500mm f4 **Mirror Lens** 

Filter Size 37.5 mm

Min. Focusing Distance: 49' (15 m) Magnification 10X Angle of View 5 Aperture 14 Diam./Length/Weight 5.91" (150 mm); 8.59" (218 mm); 6.6 lbs (3000 gm) Optical Construction Catadioptric, 5 elements in 5

494.50



500mm f8 Min. Focusing Dietance 13' (4 m) Mirror Lens Magnification 10X Angle of View 5°

Diam./Length/Weight 3.34" (85 mm); 8.67" (220 mm) 38.8 oz (1,100 gm) Optical Construction Catadioptric, 5 elements in 5

groups Filter Size 77 mm

127.50

39-80mm f3.5 Macro-System Zoom



Multi-coated Macro-System Focusing
Min. Focusing Distance 10.2" (26cm) Max. Reproduction Ratio 1:3.5 Angle of View 56° - 30° Aperture Range f3.5 to f22 Dlam./Length/Weight 2.8" (71mm); 3.3" (84mm)

17.6 oz. (500 gm) Optical Construction 12 elements in 10 groups Filter Size 62mm

CASE Vivitar B

126.50

80-200 f3.5 Macro-System Zoom

Multi-Coated Macro System Focusing Min. Focusing Distance 16" (40 cm) Max. Reproduction Ratio 1:2

Aperture Range 13.5 to 122 Diam./Length/Weight 2.95" (75 mm); 6.91" (175.5 mm)

35.6 oz (1,010 am) Optical Construction 14 elements in 10 groups ilter Size 62 mm

Lens Hood Built-in CASE Vivitar D or Soligor 60

Lens Hood Built-in

165.50

120-300mm f5.6 Multi-coated Zoom



Macro-System Macro System Focusing Min. Focusing Distance 19.7" (50 cm) Max. Reproduction Ratio 1:3 Angle of View 20" to 8" Aperture Range 15.6 to 122 Diam./Length/Weight 2.95" (75mm); 8.39" (213mm) 2.7 pounds (1235 gm)
Optical Construction 14 elements in 11 groups Filter Size (Dual) 62mm and 67mm

189.00

70-230mm f4.5 Macro-System Zoom



Multi-coated Macro-System Focusing Min. Focusing Distance 21" (52 cm)
Max. Reproduction Ratio 1:4 Angle of View 30" - 12" Aperture Range f4 5 to f22 Diam./Length/Weight 2.8" (70mm); 7.5" (183mm) 30 oz. (860 gm) Optical Construction 13 elements in 10 groups Filter Size 62mm Lens Hood Built-in Freely-rotating tripod collar

CASE Vivitar D 178.50

#### HIGH OUAL FII

#### FILTERS FOR FILTERS FOR scape (or seascape) with blue sky BLACK & WHITE and clouds. Can be regarded the most useful, perhaps essential,

Absorbs ultra-violet rays without increase of exposure, thereby pre-venting haziness and foggy effects in distant landscape. It creates clearness. Constant use of this filter is recommended for clear pictures as well as a lens protector YELLOW (Y2)

DEEP YELLOW (Y3)

Absorbs ultra-violet rays, neutra lizes, to a certain extent, violet and blue rays and renders a good tonal interpretation many bright colors predominate. Creates clear rfect contrast between land filter for bright outdoor pictures. ORANGE

Creates strong contrasts for red and yellow, which are rendered lighter than seen with the naked eve against other colors. It pene grates haze, adds details to dis-tant landscapes and subdues glare on the surface of water.

Absoros ultra-violet blue, greer and yellow rays, rendering the red and yellow objects lighter. In sunlit outdoor photographs with panchromatic film, this filter has a strong effect on

contrast. Will cut through haze for long distance shots. This filter is normally used with in-fra-red film. GREEN

Besides providing all the effects of the Y2 filter, it lightens green foliage by darkening the colors it absorbs. It is preferable to

#### YELLOW GREEN

Corrects the color rendering of panchromatic film to approx-imate that of the human eye and imparts a natural effect to. skin and lip color tones in portraits. Y2 is mostly useful scenic

ND 4X (Factor-4)

neutral density filter (ND) arises when taking pictures in bright sun-light on high speed film. As the smallest aperture available on some smallest aperture available on some lenses, f/16, is too large for scenes in bright sunlight with fast film. In still photography, one occasionally encounters very brilliant subject which require neutral density filters.

#### FILTERS FOR COLOR

SKYLIGHT

Creates the effects given by Y2 filter in case of black and white film. Reduces excess blue and adds warmth to the pictures. "All-purpose" filter. May be used as lens protector.

Reduces red in light. For use in photography with daylight films with a photo flood lamp.

80B (Factor-2.7)

Converts and permits the use of daylight type color film in photography with a clear flash lamp.

80C (Factor -2.4)

Converts and permits the use of daylight type color film in photography with a clear flash lamp.

81A (Factor 1.2)

Reduces blue in light. Ideal for photography under cloudy or hazy light, will give the best color redroduction

81B (Factor 1.4)

Reduces blue in light. Ideal for photography under cloudy or hazy light, will give the best

82A

and suitable for early mor or late afternoon photography

Converts and permits the use of Type A color film for outdoor photography in daylight. This is used only with tungsten color film

85B (Factor 2.4)

Converts and permits the use of Type A color film for outdoor photography in daylight. This is used only with tungsten color film

#### POLARIZING FILTERS



Polarizing filters eliminate glare and reflection from water and windows: emphasize clouds, and are used for neutral density effect. Polarizing Filters are suitable for B&W and Color

They rotate freely for best Polarizing results.



#### CLOSE-UP LENS SETS

High quality coated optical glass. Each lens in machine double

Three lenses in divided leather case. One each of Plus -1, -2 and -4 diopters. May be used singly or in combination to provide magnification from Plus -1 to -7 diopters.

COLOR FILTERS 80A, 80B, 81A, 81B, 82A, 85, 85B, K2, K1, Orange, Red, 1A, UV, ND,

#### FILTER STOCK CAPS

A safe way to store and carry threaded filters. They protect the filter glass when not in use.

> HOYA New Skylight (IB)-The recently introduced Skylight (18) filter has the new property of spectral transmission, and the second spectral transmission, and the second spectral transmission and the second spectral transmission and the second spectral spectral

For Better Pictures with Natural Color sorption of the Skylight (18) is only in the range which responds most strongly to the green spectrum in color film's

For LIBC add \$.99

SER SER Hass. BAY BAY BAY

		PERSONAL PROPERTY.	or outdoor	photograp.	The second second	STATE OF THE PARTY	-	-	OR THE OWNER, WHEN	THE RESERVE AND ADDRESS OF THE PERSON NAMED IN	THE RESERVE AND ADDRESS OF THE PERSON.	THE RESERVE OF THE PERSON NAMED IN	SAME STATE OF THE PARTY OF THE	State of the latest and the latest a	Marie State of the	VIII. TO SECURE SEE	<b>建设在第四位的设计</b>	\$150 may \$250 mg	KITCH TO SHOULD
	43	43.5	46	48	49	52	55	58	'62	67	72	77	82	VIII	VIII	B50	30	36	40
Multi Coated	N. S. S. S.		6.00	6.00	6.00	6.30	7.00	7.70	10.40	11.40					5 70		100	1 4 6	
Color Filters	2.75	3.95	3.00	3.00	3.00	3.15	3.50	3.85					14.45				2.69	2.99	4.48
	5.60	3.33	6.25	6.25	6.25	6.90	7.20	7,99	9.50	13.50	14.90	18.45	21.45	6.99	10.50	15.50		6.49	7.99
Polarizer Diff, Cross	Control of the Control of the Control	3.99		Conductor State	With a below that I		4.40	4.75					14.75		6.55	9.95	4.75	4.25	5.75
		0.55	7.59	7.89	7.89	7.95			11.75				28.50		49 (97)		Marin Commission		
FLB' FLD' FLW	9.50	Description of	9.75	Service Control of	9.75				14.70						E Physical Street	THE PLEASE	8.00	11.00	15.00
Close Up 1,2,4,	8.59		8.75	8.75	8.75	9.50	10.25	11.75	14.50	15.75	19.95					29,90			
Shade or Cap	1.85		1.85	1.85	1.85	CONTRACTOR	2.29			-			4.75	2.29	2.79				Service.
W/A Shade	1.00		3.37	3.37	3.37	3.37	3.37	3.37	3.37	5.75	5.99						1000	3.37	
THE RESIDENCE OF STREET		100	3.37	3.37	3.37	3.37	3.37					<b>经基础</b> 。	W Silver					Sex 1	
Stack Cap		Personal Control	0.07	0.07	0.07	0.07	Name and Address of the Owner, where the Owner, which is the Owner, which is the Owner, where the Owner, which is the Owner,	THE REAL PROPERTY.	Andrew Control	THE REAL PROPERTY.		a second	A STATE OF THE PARTY OF THE PAR	-	-	THE RESERVE OF THE PERSON NAMED IN	STATE OF THE PERSON NAMED IN	STREET, SQUARE,	STREET, SQUARE, SQUARE,

#### MACRO COUPLING RINGS:

46mm to 52mm 46mm to 55mm 46mm to 58mm 49mm to 49mm 49mm to 52mm 49mm to 58mm 52mm to 52mm 52mm to 58mm 55mm to 58mm 58mm to 58mm 52mm to 55mm



STEP UP AND STEP DOWN RINGS Permits use of different diameter lens accessories.

STEP UP	STEP DOWN
46-48mm	48-46mm
46-49mm	49-46mm
46-52mm	49-48mm
46-55mm	52-46mm
48-49mm	52-48mm
48-52mm	52-49mm
48-55mm	55-46mm
49-52mm	55-48mm
49-55mm	55-49mm
49-58mm	55-52mm
52-55mm	58-46mm
52-58mm	58-48mm
55-58mm	58-49mm
58-62mm	58-52mm
62-67mm	58-55mm 7 Q

nm		-	-
nm	7	9	Q
	<b>Z</b> .	0	J

#### LENS INTERCHANGE ADAPTERS To change rear lens mount to a different

camera mount. LENS TO CAMERA

Nikon	. 1	Pentax
Pentax	1	Vikon
Nikon	!	Exacta
Exacta		Vikon
Nikon		Leica S'M
Pentax		Leica
Pentax		Diympus
Pentax		Exacta

#### Minolta Minolta Pentex . Exacta Canon Minolta Pentax Pentax

\$7,49



# filter

48

6.00

6.00

6.00

HOYA HMC MULTI - COATED COLOR FILTERS

HOYA HMC FILTERS Hoya Multicoated, HMC filters improve the performance of

oratories. The exlusive process of Hoya multicoating, improves dramatically the performance and light transmission of Hoya's precision opyical glass. Every multicoated lens deserves

any camera lens. Hoya's multicoated filter is a new product

developed in Hoya's famous precision optical research lab-

7.00

6.30

UV, Yellow, Orange, Red, Green, 85A, 85B, 80A, 80B, 81A, 81B, 82A, ND2X, ND4X

58

7.70

62



77

72

10.40 11.40 16.60 21.00

67

#### REVERSE ADAPTER

multicoated filters

Reverse adapters make it possible to use lenses in Reverse Position on the camera Ideal for close-up work with bellows or tubes.

Fits Series VII adapter ring

Available for:

Canon 58 Minolta 52 Minolta 55 Miranda Leica M3

Exakta Konica 55



ADAPTER RINGS SERIES VII 46, 48, 49, 52, 55 HASB 3.99

LENS CAPS 46, 48, 49, 52, . . . . 2.25 55, 58, 62. . . . . . 2.99 WIDE ANGLE RUBBER HOODS 

SPLIT IMAGE CLOSE UP .....9.99 

FOR PHONE ORDERS ONLY CALL TOLL FREE 800-223-5661 or 800-221-5858

#### MACRO ATTACHMENT +10 or +20

For amazing close-up results and higher magnification, the Telesar Macro Adapter +10 or +20 can simply be screwed into your present lens as a filter. No exposure compensation is required. Automatic diaphragm operation and full meter coupling is retained. Different magnification can be achieved by using different focal lengths lenses.

Available in 46mm, 48, 49, 52, 55, 58, Series 7.



#### SPLIT-LENSES

Designed to overcome extreme depth of focus difficulties. By attaching this ingenious accessory to your prime lens, sharp and undistorted results can be obtained at two extreme distances. Ast if two different lenses were used at the same time.

Available from 46mm and up.



#### Spectacular Filter Set

The filter set is of three fantastically colored filters. Using these filters in combination with a multiple-exposure technique or separately, moving objects can be transformed into a spectrum of colors of green, red and/or blue, while stationary objects in the same scene are rendered in their natural hues. The Spectracolor Filter Set is most effective in scenic shots.

Available from 46 through 62mm.



#### **Exoticolor Filter Set**

The filter set is composed of three fantastically colored filters—of mystic marine, palpitating pink, and violent violet. Each of the Exoticolor Filters can be used to emphasize or de-emphasize a particular group of colors to alter the contrast of a scene and create a world of fantasy. The filter set is most suitable in scenic shots as well as in commercial photography.

Available from 46 through 62mm.



#### **Tri-Color Filter**

The filter has three fantastic colors of red, blue and green on one single optical glass lens, thus providing you an opportunity to add colors in your scenic picture-taking. The Tricolor Filter opens up a new world of creative expression in color photography because it offers the three-color effects hitherto unavailable to most photographers. The filter is most suitable for scenic and commer

Available from 46 through 62mm.



#### **Bi-Color Filter**

The filter is similar to the Tri-color Filter but comes with two colors of red and blue on one single optical glass element. With the filter, the unusual two-color effects that an advanced professional technique alone has conventionally provided can be simply and instantly at your hand. The Bi-color Filter thus opens up a new realm of color photography for scenic and other objects.

Available from 46 through 62mm.



#### **Dual-Image Filter Set**

The filter is an unusual filter with a blackened-out half-section for blocking one half of the picture frame, thus permitting taking two half-frame pictures with perfectly blend into one full-frame photograph by a double-exposure technique. The filter thus enables you to get fantastic and magical special effects in your creative photography.

Available from 46 through 62m



#### CROSS SCREEN

The CROSS SCREEN has parallel engraved rules on the surface. and therefore besides giving a soft-focus effect, it creates a cross-flare on highly brilliant spots of the subject like an ear-ring, necklace, silverware, etc. This effect is often utilized in photographing such scenes as glittering waves, twinkling neon signs, glassware and jewelry.

#### PARALLEL SCREEN

Same as Cross Screen but has rulings to create one flare in a single

#### Parallel Screen Filter Set

The filter set is of two colorless transparent optical glass filters, covered with etched parallel line patterns. The two filters, when combined together in a rotating frame, can produce various types of flare at your will in your portrait and scenic shots. Each of the two filters can also be used separately for one-direction oriented flare, instead of cross-flare when used in combination.



#### SNOW CROSS - 6X

SNOW CROSS is a filter made of colorless transparent optical glass with its surface engraved with a continual repetition of triangles to give a beautiful six-pointed flares of light to the glitter-ing parts of the subject. Usable in the way as Telesar Cross Screen, for portraits, commercial photos, night scene pictures and backlighted subjects more pleasing by adding beautiful six-pointed flares of light.


Available in 46mm and up.



#### **8X-Cross Filter**

These filters are special types of cross-screen filters- 8X-Cross Filter — shaped flares, instead of conventional cross (+) flares, with their complicated intercrossing lines on their surfaces. Like regular cross-screen filters, they are made of colorless transparent optical glass and no exposure compensation is required. The filters are especially good for portraits and landscapes. landscapes.

Available from 46 through 62mm.



SOFTON is a filter-like attachment for obtianing softone pictures that screws directly into the lens.

In photography, lenses should be sharp, but in many cases soft pictures are required. SOFTON is an optical glass with a thin coating of magnesium fluoride approximately 1 micron in ickness which is evaporated in irregular tiny dots.



#### SPOT FILTER

These filters create different effects in making the central image stand out clearly. Sand screen has a clear center spot surrounded by a smoky screen. An irregularly uneven surface surrounds Soft screen's clear center spot.

#### MIRAGE LENS

Creative still photography and unusual motion pictures are now possible. Telesar Mirage Lens permits multi-image montage from same subjects thru the use of a variety of multi-surfaced prismatic lenses. The Mirage Lens is rotatable for choosing the effect that you want on still cameras. For example, movies, rotating while shooting creates a most interesting imagery

Order No. MT 3... Vertical / 3 section
Order No. MT 3... Triangle / 3 section
Order No. MT 5... Concentric / 5 section
Order No. MT 6... Concentric / 6 section





		-	A service and the	AND TO S		-		Orc	Jer.No.	MT 5 Par	allel /5 sr	ection	A CONTRACTOR	Ser	Ser	Ser	Ser	Bay
	40.5	43.5	46	48 .	. 49	52	55	58	62	67	72	77	82	AND DESCRIPTION OF THE PARTY OF	6	7	8	50
Macro +10, +20		1	8.75	8.99	8.99	8.99	9.50	10.50					DATE:		-2-1	9.50	S S S S	
Split Lenses			1	8.60	8.80	9.99	10.25	10.90	12.75	13.95						0.00	1	12.05
Spectaclar Set	No. Constitution	Market Ha	17.50	18.90		18.99	19.90	20.75	22.90	10.00						-		13.95
Exoticolor		124							22.90			1			1			
TRI Color	10-11-11-11	1000	100				17.99					1000	1				10 10 10 10	
BI Color	Torse .	1000					17.99											
Dual Image	4 212		14.50	16.50					20.50		7 1 2 7							
Cross Screen	7.99	8.99	4.40			The second second second	and the second s	THE PERSON NAMED IN COLUMN 2 IN COLUMN 2		SERVICE STATE OF THE SERVICE S	11.50	14.50	19 50	7.50	9.50	9.50	13.50	9.95
Parallel Screen	7.99	8.99	4.40	4.30	4.40	THE RESERVE OF THE PARTY OF THE	S STREET, SANSON STREET,	5.70				14.50			9.50	and the second	13.50	a continued and
Parallel Set	9.99	11.90	9.90	9.90			S PRODUCTION OF THE PARTY		11.50	12.50	18.50	19.50	22 50	11.00	11 00	9.50	13.50	
Snow Cross 6X					Market Control of the	M KUREndalandhad	13.50	13.99	14.90	12.00	19 90	29.90	22.50	13.50	11.50	12.90	18.50	7
8X Cross	All of the								14.90			29.90						
Softon Screen	7.99	8.99	4.40									14.50		7.50	250	2.50	1000	
Spot Filter	7.99	8.99	4.40	A DESCRIPTION OF THE PROPERTY OF	Control of the last		March de la constitución de la c	STATE OF STREET	State Control of the			14.50				A STATE OF THE PARTY OF THE PAR	13.50	N STREET, STRE
Mirage Vert 3	0 5-37		9.90		DESCRIPTION OF THE PERSON OF T	S SECURIOR STATE OF			18.95	27.50	_		Maria Control of the	ALC MANAGEMENT AND ADDRESS OF	9.50	Market State of State	13.50	S CONTRACTOR OF THE PARTY OF TH
Mirage Tri 3	AND CONTRACT		9.90	William Schools and S					18.95		The second second second	39.50	District Colonia Co.			14.50		20.75
Concentric 5			S RESIDENCE TO SERVICE STATE OF THE SERVICE STATE O	and the state of t	13.50	14.70	14.70	16.75	19.99	20.00		39.50	a construction of the construction of			14.50		20.75
Concentric 6	STANKS.		16.75	16.75	16.75	17.90	17.90	24 50	20.00	29.90		42.90				18.90		22.50
Parallel 5 or 6			16.75	16.75	16.75	17.90	17.90	24.50	28.90							22.50	N EDMANDAGE SERVICE	28.50
The Street of the Street			10.70	10.70	10.75	17.50	17.50	24.50	28.90			42.90		V		22.50		28.50

#### VARIABLE CROSS SCREENS

Two cross screens—each rotates seperately in one mount. Each with parallel etched lines in clear optical glass filter. Packaged in vinyl zipper case.



#### MULTI-BURST FILTER

Multi-images. One image plus one on each side of subject (total of 3) or more. Not radial pattern.



#### CC FM-BL AND CC FM-DL FILTERS

The CC FM-BL and CC FM-DL filter are designed to be used in conjunction with Tungsten (Type B) and Daylight type color films respectively. Each type reduces the greenish cast common to fluorescent lighting and produces pleasing, natural results, particularly in fleshtones.



#### ZOOM CLOSE-LENS

Use from 4" to 3 ft. Front threaded for filters. Available in mm screw mount: 49, 52, 55, 58, Series VII



Available in 46mm and up.

**CENTER-SPOT** Provides the area surrounding the central image with a soft focus effect, thus bringing the central image into greater relief.

**COLOR-SPOT** Effective in making central image stand out clearly. The background assumes the predominant color of the filter. Available in red, green, yellow and gray.

#### VARI-MULTIVISION

Creates multi-images that can be varied from 2-face to 4-face image patterns Comprises two roof type multi-vision lenses, each of which can be rotated

#### FOG-FILTER (A) Makes the entire picture look as if it is covered by a thin white veil. The effect can be changed by adjusting the lens aperture

FOG-FILTER (B) Similar effect to that of the Fog Filter (A), though darker. Both filters can be used together if desired.

#### **COLOR BURST**

Creates a rainbow fantasy effect. The filter surface has 1,270 parallel grooves per inch

	40.5	43.5	46	48	49				62
Variable Cross			Lane Control	13.50	13.99	14.20	15.10	16.20	2.35
Color Burst		1			14.95	14.95	14.95		1
Zoom Close-lens	W S		1	200 940	16.95	18.95	16.95	16.95	
Center Spot	F 13.27			F Bensi	6.50	6.50	6.50	6.99	
Color Spot		1000	1 100		10.90	10.90	10.90		
Vari-Multivision		A Sh					20.50	A Marian	
Fog Filter (A) (B)		500000			16.50	16.50	16.50	17.90	

WIDEANGLE & CLOSE-UP



USING THE PROXIWIDE LENS.

THE PROXIMIDE is a dual purpose lens attachement which acts as a wideangle attachement with 0.6 \times magnification and as a close-up lens with +8 diopter.

The PROXIWIDE is supplied with Series VII thread to fit into the normal camera lens of most 35mm SLR cameras by using VII-MM size adapters such as 48, 49, 52, 55 and 58mm.

24.95

#### 16mm LENS ADAPTERS

Leica to C mount (16mm) Adapter Exakta to C mount Adapter Praktica to C mount Adapter

C mount to Pentax Adapter C mount to Exakta Adapter C mount to T Mount 16.95



#### ADAPTER RING SETS WITH RETAINER

Adapter Ring Sets are made of Anodized Aluminum and machine thread to insure perfect fitting. These 12 sizes will fit about 90 per cent of the Cameras now being sold. Each set consists of an adapter ring and a retaining ring. Each set boxed and

marked	for easy ide	nuncation.			
B30	Series V	48 mm	Series VI		Series VIII
27 mm	Series V	49 mm	Series VII		Series VIII
29.5 mm		52 mm	Series VII		Series VIII
35.5 mm	Series VI	55 mm	Series VII		Series VIII
40.5 mm	Series VI	58 mm	Series VII	82 mm	Series VIII
	Series VI	62 mm	Series. VII		
46 mm	Series VI	58 mm	Series VIII		276

4.80

5.60

7.99



#### RIGID LENS COVER

Hard as metal but flexible like plastic. Priced so every photographer can buy spares.

Available in mm sizes 45, 48, 51, 54, 57, 60.

FI FC-SHIFLD



1.40

#### TIFFEN NO. 12 DEEP YELLOW (MINUS BLUE)

Deep Yellow (minus blue) filter cuts haze in aerial work & excess blue in astrophotography. Use with color and B&W infrared sensitive films for absorbtion of blue light.

For Black & White & Color Tiffen No. 12 Deep Yellow - 49mm 4.99 Tiffen No. 12 Deep Yellow - 52mm 5.99 Tiffen No. 12 Deep Yellow - 55mm 6.20 Tiffen No. 12 Deep Yellow - 58mm 6.80

In mm and inches, in 1/10. For inside or outside 6.95 sizes.

RULER MEASURE FOR LENSES For measuring lenses for filters, shades, caps, etc.

4.50

able band to fit most lenses

Each In Zipper Plastic Bag

GLASS	GELATIN FILTER HOL	DER
3 x 3 -	7	.19.99
3 x 3 -	8	.19.99
3 x 3 -	9	
	A DESCRIPTION OF THE PROPERTY	24 99

Prevents reflections when taking photo

through windows of planes, buses, trains

etc. Matte surface aluminum with adjust-

**GELATIN FILTER FRAMES** 

3 x 3 ..... 2.99

#### LENS ACCESSORY WRENCH SET

For easy removal or separation of lens accessories (filters etc.) from lens mounts when threads bind. Made of ABS non breakable black plastic. Precision fit prevents 1.95 lens scratches. For lens accessory or lens with thread sizes from 49mm--58mm.

AUXILIARY LENS SETS

Extra large lens construction. Set includes telephoto and wide angle lens plus dual viewfinder. 39.95

CDS - Fits RF CDS 35mm Cameras

#### TIFFEN NO. 47 DARK BLUE (C5)

Dark Blue Tricolor (formerly C5) filter is used for contrast effects in commercial and outdoor B&W photography—it accentuates haze and fog. Also used for dye transfer, color separation work and for tricolor projection (tungsten) with No. 29 and 61 filters.

For Black & White Film Tiffen No. 47 Dark Blue - 49mm 4.99

Tiffen No. 47 Dark Blue - 52mm 5.99 Tiffen No. 47 Dark Blue - 55mm 6.20 Tiffen No. 47 Dark Blue - 58mm 6.80

#### TIFFEN NO. 47B DARK BLUE

Used to lighten same color blue for detail. Also called Deep Blue Tricolor for color separation and tricolor printing. For Black & White Film

Tiffen No. 47B Dark Blue - 49mm 4.99
Tiffen No. 47B Dark Blue - 52mm 5.99
Tiffen No. 47B Dark Blue - 55mm 6.20
Tiffen No. 47B Dark Blue - 58mm 6.80

#### LEVER-AUTION LENS CAP-HOOD Combination of lever-action lens cap built into 到

lens hood. 55mm screw-in threads. Lens cap opens into hood out of picture taking area.

#### LEVER-ACTION LENS CAP

Lever releases cap to open and close with fast spring action. Saves time and prevents loss of caps. Compact-camera case can be closed with cap on camera. 55mm screw-in threads. Fits other sizes with lens thread adapters. More lens protection.

4.50

#### SIMA CAPKEEPER

Adhesive back disk attaches to lens cap. Plastic loop on other end of cord connects cord to camera ring or strap. Prevents loss of lens cap.

1.49



RETAIL STORE 67 West 47th STREET N.Y. 10036 (212)260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212)260-4410

REAR LENS CAPS

Pentex Exacta Minolta Nikon F Miranda Leica Canon 2.40 Leica M3



\$1.99

#### METAL BODY CAPS

Pentax Nikon F Miranda 3.40 Canon 3.40 Exacta Minolta Leica Leica M3

\$2.25



HASSELBLAD LENS

**■NIKON BODY** 

MAREXAR ULTRAWIDER — fits all SLR

A Super-Wide Angle auxiliary front lens attachment providing an unusual range of effects from true circular fish-eye format to full frame coverage with very moderate curvature. The variation and control of the desired effect depends on focal length with which the Ultrawider is used. With a 50 or 55mm lens it will cover about 140'; with a 35mm lens approx. 160' and with a 28mm lens approx. 160'. When used with 35mm or 28mm wide angle lenses, the Ultrawider produces a circular format, similar to that of a fisheye lens. Unlike other auxiliary fisheye attachments, the Ultrawider maintains the full aperture speed of the prime lens yielding brilliant ground glass images which can be focused ciritcally. The Marexar Ultrawider will not affect the original exposure readin of the prime lens.

Requires Ser 7 adapter

LENS

For Owners Of Both Nikon And Hasselblad Cameras, This Adapter Permits Use Of All Hasselblad Lenses To Nikon Body,

VARI-CLOSE-UP LENS

Remarkable optical design . . . does not distort. Easily attached. Fits all single lens reflex ground glass, and view cameras. Does not interfere with automatic diaphragm.

Lightweight, compact design permits use with hand-held, as well as tripod-mounted cameras.

No exposure compensation needed. 17.50

#### VIEW-FINDER MAGNIFIER

A precision made optical instrument, the Telesar View-Finder Magnifier is designed o enlarge the center of the image in the amera view-finder for more accurate focus-

ng. The magnifier is provided with hinge, so so it can be swung away from the view-finder. The magnifier can be used without corrective glasses by those who wear them, because eye-power correction is made by turning the eve-niece.

Individual magnification: 2X

Eyesight adjustment: From +2 to -4 diopters.

Order No. 772 . . . For Miranda Order No. 773 . . . For Konica .

For Nikon For Pentax

9.99



MIRRORSCOPE

#### Right Angle Attachment

Allows you to look at a right angle at an unsu pacting subject, yet aim actually right at it. You get a netural expression and avoid self-conscious reaction of the subject. Also, lets you photograph what's right above or below you without tilting. Excellent for normal and telephote learners. Interests between the elephoto lenses. Interchangeable adapters

Available for:

Series 7 ries 7 \$17.90







#### CINELARGERS 8mm, 35mm, 6mm, Super 8mm

An unusual photographic product which permits still prints to be made from movie films. Those fleeting expressions which can only be captured on movie film can only be transferred to prints. The Cinelarger makes negatives from either black and white or color movies on to history. or color movies on to black and white or color 120 film

27.50

#### RUBBER EYE CUPS

A quality product to be used for sharper viewing. Prescription lenses can be in-

Available for:

Konica Pentax Nikon Miranda Minolta Canon Exakta Practika



#### LENS MOUNT CONVERSION **ADAPTERS**

Used to convert SLR lenses for use in other camera bodies for close-up photography-not for use at infinity.

	Lens	Camera Body
C-C	Canon	c Mount
M-C	Minolta	C Mount
N-C	Nikon	C Mount
P-C	Pentax	C Mount 8.95

SERIES VIII ADAPTER RINGS

58, 62, 67


4.50


RINGS 8-7, 7-8, 58-62

299

# filter

- Padded construction for extra protection
- Holds 6 filters in individual compartments
- White interior lining aids in filter color identification
- Rich black-grained material
- · Color: Black
- Size: 74" x 44" x 1/2





Ideal for close-up, low-angle, high-angle, microscope and telescope photography. Built-in condensor lens for brighter image. Eyepiece is adjustable for eye corrections. Convertable for 360° with click-stops at each 90°

Available for: Pentax, Nikkormat, Minolta, Canon, Konica.

2X TELE CONVERTERS

Pentax K 24.99 2x Multi Coated Conv. 29.90

PENTAX

MINOLTA SRT

CANON FD

OLYMPUS OM-1

MIRANDA SENSOR-X

KONICA AUTO T, A

NIKON

18.99



### Soligor

#### **AUTOMATIC EXTENSION** TUBES

Soligor's precision-made 3 section extension tubes retain the automatic operation of the diaphragm of the camera lens when used individually or combined.

PENTAX -	16.50
MINOLTA	37.50
NIKON	37.50
CANON	41.90
KONICA T, A	41.90

SOLIGOR'

**Auto Tele-Converters** 

24.99

24.99 24.99

24.99 24.99

24.99

24.99



31.50 31.50

31.50

31.50

31.50

31.50

3X TELE CONVERTERS

PENTAX F, ES

MINOLTA SRT

OLYMPUS OM-1

KONICA AUTO T, A

NIKON

#### TELESAR FISH-EYE LENS

FEATURES

Coated optics.

54.50 TELESAR FISH-EYE is a front-conversion type lens attachment which gives any master lens 180-degree capacity to shoot everything in front of the camera. TELESAR FISH-EYE can be used successfully with almost any camera from 8 mm movie to large 8x10" view camera. Adaptors are available in many types

Available in 48mm, 49, 52, 55, 58, 62, 67 and Series VII Adapter \$3.99




#### TELESAR FISH-EYE AUXILIARY LENS

Auxiliary Fish-Eye screws directly into the prime lens. Pictures made with the Fish-Eye Lens have slight curves, but no distortions if camera is held level.

Angle of View: 90° (50mm Lens) Lens Construction: 3 Group, 3 Element Minimum Distance: 20 cm

29.95





#### **Vivitar Automatic Extension Tubes**



The easy way to get larger-than-life pictures. The three tubes combined give 1 ½ X image magnification with nor-mal lens. Fully auto-matic meter and lens diaphragm operation with most popular 35mm SLR

PENTAX 16.50 MINOLTA 38.50 NIKON 38.50 CANON 41.90 KONICA T,A 41.90 PENTAX F, ES 41.90 OM-1 41.90

Precision crafted automatic extension tubes that attach snickly to SLR camera body Each tube can be used individally to obtain desired magnification. Maintains automatic operation of camera lens diaphram When

NIKON	29.90
MINOLTA SRT	29.90
CANON FT	35.90
KONICA T, A	35.90
PENTAX	8.90
OLYMPUS	35.90



#### **Automatic Extension Tubes**

combined all 3 tubes give 1:1 magnification.

NIKON	29.90
MINOLTA SRT	29.90
CANON FT	35.90
KONICA T, A	35.90
PENTAX	8.90
OLYMPUS	35.90

# TELESTAR SLR LENS EXTENDERS





. COUPLED TO BEHIND-THE-LENS METERING SLR

RETAII STORE 67 West 47th STREET N.Y. 10036 (212) 260-4410 MAIL ORL 2R DIVISION 36 East 19th STREET N.Y. 10003 (212) 260-4410

Mamiya C330f Professional 6x6cm Twin-Lens Reflex

Mamiya C220 Professional 6x6cm Twin-Lens Reflex



# Mamiya



Interchangeable Lens Systems With Built-In Shutters Film Winding Crank Rack and Pinion Focusing System Two Shutter Releases Focusing Knobs Single-Action Focusing Hood Interchangeable Focusing Screens Use Either 120 or 220 Roll Film Multiple Exposures

Focusing Hood Uses Either 120 or 220 Roll Film Film Winding Knob Film Exposure Counter Double Exposure Prevention Device Shutter Release Interchangeable Lens Systems With Built-In Shutters Rack and Pinion Focusing System

Filli Exposure Counter	
Mamiya C330F body	195.90
Mamiya C330F w/80mm lens	317.50
Mamiya C220 body	103.50
Mamiya C220 w/80mm f2.8 lens	226.50

Mamiya/Sekor Interchangeable Lenses		
Cat. No.		
655500	55mm f4.5 lens	204.50
655503	65mm f3.5 lens	169.50
655509	80mm f2.8 lens	119.95
655512	105mm f3.5 D lens	149.50
655515	135mm f4.5 lens	149.50
655521	180mm f4.5 lens	204.75
655527	250mm f6.3 lens	252.50

#### INTERCHANGEABLE VIEWFINDER SYSTEM

Porrofinder w/c	46.50
CdS Porrofinder w/c	89.95
Magnifying Hood w/c	46.50
CdS Magnifying Hood w/c	122.50
Prism Finder	114.50

#### CASES FOR CAMERA PROTECTION

Cat. No.	
655775 Soft Camera Case f/C220	12.95
655781 Eveready Case f/C330F	29.50
655785 Aluminum Custom Case w/insert	74.90

Interchangeable Focusing Screens (for C330f only) Cat. No. 655676 Focusing Screen Split Image 4<sup>0</sup> No. 2

655677 Focusing Screen Split Image 6° No. 3 656678 Focusing Screen Microprism No. 4 655679 Focusing Screen Crosshair No. 5 655680 Focusing Screen Matte w/grid No. 6



### CAMERA GRIPS AND BRACKETS

Cat. No.	CAMEION CIMI OTHER	
The second secon	Grip Holder	19.90
	Deluxe Grip Holder f/C330/C330F	34.90
655227	Multi-Angle Grip Holder f/C330/	
OSSEL	C330F	94.50
655727	Pistol Grip f/C330/C330F	29.90
655726	Pistol Grip w/cable release	29.90
655226	Pistol Grip Model II f/C330/C330F	43.50
	Flashgun Bracket Type H	13.25
CEE 220	Flashgun Bracket Type G	13.25
000229	Flashguii Dracket Type C	

Cat. No. MISCELLANEOUS ACCESSORIES 655800 Paramender Model III w/Pan Head 655811 Single Exposure Back w/3 holders 10230 and 02305 path	000220	Tastigan Diablet 17 pe	THE RESERVE OF THE PERSON NAMED IN
655806 Paramender Model III w/Pan Head 106.50 655811 Single Exposure Back w/3 holders	Cat No.	MISCELLANEOUS ACCESS	SORIES
655811 Single Exposure Back w/3 holders			
	655806	Paramender Model III w/Pan Head	106.50
#/0220 and 0220E only 71 50	655811	Single Exposure Back w/3 holders	
1/0000 and 00001 only		f/C330 and C330F only	71.50
655812 Spare holder f/Single Exp. Back 24.50	655812	Spare holder f/Single Exp. Back	
656209 Tripod Adapter P 16.75	656209	Tripod Adapter P	16.75

#### HONEYWELL PENTAX 6X7



PENTAX 6x7 ACCESS	ORIES
6x7 Remote battery cord	19.95
6x7 2X converter	219.95
Komura 2X converter	149.50
6x7 Hellicoid Ext. tube	76.95
6x7 Reverse Adapter 67mm	23.95
6x7 Reverse Adapter 49mm	28.95
Slide Copier	57.95
6x7 prism	119.50
TTL Penta Prism for 6x7	244.50
6x7 Auto Ext. Tubes	69.95
Right Angle Finder	132.50
Extension Tubes outer	52.90
Quick Focus Device	12.50
6x7 Handgrip	48.00
6x7 Auto Bellows	364.95
Magnifier 6x7	43.95
6x7 Folding Hood	45.50
6x7 Rigid Hood	78.50
6x7 Copy Stand	293.50
Quick focus device B	12.95
Soft lens case 6x7	16.95

The Pentax 6 x 7 combines SLR versatility, ideal 21/4 x 23/4 format, electronically controlled shutter and rapid precise eye-level operation. The right camera for the professional and advanced

amateur. 6x7 body w/prism 364.50 6x7 body 249.90 6x7 w/prism & 105mm lens 589.50

Same as above with 774.50 TTI Prisim

Pentax 6x/ I	enses
150mm f2.8 SMCT 6x7	255.00
200mm f4.0 SMCT 6x7	279.50
300mm f4.0 SMCT 6x7	646.95
400mm f4.0 SMCT 6x7	827.50
600mm f4.0 Takumar 6x7	1377.00
800mm f4.0 Takumar 6x7	2349.00
1000mm f8 Reflex Takumar	2475.00
35mm f4.5 SMCT 6x7	549.50
55mm f3.5 SMCT 6x7	389.50
75mm f4.5 SMCT 6x7	219.00
105mm f2.4 SMCT 6x7	255.50
135mm f4.0 Macro SMCT	
6x7	287.50
90mm f2.8 syncro Takumar	359.50





Interchangeable Lenses

19mm f4.5 Auto. Fisheye lens 35mm f4.5 Auto. Wide Angle lens

40mm f4.0 Auto. Wide Angle lens 55mm f3.5 Auto. Wide Angle lens

85mm f2.8 Auto. Standard lens

250mm f5.6 Auto. Telephoto lens

500mm f8.0 Auto. Telephoto lens

Sportsfinder f/55/85/105mm lenses

45° Prism TTL Meter

Rollei New

Folding Viewfinder Hood

Critical Magnifier Hood

"TTL" Meter Finder

Prism Viewfinder 450 Prism Viewfinder 900

Interchangeable Finders

110mm f5.6 Auto. Macro lens 150mm f3.5 Auto. Telephoto lens

	Acces
Kowa Super	66 Body
w/85mm	f2.8 Kowa lens
	66 black, w/12-24 mag.

1990.00

694.50

349.95

144 95 377.50

349.50 378.50

999.50

53.75

123.50

36.95

189.50 113 50

113.50

272.50

... 23.50

494.50 389.50

Carrying Case f/cam. w/55mm, 85mm or 11	10mm
lenses attached	33.90
Hand Grip Release	54.90
Body Cap for Kowa Super 66	7.00
Quick Load Tripod Mount	19.50
Automatic Extension Bellows	284.50
Aut. Extension Tube Type TI	79.95
Aut. Extension Tube Type T2	79.95
Automatic Extension Tube Type T3	79.95
Close Up lens No. 67mm	49.95
Close Up Lens No. 2 67mm	49.95
Close Up Lens No. 3 67mm	49.95
Microscope Adapter in shutter	156.50
Plain Matte Screen	33.50
Microprism Screen	33.50
Horizontal Split Image Screen	33.50
Diagonal Split Image Screen	33.50
Matte Screen w/reference lines	33.50
Horizontal Split Image Screen w/reference	
lines	33.50
Rapid Focusing Handle	19.50
Flash Bracket	38.50
Direct-Coupled Hand Grip	55.50
Direct-Coupled Pistol Grip	42.50

SLX. Rollei 2390.50 SL66 w/80mm f2.8 HFT Planar SL66 Body, w/120-220 Mag. only 829.50 SL66 Body only

### INTERCHAN 45° Pente Pri

No   No   No   No   No   No   No   No	Misc. Accessories           Filter Medium Yellow Bay VI         69.50           Filter Softar 1 Bay VI         94.50           Filter Softar 2 Bay VI         96.50           Rolleipol (Polarizer) Bay VI         138.50           40mm Extension TUbe         73.00           80mm Extension TUbe         75.50           Universal Ext. Tube Set         219.95           Handgrip w/Release         83.50           Tripod Adapter         44.00
Frame f/SL66 Screens	Interchangeable Lenses Zeiss F Dist. HFT 30mm F3.5 1569

Interchangeable Lenses
Interchangeable Lenses Zeiss F Dist. HFT 30mm F3.5 1569.50
Zeiss Distagon HFT 40mm F41670.00
Zeiss Distagon HFT 50mm F4 840.00 Zeiss Planar HFT 80mm F2.8 539.50
Zeiss Planar HFT 80mm F2.8 539.50
Zeiss S-Planar 120mm F 5.6 759.50
Zeiss Sonnar HFT 150mm F4
Zeiss Sonnar 250mm F 5.6 825.00
Zeiss Tele-Tessar HFT 500mm F5.6 1540.00
Zeiss Tele-Tessar 1000mm F8
Zeiss Distagon 80mm F4 w/shutter 695.00 Zeiss Sonnar 150mm F4 w/shutter 825.00
Zeiss Sonnar 150mm F4 w/shutter 825.00

INTERCHANGEABLE MAGAZINES 

Screen w/Rgdfdr Wedge . . . . Screen w/Clear Centrespot ; ; Screen w/clear Centrspot . .

Mag. Polaroid Film .



RETAIL STORE 67 West 47th STREET N.Y. 10036 (212) 260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212) 260-4410

### **BRONICA ETR 6x4.5 IDEAL FORMAT** SLR SYSTEM

Bronica ETR black camera body comp. w/120 film magazine less finder and lens . . . . . 329.50

Bronica ETR with waist level finder & 75mm f2.8 lens . .598.50 Bronica ETR with prism finder & 75mm f2.8 lens . . . . . . 679.50

Bronica ETR with AE Finder & 75mm f2.8 lens . . . . . .829.50



**BRONICA** 

#### BRONICA EC



Bronica EC body chrome . . . 349.50 Bronica EC body black . . . 374.50 Bronica EC chrome w/75mm

EC/TL body with 75mm f2.8 auto zenzanon . . . . 539.50 f2.8 lens & 120 back 829.50 F2.8 auto zenzanon . . . . . 569.50

FILM BACKS 92021 Film B

#### **BRONICA** S2A



auto zenzanon . . . . . . 4 S2A Black w/75mm f2.8 auto zenzao 417.40

auto zenzanon . . . . . . 444.50 S2A Body Chrome . . . 249.50 S2A Body Black . . . . . 235.00

# ZENZANON AUTOMATIC LENSES

WITH LEAF SHUTTERS
82553 Zenzanon 40mm f4 MC lens
(filter size: 62mm) 485.00
82561 40mm f4 lens hood 14.95
82565 40mm f4 lens cap (repl) front 6.75
82554 Zenzanon 50mm f2.8 MC
(filter size: 62mm) 429.00
82561 50mm f2.8 lens hood 14.95
82565 50mm f2.8 lens cap (repl) front 6.75
82555 75mm f2.8 Zenzanon MC
(filter size: 58mm) 239.20
82562 75mm F2.8 lens hood 14.95
82564 75mm f2.8 lens cap (repl) front 6.75
82556 150mm f4 Zenzanon MC
(filter size: 62mm) 384.00
FILM MAGAZINES

FILM MAGAZINES	
82510 120 magazine	97.50
82511 220 magazine	97.50
82512 Polaroid Back	132.50

CAMERA GRIP	
82520 Speed grip w/hot shoe	66.90
FOCUSING SCREENS	W. SILLY

	Microprism/split image (repl)	15.50
82526	Matte Screen	15.50

CAME	RA CASE	
82530	Soft camera case f/ETR w/40/	
	50/or 75mm lenses	20.95

VIEW	FINDERS	
82505	Waist Level Finder	26.99
82506	Prism Finder	116.00
82507	AE Finder	273.00
82508	Rotary View Finder	128 70

### **Polaroid**

Flactric 7in Land Comers	24 50
Electric Zip Land Camera	21.50
Minute Maker Land Camera	22.50
Minute Maker Plus Land Camera	28.99
The Reporter Land Camera	43.50
Super Shooter Land Camera	24 50
Super Shooter Plus Land Camera	31.50
Pronto B Land Camera	43.50
Pronto Extra Land Camera	48.00
Pronto RF Land Camera	58.00
SX-70 Alpha 1 Land Camera 1	39 50
SX-70 Alpha 2 Land Camera	20.00
SX-70 Model 2 Land Camera	10.00
OV 70 to though 2 Land Gamera	10.00
SX-70 Model 3 Land Camera	88.00

#### BRONICA LENSES

Nikkor		LENS	
WIDE ANGLE		CASE	
80208 50mm f2.8 Auto Nikkor	359.00	18.90	
TELEPHOTO 80239 200mm f4 Auto Nikkor			
w/close up lens	366.50	24.00	
80210 75mm f2.8 Auto Nikkor	189.50	14.90	
80203 105mm f3.5 Auto Nikkor w/MXV shutter	359.00		
LENSHOODS			
40mm f4 Auto Nikkor		24.00	
50mm f2.8 Auto Nikkor	350	24.00	
75mm Auto Nikkor		12.00	
135mm Auto Nikkor		18.00	

#### Zenzanon

MARKET STATES	AND THE RESIDENCE OF THE PARTY		
WIDE	ANGLE		CASE
80250	40mm f4 Auto Zenzanon		Y
	MC	398.00	16.00
80252	50mm f2.8 Auto Zenzanon		
	MC	292.75	17.00
TELEP	НОТО		
80204	150mm f3.5 Auto Zen.	197.50	18.50
	200mm f3.5 Auto Zenzano		
	MC w/close up lens	307.50	24 00
80205	300mm f4.5 Auto Zen.	585.00	
NORM		000.00	24.00
		X 100 /	
90202	100mm f2 9 Aug 7	200 50	47.00
00202	100mm f2.8 Auto Zen.	209.50	17.00

12.00

18.00

NEW ETR ACCESSORIES	X500 (6.2)
Motor Drive	307.50
250mm F5.6	.489.50
82567 Close up no. 1	. 15.90
82568 Close up no. 2	15.90
82541 Ext. tube E-14 14mm	103.90
82542 Ext. tube E-28 28mm	110550
82542 Ext. tube E-28 28mm	110.50
82543 Ext. tube E-42 42mm	119.50
82546 Tripod Quick Release	36.50
82547 Tripod Adapter	.29.50
82548 Battery Warmer	. 18.50

LENSHOODS

100mm f2.8 Auto Zenzanon

150mm f3.5 Auto Zenzanon

# 

### EC CAMERA ACC

	82021 Film Back, chrome 6x6	159.50
	82022 Film Back, black 6x6	174.95
	82023 Film Back (2½x1 5/8)	159.90
	82025 Film Back insert	51.95
	82028 Polaroid Back	185.25
	VIEWFINDERS	
	82033 Type C Prism Finder 30 <sup>o</sup>	156.90
	82032 Type A Prism	156.90
	82031 Magnifying Hood	72.50
	82030 Type L eyecup	4.50
	82060 Eyecup for A Prism	3.50
	METER	110.100
	82008 CDS meter finder FOR EC ONLY GRIPS	139.90
	82041 L Grip	58.50
	82042 Pistol Grip	51.00
100	81312 Tele lens rifle stock	214.50
	CLOSE UP EQUIPMENT	4000
E	81303 Extension Tube Set	15 3000
		59 50
	82040 Bellows Attachment	59.50 174.90
)		174.90
	82040 Bellows Attachment 81427 Lens Reversing Ring 81302 Close up lens for 200mm f4.0	174.90 14.50 38.95
)	82040 Bellows Attachment	174.90 14.50 38.95
)	82040 Bellows Attachment 81427 Lens Reversing Ring 81302 Close up lens for 200mm f4.0 82045 Semi-auto ext. bellows w/cable release 81313 Rapid focusing lever	174.90 14.50 38.95
)	82040 Bellows Attachment 81427 Lens Reversing Ring 81302 Close up lens for 200mm f4.0 82045 Semi-auto ext. bellows w/cable release 81313 Rapid focusing lever 81506 Helicoid Focusing mount repl.	174.90 14.50 38.95 106.95
)	82040 Bellows Attachment 81427 Lens Reversing Ring 81302 Close up lens for 200mm f4.0 82045 Semi-auto ext. bellows w/cable release 81313 Rapid focusing lever 81506 Helicoid Focusing mount repl. FOCUSING SCREENS	174.90 14.50 38.95 106.95 14.00
)	82040 Bellows Attachment 81427 Lens Reversing Ring 81302 Close up lens for 200mm f4.0 82045 Semi-auto ext. bellows w/cable release 81313 Rapid focusing lever 81506 Helicoid Focusing mount repl. FOCUSING SCREENS 82035 Matte center circle Type A	174.90 14.50 38.95 106.95 14.00
)	82040 Bellows Attachment 81427 Lens Reversing Ring 81302 Close up lens for 200mm f4.0 82045 Semi-auto ext. bellows w/cable release 81313 Rapid focusing lever 81506 Helicoid Focusing mount repl. FOCUSING SCREENS 82035 Matte center circle Type A 82036 Microprism center circle Type B	174.90 14.50 38.95 106.95 14.00 127.00
)	82040 Bellows Attachment 81427 Lens Reversing Ring 81302 Close up lens for 200mm f4.0 82045 Semi-auto ext. bellows w/cable release 81313 Rapid focusing lever 81506 Helicoid Focusing mount repl. FOCUSING SCREENS 82035 Matte center circle Type A 82036 Microprism center circle Type B 82037 Split Image, Type C	174.90 14.50 38.95 106.95 14.00 127.00
)	82040 Bellows Attachment 81427 Lens Reversing Ring 81302 Close up lens for 200mm f4.0 82045 Semi-auto ext. bellows w/cable release 81313 Rapid focusing lever 81506 Helicoid Focusing mount repl. FOCUSING SCREENS 82035 Matte center circle Type A 82036 Microprism center circle Type B 82037 Split Image, Type C 82038 Full Field Matte finish, Type D	174.90 14.50 38.95 106.95 14.00 127.00 12.00
)	82040 Bellows Attachment 81427 Lens Reversing Ring 81302 Close up lens for 200mm f4.0 82045 Semi-auto ext. bellows w/cable release 81313 Rapid focusing lever 81506 Helicoid Focusing mount repl. FOCUSING SCREENS 82035 Matte center circle Type A 82036 Microprism center circle Type B 82037 Split Image, Type C	174.90 14.50 38.95 106.95 14.00 127.00 12.00 12.00 12.00

### S-2A ACC

FILM BACKS	
80506 S2A, S2 back, chrome (21/4x21/4)	143.00
80508 S2A, S2 back, black (21/4x21/4)	155.00
80507 E Back, Chrome (1 5/8 x 21/4)	143.00
80509 E Back, Black ( 1 5/8 x 21/4)	155.00
80514 Insert for E & S 2A/S2 back (also Bronica	
CL	40.00
80511 Polaroid Back for S2A, S2	164.95
GRIPS	
82041 L Grip	56.00
B2042 Pistol Grip	54.50
81312 Tele Lens rifle stock	214.50
VIEWFINDERS	
81525 Prism Finder A w/c	153.25
81523 Prism Finder, Model C w/c	153.25
81524 Magnifying Hood	72.50
81519 Sportsfinder w/c (w/50-75-135-200mm frame)	57.95
81313 Rapid focusing lever	14.20
81506 Helicoid focusing mount	129 00



New SX-70 **Excitement** 



#### the compact single-lens reflex system with the ideal format

- Interchangeable-lens SLR
   Accepts 120/220 film for 15 or 30 shots per roll
   Electronically governed focal-plane shutter with speeds from 8 to 1/500 sec.
   Interchangeable focusing screens.
- Interchangeable finders Interchangeable roll-film hold-

CAMENA	T BOD T	
4140A N	1645 cam. body only w/neck strap	249.50
	645 1000S	314.50
M	1645 w/80mm f2.8C lens w/hood	425.90
V	Vaist level finder 645 w/80mm lens w/Prism Finder	487.90
M	045 W/OUTHIT TELIS W/FISHI FINGE	
M	645 w/80mm Lens w/PD Finder	578.50
MAMIYA	A/SEKOR LENSES	
657013	45mm f2.8 C lens w/hood & case	219.50
657018	55mm f2.8 C lens w/hood & case	177.50
657027	80mm f2.8 C lens w/hood	124.50
657041	150mm f4.0 C lens w/c (built in hood)	169.90
657046	210mm f4.0 C lens w/c (built in hood)	189.90
	2x Tele Converter	109.50

<b>"是我们的一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个</b>	
VIEWFINDER ACCESSORIES	
657226 Focusing Screen No. 2 Matte	17.50
657227 Focusing Screen No. 3-Matte w/grid	17.50
657228 Focusing Screen No. 4-Split Image	17.50
657235 Case for Prism Finder	4.75
Prism Finder w/c	89.90
PD Prism Finder	184.90
CAMERA GRIPS	
657275 Pistol Grip	32.95
657227 Grip Holder	19.90
657279 Deluxe Grip Holder	36.50
657280 Accessory Shoe f/Deluxe Grip Holder	14.99
650606 Chest Pod w/strap	15.80
655231 Flashgun adapter w/accessory shoe	24.90
MISCELLANEOUS	
657300 120 Film Insert w/c	27.90
657305 220 Film Insert w/c	27.90
657310 Extra Case f/film inserts	6.90
657312 Neck Strap	8.99
657313 Hand Strap	8.99
657315 Soft Camera Case	18.50
657316 Compartment Case	74.50

650607	2x Magnifier w/c (f/Prism Finders)	26.50
	Right Angle Finder w/c (f/Prism Finders)	34.50
657236	Plastic Cap f/Prism Finders	4.75
o tolerand	THE RESERVE OF THE PARTY OF THE	

657317 Aluminum Custom Case w/insert

74.50

LENS A	ACCESSORIES RB6	
CAT N	ACCESSORIES RB6/C	
655276	Soft leather case for all lenses	11.95
655359	Bellows hood for 90-360mm lenses	57.50
655360	Lens hood for 90-250mm lenses	13.50
655361	lens hood for 50-65mm lenses	13.50
655362	Lens hood for 360mm lens	13.50
655351	Sunshield w/c	24.50
77mm F	ILTERS CONTRACTOR OF THE CONTR	
Yellow,	Light Green, Orange, UV, Skylight,	
Neutral	Density, 81C, 82C	29.95@
Polarizii	ng Filter	39.95
	ginal 77mm color filter	13.75
	ginal 77mm Polarizing filter	22.50

CAMERA	GRIPS	AND	BRACKET	5

CAMERA G	RIPS AN	V
CAT NO.		

CAT NO.	
655226 Pistol Grip Model II w/Trigger (also fits C330)	38.50
655228 Flashgun Bracket Type H (f/Heiland/Honeywell mts)	13.50
655229 Flashgun Bracket Type G (f/Graflex mts)	13.50
655227 Multi-Angle Grip w/Trigger (also fits C330)	93.50
655231 Flashgun Adapter w/Accessory Shoe	20.95
655225 Deluxe Grip Holder	34.50

CAMERA CASE FOR EQUIPMENT PROTECTION

655227 Multi Angle Grip (f/RB, C330,

	C330F)	94.90
655275	Compartment Case	69.00
655278	Soft Camera Case	31.20
655279	Aluminum Custom Case W/Insert	74.50

6X7cm SINGLE-LENS REFLEX CAMERA

LENSES, AND ACCESSORIES



the ideal system for professional single-lens reflex photography

RB 67 Pro-S body w/120 holder

#### 339.50

RB 67 Pro-S w/90mm NB lens w/120 holder 545.50

Single-Action Focusing Hood Breech Lock Lens Mount Bellows Focusing System Focusing Knob Interchangeable Lens-Shutter Comb. Shutter Release Film Advance Lever Film Holders

Shutter Cocking Lever Interchangeable Backs Lock Lever 6x7cm Format

Interchangeable Focusing Screens Unique revolving back

#### MAMIYA/SEKOR LENSES

50mm f4.5 C lens	459.50
65mm f4.5 C lens	409.50
90mm f3.8 lens	219.50
90mm f3.8 NB lens	219.99
90mm f3.8 C lens	314.50
127mm f3.8 C lens	319.50
180mm f4.5 C lens	359.50
250mm f4.5 lens	399.50
360mm f6.3 lens	459.50
37mm f4.5C	711.50
500mm f8	999.50

#### Complete Interchangeable Back System

655314	120 Roll Film Holder	88.00
655310	Pro-S 120 Roll Film Holder (10 exp.)	129.90
655311	Pro-S 220 Roll Film Holder (20 exp.)	104.50
655312	6x4.5mm 120 Film Holder (16 exp.)	94.00
655316	Double Cut Film/Plate Holder Type A	37.50
655318	Film Pack Adapter	24.50
655321	Polaroid Film Holder Model 2	93.50
655322	Polaroid Film Holder M80	93.50
655320	P Adapter	24.00
656187	M Adapter (horizontal)	26.00
	M Adapter (vertical)	26.00
	Dark Slide f/Pro-S & Reg. Roll Film Holders	4.75
	THE COLUMN TWO IS NOT THE OWNER OF THE OWNER OWNER OWNER OF THE OWNER	ASSESSED NAMED OF

ing Hood Finder w/c (has built-in 153.50 186.90
ing Hood Finder w/c (has built-in
ying Hood Finder w/c (3x or 5x
Hood Finder w/c (2.5x magnification) 54.50
if

655179	Matte with Grid No. 2	17.50
655176	Split Image No. 3 (has split-image	
	prism rangefinder)	17.50
655177	Microprism No. 4 (has microprism	
	rangefinder)	17.50
655178	Crosshair No. 5 (has cross in center	
	of screen	17 50

EXTENSION TUBES FOR ULTRA CLOSE-UPS EXTENSION TUBES FOR ULTRA CLOSE UPS CAT NO.

655250 Auto Extension Tube No. 1 (45mm) 101.90 655251 Auto Extension Tube No. 2 (82mm) 109.90

MISCELLANEOUS ACCESSORIES 655350 Focusing Knob Adapter (enlarges focus knob size) 656212 Quick Shoe (for instant-release tripod mounting)

MAMIYA **PROFESSIONAL** TRIPODS

Mamiya Universal Press 6x9cm Rangefinder Camera the rangefinder camera with universal capability

COMPACT MULTI-FORMAT CAMERAS LENSES AND ACCESSORIES

Mamiya Press Super 23 6x9cm Rangefinder Camera a hand camera for action

shots - a view camera with swings and tilts



Brilliant viewfinder Built-in Accessory Shoe Strap Lugs Built -in Shutters Flash Bracket 209.50 Trigger Grips nterchangeable Lenses Breech- Lock Lens Mount Tilt and Swing Back

Accessory Shoe Brilliant Viewfinder Rangefinder Trigger Grip **Built-in Shutters** Strap Lugs Breech-Lock Lens Mount Flash Bracket Interchangeable Lenses Interchangeable Film Holders
Interchangeable Backs
Back Lock/Release

189.95

#### Mamiya/Sekor Interchangeable Lenses

	Mailli	ya/sekoi interenangeasie zense	900
	655902	50mm f6.3 Lens Shutter w/Optical Viewfinder 281.5	0
( ) ( ) ( )	655907	65mm f6.3 Lens Shutter w/Optical Viewfinder 210.2	5
	655913	75mm f5.6 Lens Shutter w/Optical Viewfinder 281.7	5
	655923	100mm f2.8 Lens Shutter 249.5	0
	655920	100mm f3.5 Lens Shutter 139.7	5
	655926	127mm f4.7 Lens Shutter 210.0	0
	655929	150mm f5.6 Lens Shutter 210.0	00
	655932	250mm f5.0 Lens Shutter 496.2	25

#### LENS ACCESSORIES

	EELIO MOGEOGOME	
CAT. NO. 656201*	Tetraphoto Adapter with Case (for 4 images on Polaroid film)	178.25
CAT. NO. 656200*	Duophoto Adapter (for 2 images on Polaroid film)	178.25
CAT. NO. 656204	Extension Ring Set (#1.2.3.4.5)	43.50
CAT. NO. 656205	Extension Ring #5	11.95
*For th	ne Mamiya Universal Press camera o	nly

#### Interchangeable Back and Film Holder System

656182	Roll Film Holder, Model K (6x9cm,	
	6x6c. 6x4.5cm)	63.00
656181	Roll Film Holder, Model 2 (6x7cm)	95.70
656180	Roll Film Holder, Model 2 (6x9cm)	95.70
656192	Film Pack Adapter, (6x9cm)	24.95
656190	Cut Film/Plate Holder (6x9cm)	22.75
655321	Polaroid Film Holder, Model 2	93.50
655322	Polaroid Film Holder M80	93.50
656213	Focusing Hood	35.95
656183	Focusing Screen Holder	49.20
656185	Right-Angle Focusing Back	92.50
656184	Magnifying Focusing Back	92.50
656189	Ground Glass Back for Polaroid Holders	52.95
656187	Mamiya Back Adapter	25.50
656188	Grafolk Back Adapter	25.50

MISCELLANEC	OUS ACCESSORIES INCLUDE	
CAT. NO. 656203*	Extension Back Set (1 and 2)	63.95
CAT. NO. 656202*	Life Size (1:1) Photocopying Set	43.75
CAT. NO. 656032	Front Body Cap	5.75
CAT. NO. 656212 CAT. NO. 656206	Quick Shoe Tripod Adapter (for vertical format camera mounting)	<b>24.50</b> 7.95
CAT. NO. 656209.	Tripod Adapter P	15.95
CAT. NO. 656216	Flashgun Bracket Type H (for Heiland/Honeywell units)	15.95
CAT. NO. 656215	Flashgun Bracket Type G (for Graflex units)	15.95
CAT. NO. 656130	Grip Holder with Cable Release	25.50

#### CASES FOR CAMERA PROTECTION ...

656150	Aluminum Custom Case w/	
	insert	74.50
656151	Replacement Foam Insert f/	
	Aluminum Case	10.50

Model 1507......63.50 Model 1506.....44.50 Model 1504.....34.50



RETAIL STORE 67 West 47th STREET N.Y. 10036 (212) 260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212) 260-4410

#### CAMERAS CHROMIUM FINISH 500C/M

w/black 80mm Planar f2.8 & chrome 869.50 Mag. A12

529.50 w/chrome Mag. A12 w/o lens Body only chrome, w/o lens & w/o magazine

40142 Double Cable Release


46213 Exposure Release Adapter

354.50

#### CAMERAS BLACK FINISH 500C/M

w/80mm Planar f2.8 & Mag. A12 1018.50 w/100m Planar f3.5 & Mag. A12 1239.50 w/Mag. A12, w/o lens 577.50 387.50 Body Only, w/o lens & w/o mag.

HASSELBLAD 500CM



Super Wide C

w/Mag. A12 w/viewfinder 1224.50 w/Mag. A12 w/o viewfinder 1113.50 w/o Mag. & w/o viewfinder 939.50

#### CAMERAS BLACK FINISH

Super Wide C

w/Mag. A12, w/viewfinder 1236.50 w/o Mag. w/o viewfinder 899.25



CAMERAS CHROMIUM FINISH

magazine

w/black 80mm Planar f2.8 & chrome Mag. A12 1270.50

Body only, w/o lens & w/o

649.50

CAMERAS BLACK FINISH



500 EL/M w/80mm Planar f2.8 & mag. A12 1299.00 w/100m Planar f3.5 & mag. A12 1533.50 863.50 w/Mag. A12, w/o Lens 699.50 Body Only, w/o lens & w/o Mag.

Schneider Variogon 140mm-280mm

LENSES	50504 Lens Shade f/Bellows Ext. 82.50
30mm F-Distagon f3.5 Fisheye 1612.50	FOADO Turanaman Comi
40mm Distagon f4.0 1099.5	Holder 05.00
50mm Distagon f4.0 686.50	
80mm Planar f2.8 436.50	42188 Focusing Screen w/split
100mm Planar f3.5 655.50	image rangefinder
105mm UV Sonnar f4.3 4175.0	15.99
120mm S-Planar f5.6 728.50	42196 Focusing Screen w/split
135mm S-Planar f5.6 636.50	
150mm Sonnar f4.0 735.00	
250mm Sonnar f5.6 789.90	
250mm Sonnar Super Achromat f5.6 1399.00	
f5.6 1399.00 350mm Tele-Tessar f5.6 1092.5	(2) 整治性性治疗原则治疗疾病等的疾病的治疗疗疗法检查性的治疗疗治疗病院治疗治疗病院治疗病院治疗病院治疗病院治疗病院治疗病院治疗病院治疗病
500mm Tele-Tessar 18.0 1237.5	
60mm Distagon f3.5 (new) 634.4	
	17.50
2X TELE EXTENDED	TEEOS I Occasing octoon in contra
2X Rokunar Tele Extender 149.50	
2X Komura Tele Extender MC 169.50 Hasselblad to Nikon Adapter 48.50	SOULL
The second secon	Staridard Ground Glass
WINDING KNOBS	17 IVI IVIOUIES
44016 Rapid Wind Crank 17.25	<b>8</b> 32034 Mayilli yiliy 11000 99.50
54011 Knob w/Exposure Meter 68.50	m 52UZ/ Prism Viewfinder NC-2 2/6.50
44024 Standard Winding Knob 7.99 44032 Rapid Wind Crank, Blk fin 19.90	
The second secon	70 359.50
CAMERA BACKS-CHROMIUM FINISH	
30074 Roll Film Mag. A12 176.50	meter 436.80
30082 Roll Film Mag. A16 191.50 30090 Roll Film Mag. A16S 191.50	52086 Prism Viewfinder HC-4 349.50
30104 Roll Film Mag. A24 199.50	42 143 10, 100 Ground Glass
30066 Roll Film Mag. 70 276.50	Mask f/500C/M, & 500 EL/M 3.75
30120 Mag. f/Polaroid Film	42080 16 & 16S Ground Glass
Type 80 "Square	Mask f/500C & 500EL 3.75
Shooter" 124.80	42153 Black 16S, A16S Ground
30198 Mag. f/Polaroid Film Type	Glass Mask 1.50
CB-100 156.50	42099 Black 16S, A16S Ground
41017 Cut Film Adapter 42.50	Glass Mask f/500C &
51012 Cut Film Holder 34.50	500EL 1.50
Non Original Polaroid	42072 Checked Screen f/500C &
Back 119.50	500EL 3.95
CAMERA BACKS-BLACK FINISH	BRACKETS & MOUNTS
30147 Roll Film Mag. A12 187.50	Multi Camera Bracket
30155 Roll Film Mag. A16 199.50 30163 Roll Film Mag. A16S 199.50	(Special Order) 1,4300.
30163 Roll Film Mag. A16S 199.50 30171 Roll Film Mag. A24 209.90	45047 Pistol Grip f/500C/M &
30139 Roll Film Mag. 70 289.50	500C 27.95
ACCESSORIES for CAMERA BACKS	46221 Pistol Grip f/500EL/M &
	500EL 28.50
41068 Roll Film Mag. \$100 2.75	45020 Flash Gun Bracket IIIC 44.99 55018 Standard Cable Release
CLOSE UP ACCESSORIES	7.50
50296 Proxar 0.5 37.50	
50318 Proxar 1.0 37.50 50326 Proxar 2.0 37.50	40.75
40363 Extension Tube 10 49.90	45004 Tripod Quick Coupling 24.90
40010 Extension Tube 21 59.50	
40029 Extension Tube 55 63.80	40436 Assembly Kit 100 for A.D.C.U
40223 Bellows Ext. w/double	40444 Assembly Kit 150 for
Cable Release 299.00	A.D.C.U 28.50

			1
LENS A	ACCESSORIES	1	
40290	Lens Shade 40	37.50	
40282	Lens Shade 38	14.50	
40274	Lens Shade 50-60	14.50	
40118	Lens Shade 80	26.50	
PERSONAL CONTRACTOR	Lens Shade 100-250	28.50	
40231	Prof. Lens Shade	84.10	
40339	Adapter Ring 63mm f	CONTRACTOR OF THE PARTY OF THE	
	40231	12.90	
40266	Attachment f/exp. me	ter 14.50	
40258	Attachment f/flash ho		
40061	Quick Focusing Hand	STATE OF THE PARTY	
10001	150, 80, 100, 150 SV		
40088	Quick Focusing Hand		
40000	120, 150, 250	8.50	
		0.00	
FILTE			
	Softar I f/Series 50	48.50	-
ASSESSED FOR THE PARTY OF THE P	Softar II f/Series 50	48.50	
50539	Softar III f/Series 50	48.50	
50679	Multi Prism 50mm (5		
	prisms)	35.95	
50687	Multi Prism 50mm (6		H
00007	prisms)	35.95	
50695		30.55	
1882	prisms)	70.95	
CEDIE	5 50 f/80mm to 250m		B
THE RESIDENCE OF THE PARTY.		PERSONAL PROPERTY OF THE PROPE	
58122	Polarizer 50 w/c Case f/Polarizer 50	54.90 5.10	
PARTITION OF THE PARTY OF THE P		24.25	
50016	Yellow	24.25	
50024	Yellow-Green		H
50032	Green	24.25 24.25	
Service Control of the Control	Orange	CAN BURE DE LA CONTRACTION DEL CONTRACTION DE LA	
50059		24.25 24.25	
50067			
50083		24.25 24.25	
	Neutral Density		
PROPERTY AND ADDRESS OF THE	Neutral Density	24.25	
50199			
B	Filters Series 50	138.90	1
SERIES	63 f/38mm & 50mm	Marie Carlotte Control of the Control	
	Polarizer 63 w/c	109.90	
58130	Case f/Polarizer 63	7.25	
50105	Yellow	24.90	
50806	Yellow-Green	24.90	1
50113	Green	24.90	
50121	Orange .	24.90	
50148	Red	24.90	
50156		24.90	
50164	Diffusion	24.90	-
50768	Neutral Density	24.90	K
50792	Neutral Density	24.90	ı
COLUMN TWO IS NOT THE OWNER.	RIGINAL ACCESSO	RIES	
	SSELBLAD 500C & 5		
	nade 80C Metal	9.95	ı
CONTROL CONTROL OF THE	nade (120mm, 150mm	THE RESERVE OF THE PERSON NAMED IN	
THE PERSON NAMED IN	m) Metal	9.95	5
Technical States	1.0C Close Up Lens	16.50	-
<b>可以有效的企业的企业的企业</b>	0.5C Close Up Lens	16.50	I
250000000000000000000000000000000000000			Z
Ped P	S2 Coated Glass Filter	8.95	(

f5.6 Zoom lens	.1750.00
40101 Automatic Diaphragm	
40428 Assembly kit 80 for	462.50
A.D.C.U	. 26.50
80c Metal lens shade	9.95
Skylight 1A Coated Glass Filter	8.95
Green Filter	8.95
Polarizer C Cose Up Filter	19.95
Cross Screen Diffuser	13.20
3x Mirage	17.00
5x Mirage	24.00
6x Mirage	26.00
Rubber Lens Hood	5.00
Vario Cross	29.95
MISCELLANEOUS ACCESSOR	IES
43117 Spirit Level	12.50
40185 Linear Mirror Unit Comp	
40193 Lens Flange Mirror	57.50
40207 Reflection Mirror	83.90
46140 Carrying Strap	10.90
49018 Neck Strap	10.50
49018 Neck Strap	10.50
ACCESSORIES for 500EL/M &	500EL
46248 Intervalometer II	177.10
56022 Recharge Unit I	33.50
56103 Recharge Unit III	171.50
56014 Battery Compartment I	20.50
46094 Battery Case	38.00
46019 Connecting Cord LK150	
46027 Connecting Cord LK500	
46035 Connecting Cord DK300	
46043 Release Cord FK30	9.90
46051 Release Cord FK300	14.50
46078 Release Cord FK600	17.50
46086 Release Cord SK150	9.99
46205 Cord Reel II	93.00
AC12A Amulifian	26.50
46124 Amplifier	
46132 Double Handgrip	69.50
Market Street of the Line Street	04.50
56081 Battery I NC Rechargeab	le 24.50
CARRYING CASES	
58017 Eveready Case 502	46.80
58025 Eveready Case 503	16.80
58033 Ambassador Case 511	195.50
58041 Combination Case 515	104.50
58149 Aluminum Case 612	225.00
F0070 0 11 11 0 F10	440 50

59500 THE HASSELBLAD WAY 15.95

58076 Combination Case 518

FILES & PUBLICATIONS 59048 File f/70mm film (50 sheets)

59013 File f/120, 220 film (100 sheets)

58106 Blimp

Red R2 Coated Glass Filter

40452 Assembly kit 250 for

26.99

5.99

143.50

17.50

8.25



Standard Lamp Head

Bare Flashtube Only

ASA 25 GN 103

Choice of 3 f stops

199.50

Automatic up to 36 feet
Bounce flash capability

Automatic up

High Output Lamp Head

F-900 PROFESSIONAL

Rechargeable Ni-Cad battery

70 to 3000 flashes per charge

RETAIL STORE 67 West 47th STREET N.Y. 10036 (212)260-4410
MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212)260-4410

Ascorlight AUTO 1600II

Ascorlight 1600II Complete 224.50 Nickel Cadmium Battery Module 31.95 Charger/AC Adapter 18.99

24.95 Battery Holder 39.50 510 Volt Power Pack Lamp Head 21 50 34.50 Ringlight Head Only 27.95 Remote Head Only 34.50 Infra-Red Head Bare Bulb System 34.50 51.90 Ringlight System Remote Head System

47.90 27.50 23B Electronic Flash

ASA 25 GN 38

Powered by four penlight batteries  $60^{\circ}$  angle of coverage

Recycles in 6 to 8 seconds (approx)

Hot shoe contact



17.75

Same features as the 23B, except:

Automatic light exposure control Automatic from 1½ to 13 feet

27.90





18.50 915 PROFESSIONAL

> Power source 510V battery (not incl) ASA 25 GN 103

Number flashes 300 to 6000 Recycling time .25 to 4 seconds

Choice of 3 f stops on automatic Angle of coverage Normal is 75<sup>o</sup> and Wide Angle 90<sup>o</sup> covers 24mm lens

Bounce flash capability Automatic up to 36 feet.

137.50

RL-515

BRAUN LITE RL-515 ELECTRONIC FLASH



79.50

BRAUN

VARIO CONTROL

#### 28 BVC

Power Source 4 AA batteries (not incl)

ASA 25 GN 46

Up to 3000 flashes on automatic (with fresh Alkaline batteries)

Choice of 2 f stops on automatic Automatic up to 1½ to 16 feet.

Recycling time approximately .3 to 7 seconds (with Alkaline batteries)



#### 2000 VarioComputer **Electronic Flash**

- Built in rechargeable Ni-Cad batt.
- . ASA 25 GN 70
- Bounce flash capability
- Choice of 3 f stops on automatic range
   Automatic from 1% ft. to 35 ft.
- Approx. 2400 flashes per charge on auto.
- Quick recycling from 0.3 seconds to 6 sec.
- Multi voltage 110/220 84.90

#### • Hot shoe

#### 34VC

New thyristor circuitry

- Built in rechargeable Ni-Cad battery
- ASA 25 GN 56
- Bounce flash capability
- Choice of 3 f stops on automatic range Automatic from 1½ ft. to 27¾ ft.
- Approxamitely 1500 flashes on automatic
- Quick recycling from 0.3 seconds to 8 sec.
  Multi Voltage 110/220 72 00

73.90

89.50



### TOSHIBA TM-1

The Toshibamarine TM-1 is a manual strobe unit powered by 4 alkaline penlight batteries, which will provide approximately 250 flashes and a re cycle time of 5-7 seconds. The TM-1 is supplied with a special waterproof sync cord, an off-camera flash bracket for added depth in underwater photographs, and weighs 2.4 pounds.

SPECIFICATIONS:

Guide Number: 41 on land (ASA 25) Coverage Distance: Special Features

75° Horizontal 60° Vertical

4 DC Alkaline light batteries Recycling Time: Approx. 5-7 sec.



3.8 × 4.6 Weight

Number of flashes: Approx. 250

















The Toshiba ES-10S is a powerful, grip-type, matic electronic flash unit. In addition to thyristor circuitry and a choice of f/stops, the ES-10S also features a wide-angle attachment.

- -3 stop automatic range
- -coverage from 2-28 feet
- -separate sensor for eye for greater flexibility

-Quick release bracket with 84.95 bounce adjustment capability



A fully automatic portable flash unit designed to give you high, even light output combined with the versatility of the most complete portable flash system available. The Ascor Auto 1600 II features fully automatic exposure control with a choice of three working apertures.

Advanced thyristor circuitry permits recycle times as short as 1/3 second and up to 1000 flashes per charge, depending on lighting conditions and flash to subject distance.





**MATADOR 500** 

and features 3 power stages, as well as click-stop 40° and

ULTRABLITZ MATADOR 500 ELECTRONIC FLASH With Power Pack, Lamp Head, Charger/AC Adapter, AC Cord, Battery Compartment (less Batteries)

Capro RL80

90° bounce flash settings.

Even, shadowless lighting for all close-up and macro-photography

3-position Light Output Selector gives exact choice of light output for

Color-balanced for daylight film

**ULTRABLITZ®** 

39.95



18995

BRAUN PRO-GRIP 23.05

BEST BUYS

### **MATADOR 500 QC**

the unimate electronic flash system. Portable: Lightweight, 15,000 BCPS, adjustable to 3 power stages, as well as clickstop 45° and 90° bounce flash settings. Automatic computer dial adjusts guide numbers as photographer selects light output. Performance features make the Matador 500 GC the outstanding choice for professional photography where dependability and economy are necessary in a high-power unit.

MATADOR 500 QC with Power Pack, 120V, 60 cycle SL-1 Quick Charger, Lamp Head, and Battery Compartment (less Nickel Cadmium batteries). For use with Nickel Cadmium Batteries only





• Fits lenses with 52mm diam. front thread 93.50

# 475to Photo

RETAIL STORE 67 West 47th STREET N.Y. 10036 (212) 260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212) 260-4410

Have a hot shoe? If your

35mm camera does you're in business with this amazingly tiny electronic flash. So compact it fits in the palm of your hand,

yet it packs enough power to put out over 200 brilliant


#### Vivitar's NEW 283 **AUTO/THYRISTOR ELECTRONIC** FLASH IS HERE!



74.50

- Flash Lenses to match your camera lenses
- Flash Filters to match your films (or whims)
- Soft Bounce Reflector
- **Quick Release Bracket**
- 15 minute NiCad Battery Charger

Charge 15 Vivitar NC-3 NiCad Battery Packs for the 283 recharge in only 15 minutes in Vivitar's new Charge 15 fully automatic external



High Voltage Battery Pack

The HVP-1 High Voltage Battery Pack Regulator converts a 510 volt photo battery to the 330 volts the 283 requires and maintains that voltage to ±20 volts. within ±1/4 f-stop. Recycle time is 0.5 to 3 seconds with up to 750 full power flashes available.

Battery f/above E497
510v
15.90

**Connecting Cord** 

Soft Light/ **Bounce Reflector** 

The lightweight holder snaps onto the 283 and holds a standardized 90% white reflectance card for perfectly controlled bounce/soft light portraits and still lifes



Flash Lens/ Filter Adapter

This precisely engineered attachment snaps on over the flash head to position Vivitar Flash Filters and Vivitar Variable Angle Flash Lenses at an exact distance from the head.



3.69

8.95

Filtered Flash

A special six-filter kit (for use with the adapter) includes a 4X neutral den-sity filter for extreme close up flash exposures in auto-matic operation. A UV filter to eliminate Ektachrome "blues." A Type B conver-sion filter to give proper color balance when using Type B film with electronic flash. And red, blue, and vel low filters for special effects

> Variable Angle Lens Kit

Two lenses for wide angle, two for telephoto. The extra wide angle is for use with 24mm camera lenses. The regular wide angle is for 28mm camera lenses. The short tele lens is for shooting in the 70mm and up range. The long tele lens is for 135mm and longer lenses. 8.95

**Quick Release** Flash Brackets


This bracket gives you a solid, controlled platform for flash shooting. The quick release lets you remove the camera brac pistol grip/flash unit for off camera flash and aim it

3.95 NC-3 Ni-Cad Batt. Pack f/283 AP-1 Spare Alkaline Batt. Ar-1 spare Alkaline Batt.
Holder (less batt.) f/283 2.90
Model SL-1 (f/use with
most Viv. flash units 11.95
Model SL-2 w/Rotating
Hot Shoe (f/use with
all Viv. flash units 14.50 AA batteries (4 reg)

PC-31 3 ft. Coiled Shutter

SB-4 AC Adapter PC-1 12" Shutter Cord

**ACCESSORIES for VIVITAR 283** 



anywhere you want for bounce or direct lighting. The flash shoe rotates 360 degrees for complete control 35mm camera bracket of direction and angle.

Choice of 3<sup>-5</sup> m or 6 x 6

5.95

Cable release 3.75

Quick release pistol grip 13.50

The Vivitar. **Electronic** 

low price. You get fully auto-matic flash exposures from 2—10 feet

every time, perfect for family portraits and all your flash picture needs. Fast 3½ second recycling time with fresh 9V alkaline battery a guide no. of 28 (ASA 25), built-in hot shoe and handy exposure guide. 2 year parts and labor warranty, too! 16.95

flashes from a single 6V alkaline battery. Why worry? The new Vivitar Model 200 Auto Vivitar. **Electronic Flash** does away with Model 202 flashbulb prob-lems at a low,

**Electronic Flash** AUTOMATIC OPERATION! 400+ flashes per set of hatteries! Kodachrome II (ASA 25) guide number of 30. 2-year guarantee.



Vivitar Model 118 Electronic Flash



The 118 easily attaches to the camera in seconds and conveniently fits in your pocket or purse when not in use. And its vertical styling helps eliminate those ugly red eyes in flash pictures.

14.25

#### Vivitar. Model 252 **Electronic Flash**

Automatic from 2 to 17 KII (ASA 25) guide number of 32. AA Alkaline batteries or 120/220V AC.



31.95

Vivitar.

THE OLYMPUS

QUICK AUTO 310 Quick Auto

FLASH SYSTEM TIL Core

TTLCENTRALIZED 310

CONTROL

ELECTRONIC

Now!

Flash photography

as easy as natural-light

photography.

\*Through-the-lens direct light

exposure control with your

310 & ACCESSORIES

2.30

Olympus OM-2.

measuring for automatic flash

Model 50

Vivitar.

**Automatic** 

**Electronic** 

200

Flash

Flash

**AUTO 253 ELECTRONIC FLASH** 25.95

The Vivitar Auto 253 Electronic Flash automatically determines the right amount of light needed for perfect flash pictures every time. All you have to do is mount it on your 35mm camera and stay within 2 to 171/2 feet from your

Bounce Gri

ivitar's New 273 AUTO/THYRISTOR **ELECTRONIC FLASH** 

46.50



The 273 is a little powerhouse. too, with a guide number of 50 (ASA 25) and Vivitar's Thyristor Circuitry to virtually eliminate wasted power. In the automatic mode of operation, the 273 can deliver up to 700 flashes from a single set of 4-1.5V AA alkaline batteries, with a recycle time as fast as 0.5 second. The 273 kit includes a wide angle attach-ment and a 12" PC shutter cord. Filter Adapter for 273 . .4.95

Vivitar 292 auto | thyristor

**Electronic Flash** 



Thyristor power conservation system delivers up to 700+ flashes from 1-hour charge with recycling as fast as 0.8 second Accurate Kodachrome II [ASA 25] guide number of 65 - power to spare Fully automatic exposure control from 2 to 33 feet with 3 auto f-stops for maximum depth of field control

Remote Flash Trigger Model SL-1



14.50

**Vivitar** 

REMOTE

TRIGGER

аитотатіс 59.90

VIV	itar Flash	Accessories	
NC-3	Ni-Cad batt.	pack f/models	
283		1	1.95
Mallory	MN1604-9	volt Alkaline	1 25

battery 1.35 Mallory 7K67 6 volt Alkaline

Flat Pack battery 1.75 RS-1 Remote Sensor f/292 MV-1 Multi Voltage Charger f/ 17.50 NC-1 batt. pack (f/152, 252)

Charge 15-15 minute charger w/ NC-3 Ni-Cad batt. pack f/283 34.50

PC-1 12" shutter cord (f/models, 100, 102, 192, 200, 202, 253, 283, & 292)

PC-31 3 feet coiled shutter cord (f/models, 100, 102, 192, 200, 202, 253, 273, 283, & 292) NC-1 Ni-Cad batt. pack f/models

152, & 252 only NC-2 Ni-Cad batt. pack f/models 192, & 292 only

ACCESSORIES FOR **VIVITAR FLASHES** 

Vivitar High Voltage Pack 28,50
Vivitar High Voltage
connecting cord 5,95
510 volt battery 16,50
Pouch case 4,19
4 AA batteries ea. 60
SB-4 AC Cord 8,95

VIVITAR FLASHES W/IKELITE UNDERWATER HOUSING COMBINATION

Viv. 50 w/4201 housing 61.75 Viv. 102 w/4202 housing 66.76 Viv. 202 w/4202 housing 75.00 Viv. 200 w/4210 housing 69.99

Viv. 252 w/4216 housing 85.50

Viv. 292 w/4219 housing 113.50 Viv. 273 w/4227 housing 103.75 Viv. 283 w/4228 housing 129.50

### RETAIL STORE 67 West 47th STREET N.Y. 10036 (212) 260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212) 260-4410

# Honeywell

Honeywell Strobonar 610 610 Pressmaster

400-600 flashes per 510V battery battery extra

- High and low power settings
- · ASA 25 GN high 63 & lo 40
- Fast recycling time recycles as fast as 1 sec.


91.50



#### PERMACAD POWER PAK

for use with Honeywell 800-Series Strobonars

No. 478 Power Cord 10.95



542 Permacad Battery Cartridge

543 Permacad Power Pak (less battery cartridge)

544 Permacad **Battery Charger** 

550

327 Black plastic mounting handle designed primarily for placing Slave Strobonars on light stand. Hollow handle slides over top section of light stand, and locks with thumb screw.

Adjustable swivel head with locking screw permits directional control. May be used with any 1/4 -20 fittings 11.95

#### **Accessory Lens Kit**

4301 For Strobonars 330, 332, 460, 462, 470. Contains No. 2 neutral density, No. 4 neutral density, regular wide angle, ultra violet, No. 85 conversion filters and others



# Honeywell SLAVE STROBONARS

Slave Strobonar 200

- . ASA 25 GN 32
- Power source AC only
- Modeling lamp
- Recycling time 5 see
- Angle of coverage 60<sup>0</sup>

52.19

Strobodome Diffuser Set

The Strobodome set contains four

dome diffusing lenses to increase the versatility of the 700 and 800 series Strobonars. All the automatic units except the 770 and 880 can be used in the automatic mode.

4302 Variable Range for 770/880; permit selection of five different lens openings for automatic operation.

6 inches

resulting in a choice of increased depth of field and a range of working distances to

8.50



FLASH ACCESSORIES

- ASA 25 GN 46 high & 32 lo
- High and low power switch
- AC operation
- Recycles in 7 sec.
- Angle of coverage 60°
- Modeling lamp

**Accessory Lens Kit** 

850

59.19

Bayonet-type for 700, 770, 772, 800,


880 and 882 Strobonars: packaged in handy packet wallet. May be used with flash in either automatic or

manual mode. Includes wide angle, ultra violet, wide angle ultra violet,


SLAVE ACCESSORY KIT

one diffusing lens and five filters

neutral density 2, neutral density 4, neutral density 2/wide angle, type 85 and wide angle 85 lenses



- High and low settings ASA 25 GN on high 56
- low 40 Power source AC or Permacad Power Pak. (optional) does not



79.50

3 99

4.95

14.99

#### QUICK-RELEASE CLAMP

358 Universal Folding Bracket for most popular cameras

4300 Standard Bracket

Bounce Bracket

4315 Quick-Release

308 Fits Strobonars: 700 and 800 series, 650, 65A, 65B, 65D, 72A, and 1½" diameter mounting tubes. Instantly removable for off-camera flash, yet sturdy enough to permit carrying all but heaviest cameras by the flash unit 3.99

BRACKETS

#### **Shutter Cords**

465 62H-62-K3 Honeywell The Slave Accessory Kit includes 24.99 one set of barn doors, one snoot Lock to PC Comb

442 58/62K-3 Standard to A.S.A Bayonet or PC 4.95

# **THYRISTOR**

Handle-mount computer flash operate 4 AA Nicad Batteries, 4 AA Alkaline Batteries, 510v Battery Pak, or 100-240v AC. Guide Numbers continuously variable: 100 - 12 with ASA 100 film, 50 - 6 with ASA 25 film. Auto operation over 4-stop range: f/4.0 - f/11, with ASA 100 film; stepless intermediate aperture control. Auto Distance Range: 19" - 25 feet at maximum aperture, Sunpak Power Ratio control permits manual operation at Full, 1/2, 1/4, 1/8, 1/16, 1/32 or 1/64 power retaining energy-saving thyristor benefits. With Nicad betteries, gives 45 — 700 flashes per charge with recycling times from 0.3 – 5 seconds; betteries recharge in optional Sunpak Nicad Charger, Quick-Release Bracket with 12-way Bounce Control. Coiled 5' PC Cord with special safety fitting, inter-changeable with conventional perallel-bla shutter cords. Includes Standard Camera Bracket, Mounting Clamp, 5' PC Cord, and Dual-Voltage AC Adapter.

SUNPAK 100 9.95



**SUNPAK AUTO 101** 

**SUNPAK AUTO 201** 

17.50



34.95

**SUNPAK AUTO 301** 

39.95







SUNPAK **AUTO 401** 

40.50



**SUNPAK NOCTO 400** SYSTEM



129.50

SUNPAK ELECTRONIC FLASH ADAPTER FOR CAMERAS WITH "FLIPFLASH" SOCKET

SUNPAK ELECTRONIC FLASH ADAPTER FOR CAMERAS WITH MAGICUBE SOCKET 7.95

SUNPAK AUTO SLAVE 16.50 Sunpak AA Ni-Cad Charger 9.95 GE GC-1 AA Nickel Cadmium Batt. 2.25

**ACCESSORIES & REPLACEMENT PARTS** FOR SUNPAK AUTO 511 and 611

34.50 Sunpak Prof. Battery Pack 10' Ext. Cord f/Sunpak Prof. Battery 7.75 Sunpak 6x6 Quick Release Bracket 18.75 Sunpak Standard Quick Release 6.50 Bracket 6.95 Sunpak Bracket Mounting Clamp 3.10 Sunpak Battery Holder for 511 Sunpak Dual-Voltage AC Adapter 7.95

SUNPAK AUTO 611 THYRISTOR SYSTEM

Professional handle-mount computer flas with Remote Sensor; auto bounce flash. Operates on Nicad Battery Cluster (Included), 4 "C" Nicad batteries, Numbers continuously variable: 160 – 14 with ASA 100 film, 80 – 7 with ASA, 25 film. Auto operation over 4-stop ... range: f/4.0 - f/11 with ASA 100 film; stepless intermediate aperture control Auto Distance Range: 19" - 40' at maximum aperture. Sunpak Power Ratio control permits manual operation at Full, 1/2, 1/4, 1/8, 1/16, 1/32, 1/64 or 1/128 power while retaining energy saving Thyristor benefits. With Nicad Cluster (included), gives 40-800 flashes per charge with recycling times from 0.25 sec. to 9.5 seconds; Cluster recharges 159.90 fully in 3 hours in Sunpak Battery Charger (included). Quick-Release' Bracket with 12-way Bounce Control, usable in Auto or Manual modes. Remote Sensor has Hot Shoe and detachable PC Cord; auxiliary 5' PC cord supplied for operation without Sensor. Accepts snap-on filter mount for acetate or gelatine filters. Computer Signal lamp verifies Auto operation and exposure. Includes Standard Camera Bracket, Mounting Clamp, Nicad Battery Cluster,

Battery Charger, 5' PC Cord, and dual-voltage AC adpater. **ACCESSORIES & REPLACEMENT PARTS** FOR SUNPAK AUTO 611
Sunpak Filter Mount f/611
Sunpak Quick Charge Indicator Batt. 3.00 Cluster Sunpak Battery Charger f/NiCad Batt. 23.00 12.00 Cluster Sunpak Remote Sensor 21.50

# **Honeywell Strobonar**

Auto Strobonar 280S

Quide number 35 for ASA 25 film; exclusive slide calculator; Automatic range: 2-17 feet; Powered by 2 "AA" alkalines or Ni-Cad batteries; Recycle times 9/10-13 seconds; Up to 325 flashes per set of batteries; exclusive Strobodome diffuser included.

43.90

#### Auto/Strobonar 462

For use with Honeywell Pentax Spotmatic IIA with Strobo-eye. Guide number (kodak-chrome II): 56; Automatic Range: 2-28' variable; Power source: Ni-Cad; Minimum flashes per sharge: 60; Maximum ecycle time: 9 scc. Light angle: 50': Depth of field choice: Yes; PC cord: Yes, removable; Hot shoe: Yes; Rapid Charge: Yes, (120V or 230V): Included Green Light exposure indicator; Dimensions: 3.4" x 1.6" x 4.6"; Weight 13 Oz.

49.95



RETAIL STORE 67 West 47th STREET N.Y. 10036 (212)260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212)260-4410

### Professional Manual Strobonars

Strobonar 710 with Rapid Charge

- ASA 25 GN 90
- Rapid charge
- 60-70 flashes per charge
- · Recycles in 7 sec. (with fully charged batteries)
- AC operation

ASA 25 GN 90

Rapid charge

included)

with strobo eve

- Built in rechargeable Nicad
- Replaceable battery tray • 78<sup>0</sup> diagonal coverage

• 60-70 flashes on a 5 hr. charg

Choice of 4 stops on auto.

of corrective exposure

Automatic from 2-45 ft. with

strobo eye remote censor (not

"Green light" for varification

**Built in rechargeable Nicad** 

#### Strobonar 810

- ASA 25 GN 90 Choice of 2 power sources permicad power pak, or
- 400-600 flashes per battery
- Recycles in about 3 to 4 sec (with fresh 510V battery)
- AC operation

81.50

head only

#### **CORDS & CORD ADAPTERS** FOR HONEYWELL STROBONARS

#### (CONTINUED FROM LOWER LEFT)

#### CORDS

58/62-1 Std. to ASA/PC Cord	3.50
58/62-3 Std. to ASA/PC Cord	3.50
62-1 Std. to PC Cord	2.95
62-3 Std. to PC Cord	2.95
57K-3 Std. to ASA Cord 58K-3 Std. to ASA Cord 62K-3 Std. to PC Cord Power Cord f/800, 880, 882 62H-62-1 Locking to PC Comb Cord 62H-62-K3 Locking to PC Comb Cord 62H-63-K3 Locking to PC Comb Cord 62H-63-K3 PC to PC Comb. Cord 62-62K3 PC to PC Comb. Cord Power Cord f/810, 890, 892	4.95 4.95 4.95 10.95 2.95 4.95 4.95 4.95 10.95

CORD ADAPTERS

1.40

#### Auto/strobonar 470

Guide No. 56: Automatic range: 2-28' variable: Power source: Ni=Cad; Minimum flahes per charge: 40 to 500 flashes depending on distance; Maximum recycle time: 4 to 9 seconds; Light angle: 50x50; Depth-of-field choice: Yes; PC oor cord: Yes, 12' removable; Hot Shoet: Yes; Rapid Charge: Yes; Dimensions: 3.4" deep x 1.6" wide x 3.9" high excluding foot—4.6" including foot; Weight: 11½ ozs.


63.95



#### Thryistorized Auto/strobonar 380S

Guide No. 67 with ASA 64; Automatic range: 2-21 Variable; Flashes per Ni-Cad charge: 36 to 500; Recycle time: 0.4 to 12 seconds; Light angle: 50; PC Cord: Yes, removable; Hot shoe: Yes; Rapid charge time: 3 hours; Dimensions: 3.4" 1.16" X 3.9"; Weight: Less that 12 ounces. One White strobodome and AC

69.20



Guide no. 90 with ASA 64; Automatic range; 2-40' variable; Flashes per Ni-Cad charge: 40 to 4 to 500. Recycle time: Q.4 to 12 seconds; Light angle: 50: PC Cord: Yes, removable; Hot shoe: Yes, Rapid Charge: 5 flashes in 5 minutes; Dimensions: 3.4" x 1.6" x 3.9". Features Green "confidence" Light. Set of 4 Strobodomes, case and multi-voltage AC Charges



### Professional Remote Auto/Strobonar 782 | Auto/Strobonar

#### Auto/Strobonar 892

- ASA 25 GN 90
- Automatic from 2 to 45 ft. with strobo eye censor (not
- Choice of 2 power sources permicad or 510V batt. (not included)
- AC operation
- Recycles in about 3 to 4 sec. with 510V battery (when
- 400-600 flashes on 510V
- 78° coverage diagonal

69.95



#### Auto/Strobonar 890

Automatic with Variable Range Control Choice of Power Sources

ASA 25 GN 90

510V batt.

1111111

- Automatic from 2 to 32 ft. Choice of two f stops on auto
- Choice of power sources. Permicad power pak, or
- Recycles in about 3 to 4 sec. with 510V batt.





Acc. Lens Kit 700/800 Series Handle Series Strobodome Handle Color Highlight Dome Set (ATBA) 400 Series Strobodome Shoe Color Highlight Dome Set (ATBA) Hold It 8.50 9.95 11.95 29.90 8.25 4.99 9.50 Hold It
Fotoclamp
OR Bounce Adapter
Light Stand Adapter
Shoe Mt. OR Handle
Shoe-mount Pistol Grip f/Quick
Release Brackets
Lens Kit 332, 460, 462, 470,
4805, 3805
Ouench Lens Kit 770,880 8.90 8.49 19.95 480S, 380S
Quench Lens Kit 770-880
Strobo-Eye Remote Sensor
Strobo-Eye ER
Foto-Eye II
Bare Bulb for 610
Sensor for Slave 109
Strobo-Eye 3R f/682S only (ATBA)
AC Adapter f/100M /110A 26.50 12.50

9.90 9.95 24.90 9.90 POWER SOURCES/ACCESSORIES POWER SOURCES/ACCESSORIE
Pro Pak
Eveready no. 497
AA NiCad Battery
Pro Pak II
Permacad Battery Cartridge
Permacad Power Pak (less batt.)
Permacad Battery Charger
770/772 Battery & Tray
700 Battery & Tray
700 Battery & Tray
Set f/710 /780 /782
AC Adapter/Charger f/current
Handle Mount Strobonar models
780S Battery Tray
R 7 Reflex Bracket
Quick Release Clamp
Quick Release Clamp
Quick Release Clip
Folding Bracket
Standard Bracket
Standard Bracket
Shoe Mount Standard Bracket
Shoe Mount Standard Bracket
Shoe Mount Standard Bracket
Shoe Mount Rollei 35 Bracket
Quick Release Bounce Bracket 12.99 16.50 2.25 19.50 24.99 46.80 25.50 21.90

11.25 9.99 3.99 1.95 4.95 8.50 3.99 5.95 4.99



4 to 32 feet With Strobo-Eve 3R 5 to 45 feet 3 to 22 feet 2 to 11 feet

Automatic Lens Setting for ASA 25: /ith Internal Sensor f/2.0; f/5.6 With Strobo-Eve 3R-

STROBO-EYE SYSTEM

ER Sensor 26.99

for automatic control

of on or off-camera

lighting.

1995




82.50










• Optional Strobo-Eye 3R (sold separately) for automatic bounce The 3R has three operating ranges

Internal Power: 6 AA alkaline or NiCads, loaded shotgun-style in

 External power: 510 volt disposable battery, or rechargeable Permacad Power Pak

used in tandem. With 6 AA your customer can get as much as 8200 flashes.

Accepts exclusive Strobodom




- . ASA 25 GN 90
- Automatic flash control with
- accessory strobo eye censor
- **Energy Saving Thyristor Circuit**
- Choice of power sources Green Light Varification for
- corrective exposure Power Sources: Permacad
- or 510V battery (not incl)
- Recycling time; 0.9 to about 3 seconds w/510V batt
- 0.9 to 5 seconds with Permacad • 150-1500 flashes with 510V
- 90-1000 flashes with Permacad
- Angle of coverage 64° Horiz. 40° Vert.

84.50

PAGE 39

### INTRODUCTORY SPECIAL!



Auto/Strobonar 890S

• Choice of two f stops on aut.

• Energy Saving Thyristor Circuit

Automatic flash control

Aut. from 3.5 to 32 ft.

Choice of power sources

Permacad or 510V batt.

• Recycles from 0.9 to about

3 seconds on 510V batt.

• 90 ·1000 with Permacad Power Pak

Angle of coveragle 64<sup>o</sup> Horiz.

77.50

0.9 to 5 seconds with Perma

• 150 to 1500 flashes with 510V

. ASA 25 GN 90


battery

& 40 vert.

- Green light for pre-test or exposure confirmation
- the back of the head
- Exclusive: Power sources can be alkaline plus a 510 volt battery,
- bounce diffuser kits. 89.50



- Thyristor Circuitry.
- Exclusive tandem power supply capability for even better perfomance (Now your customer can use a 780S with both internal NiCads and external power to get the best of both worlds: recycling as fast as 0.9 sec. and up to 2150 flashes).
  - Automatic to 45 feet.





#### REFLECTASOL UMBRELLAS

Silver Super Silver Silver Blue Gold Soft White Black **Translucent** 



FOTOLITE UMBRELLA LIGHTING UNITS

Available in Three Different Fabrics. Each unit has a Swivel that attaches to any light stand and controls umbrella angle. Double ball swivel on back end, holds-light source (strobe, flood, quartz) with standard ¼ x 20 screw. Umbrellas are sold without light stands.

Neutral White Fabric designed for SOFT shadow and diffused light No. UBW-30 30" White Umbrella 17.00

Silver Fabric, all purpose material. For Main, Fill in, Indoor and Outdoor.

No. UBS-30 30" Silver Umbrella 21.75

Gold Fabric. Creates "warm light" very pleasing effects
No. UBG-30 30" Gold Umbrella 20.95

### REFLECTASOL PRODUCTS REFLECTASOL HEX UMBRELL

The new Reflectasol Hex Umbrella allows reflection of flashgun or movie light so that there is no light cutoff even for a standing figure with the umbrella only 10 feet from the subject. A necessary lighting tool for all studios in Fashion. Figure and Glamour Photography. Softly opens shadows when needed to bring out form and details.

Sold with Light Mount and Stand Clamp.



#### REFLECTASOL COMPLETE\* Description No. Size

SILVER	S42C	42"	36.50
	. S36C	36"	33,90
	S27C	27"	31.90
	S20C	20"	26.70
SUPER	SS42C	42"	36.50
SILVER	SS36C	36"	33.90
	SS27C	27"	31.90
	SS20C	20"	26.70
GOLD	G42C	42"	36.50
	G36C	36"	33.90
Mark Barrier	G27C	27"	31.90
	G20C	20"	26.70

\*COMPLETE REFLECTA-

SOLS include Light Mount &


#### SOFF SHOULDER

Stand Clamp

A handy portable light assembly that gives professional lighting. Reflects electronic flash spreading beam of light evenly, eliminating hot spots and pink eye. Perfect color balanced color photography for fashion, portraits, etc. Easy to use: mounts all 35mm and 2½, accepts most electronic flash; has, three position arm that can mount strobe; camera balance bracket.

Order No. SOFF CR — Left handed model 28.50 Order No. SOFF CR — Right handed model 28.50





Universal Quik Mount, UNQ-75

REFLECTASOL-

and Stand Clamp.

Reflectasol Description

SILVER

SUPER

SILVER

SOFT

WHITE

GOLD

HEX INCOMPLETE

Without Light Mount

Order

SRH72

SSRH72

SWRH72

GRH72

GRH52

GRH42 GRH32

No. Size

SRH52 52" 39.90 SRH42 42" 36.50 SRH32 32" 31.50

SSRH52 52" 39.90 SSRH42 42" 36.50 SSRH32 32" 31.50

SWRH52 52" 39.90 SWRH42 42" 36.50 SWRH32 32" 31.50

72" 71.50

72" 71.50

72" 71.50

72" 71.50 52" 39.90 42" 36.50 32" 31.50



8.50

Quik-Mount, SM100 8.50

SM100

#122

= 224

**PRECISION** 

#### 27.50 **SMITH-VICTOR**

19 50

27.25

#### Barn Doors

No URG GOLD

Top quality, all aluminum, designed to shield camera lens from being rop quanty, an auminum, designed to snield camera lens from bein light-struck, to control mood and density of shadows, of intensity of highlights, and prevent excessive spill of light onto subjects. Quickly attaches to S-V reflectors to direct light in any direction.

Model	To Fit	
701	700 Light	15.90
BD50	5" Reflector	13.75
BD80	.8" Reflector	13.75
BD 100	10" Reflector	16.95
BD 120	12" Reflector	18.50
BD 160	16" Reflector	27.50

Model S2 Steel Stand

No. UBW-40 40" White Umbrella

No. UBS SILVER (SUPER-BRITE)

No. UBS-40 40" Silver Umbrella

No. UBG-40 40" Gold Umbrella



# Similar to Model S3. Extends to 10·1/2 feet with leg spread of 33·1/2 inches and

Model S3 Steel Stand Extends to 6.1/2 feet with leg spread of 26 inches. Folds to 42 inches and weighs only 3 pounds 2 ources. Plated, self-adjusting Extends to 8 feet with leg spread of 33 inches. Folds to 36 inches and weighs only 5 pounds 11 ounces. Plated upright; painted self, adjusting legs with no-mar feet. 3/8" stud. Well suited for studio legs with no-mar feet. 3/8" stud. A good, all around low cost stand.

14.28

#### Lexan" Diffusion Screens

Model S4 Steel Stand

weighs only 7 pounds.

18.50

Made of indestructible new plastic by G.E., unaffected by heat of reflector Gives more even, soft, diffused light. Easier to handle — snaps on over reflector or may be used with barn doors.

Model S6 Steel

Sections, each 15" Telescopic Section,

12.25

15" extending to 29" Total height 6-1/2 feet.

Adapta-Stand

Model	To Fit
DP10	10" Reflector 6.99
DP12	12" Reflector 9.50
DP16	16" Reflector 12.

# PHOTOGRAPHIC PRODUCTS

PIC FEATHERLITE STANDS | PIC STANDARD LIGHT STAND

TION (3/8	thru 1/8	") 4-	SECTION (%	thru 3/4")	ब्य	The second
Model Number	Closed Length	Extended Length	Approx Weight	Selezine in	off.	
4707	18"	7 ft.	1 lb. 13 oz.	23.50		
4709	22"	9 ft.	2 lb. 2 oz.	25.00		
4711	26"	11 ft.	2 lb. 8 oz.	27.99	RUA	
.122	22"	7 ft.	1 lb. 10 oz.	14.75		1
224	24"	10 ft.	2 lb. 5 oz.	19.20		1
428	28"	12 ft.	3 lb. 5 oz.	31.50	MIL	1
532	32"	15 ft.	4 lb. 8 oz.	46.50	14 50	
A-1	ADAF	TER %" t	to 3/8"	_ 3.95	14.50	

PIC UTILITY LIGHT' STAND BRIGHT FINISH ALUMINUM 5-SECTION (%" thru %")

#### PIC PROFESSIONAL STANDS ANODIZED ALUMINUM

#428 5-SECTION (1/2" thru 1")



#### STAR D

#### Lightstands

#24 LIGHTSTAND

9 25

All aluminum construction, 4 section, 7 feet high closes to 251/2 inches.

#### #24B LIGHTSTAND 10.80

9.65

Same as above but with black anodized, matte finish.

#### #26 Deluxe LIGHTSTAND

Aluminum finish with black anodized knobs, arrest stops prevent sections from falling out 5 section extends to 9 feet closes to 24 inches. #46 LIGHTSTAND 6.75

17.25

REFLECTORS
5 inch diameter Spot Reflector 2.10 1.95 2.95 6 inch diameter Spot Reflector 10 inch diameter Parabolic Reflector diameter Parabolic Reflect

#### Sturdy construction - 2 section - square rod ideal for extra clamp on light units. Extends to 6 feet closes to 40 inches. REFLECTORS W/CLAMP & SOCKET

6 inch 4.25 5 inch 3.80 4.60 3.80 12 inch 10 inch Stand adapter for above 1.10

#### FOTOLITE STUDIO STANDS 32.75

No. 800/4

Four section studio roller model. Rubber tire casters, castings wrinkle finish. Height when opened 10 feet, when closed 41 inches. Weight 5½ lbs. Recommended for studio or heavy duty work.

49.90

Four Upright Sections, All Anodized Aluminum.
 Collapsible Roller Base for Easy Storage.
 Opens to 10 Feet 10"
 Brake-Lock on each Caster.
 Weight 5 lbs., 10 oz.

### **Bowens Monolite**

THE MONOLITE ELECTRONIC FLASH STUDIO SYSTEM PACKS SOME VERY NEW IDEAS INTO A LIGHT-WEIGHT. POWERFUL PACKAGE BECAUSE IT HAS BEEN DESIGNED AND BUILT WITH THE PROFESSIONAL PHOTOGRAPHER IN MIND.

Progressive professionals can now re-think some of their ideas about lighting because the Monolite System frees them from restrictions formerly taken for granted — and which placed severe limits in realizing creative ideas.

ideas.
Light placement, for example, has always called for compromises because of the difficulty of trailing long leads from a power pack to the flash heads. With the Monolite/Monocell combination it's no longer a problem. Location work, frequently inhibited by inadequate household electrical wiring, becomes a profitable, practical reality with Monolites. The Monolite X200 combines power supply and flash generator in a 6 lb, unit, the X400 provides twice the light output at a weight of 7½ lbs. So all you need to locate the flash anywhere on your set is a source of 117 volts 60 Hz

household current. The high efficiency of these two Monolite models means minimum current drain for maximum flash power.

MONOLITE X200 Basic Unit, with transit cap, 14 ft, power cord and 14 ft. synch. cord, less modelling lamp

Length: 12½", Diameter: 8", Weight: 6 lbs.

Controls: ON/OFF; Full/Half Power; Modelling Lamp: On/Off/Dimwhen-fired


Flashtube: Replacement by complete plug-in assembly

Recycling Time: 2 seconds at full or half power; Ready light indicator Power Source: 117 Volts, 60HZ A.C., 550 watts @ full power

Modelling Lamp: No. 212 Enlarging Lamp recommended. Any standard medium screw base household lamp up to 150 watts max. may be used

Stand Adapter: Equipped with socket to fit 5/8" Dia. stands

179.50



MONOLITE X400 Basic Unit, with transit cap, 14 foot power cord and 14 ft. Synch. cord, less modelling lamp.
Length: 14", Diameter: 8", Weight: 7½ lbs.

Controls: ON/OFF; Power Output: (5 Position) Full, 34, 1/2, 38, 1/4; Modelling Lamp: On/Off / Dim When fired

Indicators: Ready light: Overheat

Flashtube: Replacement by complete plug-in assembly

Recycling Time: 2 Seconds at any power setting.

Power Source: 117 Volts, 60HZ A.C.; 800 Watts

Modelling Lamp: PH213 Enlarging Lamp recommended. Any standard medium screw base household lamp up to 250 watts may be used.

Stand Adapter: Equipped with socket to fit \% "Dia. stands.

276.50

The BASIC KIT is available in 3 versions: with 2-X200's; with 1-X200 and 1-X400 or with 2-X400's. Each kit offers you a substantial saving over the cost of the components if purchased separately. All kits, in addition to the two Monolite units, include the following:

- Monocell flash tripper
- 32 inch umbrellas, ideal for work in cramped quarters. One is reflective silver for key-lighting (Vericolor III G.N. 145 with X400, 105 with X200), The second is reflective white, the ideal complementary fill light.
- +251 Special Light stands. 8 foot extension and low center of gravity. Special compact folding base sections permit easy fitting into the carrying case.
- 2 Monolite modelling lamps.


  1 #0260 Monolite Carrying case. Only 9" x 16" x 36", holds all of the above, plus has room for Flashmeter, spare film and other accessories.

#### BASIC MONOLIGHT KITS

00000	MONEY LOUIS LINUS	
ORDER	MONOLIGHT UNITS	PRICE
CODE	INCLUDED	
0269	2- X200' MONOLIGHTS	519.50
0271	1- X400, 1-X200 MONOLIGHT	569.50
0273	2- X400 MONOLIGHTS	654.50

#### **BOWENS BATTERY FLASHMETER**

Weight: 17 oz. (27 oz. with battery & case)





89.90

**BOGEN STANDS AND ACCESSORIES** 

Model & Description	
#345, Heavy duty model, extends to 11 ft. With locking Shepherd Casters #251, Compact stand, extends to 8 ft.	68.50 31.60
Accessories	1.50
#415, Cilp-on cable hooks Boom Assembly with adjustable arm counterbalance Base Counterweight, Water Bag Caster set for #251 stand. Non-locking Shepherd casters	41.60
	#345, Heavy duty model, extends to 11 ft, With locking Shepherd Casters #251, Compact stand, extends to 8 ft.  Accessories  #415, Clip-on cable hooks Boom Assembly with adjustable arm counterbalance Base Counterweight. Water Bag

ACCESSORIES Charging Cord..17.50 Rapid Charger...... Spare Energy Pack

These are light weight, heavy duty professional light stands made to last and stand up to rough treatment. Backed enamel finish over die cast parts, anodized aluminum shafts. Stand tops terminate in 5½ in. diameter stud and 1½-20 thread. The boom assembly has a sliding counterbalance to handle units of varying weight. Assorbism is suited the new universal clamp (overleaf) with a multitude of other uses; clip-on cable hooks and a fillable water carrier base counterweight. The Model 345 comes equipped with Shepherd casters with locks — easy to move and user as easy to enchor in place. A set of easily attached accessory caster wheels is also available for the Model 251 Stand.

PECIFICATIONS

Weight-3% lbs., including energy pack Running Time-about 10 minutes when pack is fully charged Beam Angles-variable from 22 deg. to 42 deg. Color Temperature 3400 deg. K (for Type A color film)

Lamp- ANSI-EKT, 150 w two pin bese tungsten- halogen, rated everage lamp life 30 hours in SG-77 system Power Source-nickel cadmium energy

#### MONOLITE ACCESSORIES

All of these accessories are completely interchangeable between the Monolite X400 and the Monolite X200. Depending on your needs you can find in the following listing just what you need to adapt your Monolite system to studio or location work. Complete lighting location kits are also available.

MONOCELL PHOTOCELL TRIPPER. Designed specifically for use with the Monolite system, the Monocell embodies a new design incorporating an internal amplifier which makes it extremely sensitive to electronic flash impulse yet allows it to function under high ambient lighting conditions. The firing impulse generated by the Monocell can be transmitted to the Monolite through an extension lead of up to 20 ft.

MONOFLOOD REFLECTOR. Gives bright, even, moderately directional illumination providing a lighted area of 8 ft. 3 in. at a subject distance of 6½ ft. This is the best general purpose reflector for the Monolite. 14½" dia.

MONO-KEY. A high performance key light reflector for highlighting areas of interest. Provides a concentrated cone of light with even, contrasty illumination. 11½" dia. 22 50 22.50

SNOOT. Fully baffled for good directional illumination, the snoot highlights an area of 2 ft. at a distance of 5 ft. An important feature is the efficient ventilation which insures cool operation of the unit. 19.99

MONOSOFT. Diffuser caps over both the flashtube and the modelling lamp insure that illumination from this reflector is 100% reflected. Gives an even, soft light comparable to that from an umbrella, but with the advantages of higher efficiency and greater compactness. Provides a 20 foot lighted circle at 10 feet. If a less diffuse light is desired, the baffle caps may be removed. 18" dia.

49.90 49.90

#### MONOWIDE REFLECTOR

A new reflector specifically designed for umbrella use.

Does not affect guide number, but reduces stray light and concentrates it into umbrella.

16.60 16.60



### new SYLVANIA rapid charge sun gun\*

This professional movie light is always ready to got it's powered by a compact energy pack which can provide power for a full 10 minutes of shooting time (about 100 feet of film) and recharges in only 60 minutes on either AC or an automotie battery. With a second energy pack you can continue shooting while the first pack is recharging. A special beam selector permits adjusting the light from spot to flood even while shooting. Shoot anywhere, anytime ... forget about outlets.

HEAD ONLY 43.50

- Compact and portable Variable beam light control Interchangeable energy packs
- Rapid Charge Fits Any Movi vie Camera





Carrying Case

Accessory spare energy pack makes it possible to start shooting again only seconds after the first pack is exhausted. This means no valuable lost footage.

#### ascorlight QC-4

ASCORLIGHT QC-4 LOCATION

Industrial Applications.

Industrial Applications.
Consists of:
(1) 032-170 Power Supply Assembly
(1) 030-870 CC-4 Carrying Case
(1) 031-571 CC-4 5" Barndoor
(4) 031-270 CC-4 Universal Light
(4) 030-603 CC-4 Flashtube
(4) 060-611 150 W Hall Mod Lamp
(2) 031-705 CC-4 12" Reflector
(2) 031-712 CC-4 12" Reflector

(3) 031-909 Tall Stands (1) 031-906 Backlight Stand

863.50

QC-4 UMBRELLA OUTFIT. 030-176 A single light umbrella outfit for soft lighting on location or in studio.

Consists of (1) 032-170 Power Supply Assembly (1) 031-270 QC-4 Universal Light (1) 030-603 QC-4 Flashtube 060-611 150w Hal Mod Lamp QC-4 5" Reflector 42" White Hex Umbrella (1) 061-530

(1) 031-561 Umbrella Clamp Tall Stand 459 50

### ascorlight® QC-8

OUTFIT "A-1"-10"/55° LIGHT WITH 

side of the Power Supply. Consists of one each of the following: 062-170 Power Supply Assembly 061-270 Universal Light Unit

Modeling Lamp 10"/55° Reflector Telescoping Stand Post 061-901 061-570 Stand Mounting Bracket

Flashtube

060-605

OUTFIT "B" - UMBRELLA LIGHT WITH STAND ... . . 060-172

Consists of one each of the following: 062-170 Power Supply Assembly 061-270 Universal Light Unit 060-605 Flashtube 060-610 Modeling Lamp 061-760 5"/160° Reflector 061-530 42" White Hex Umbrella

061-901 Telescoping Stand Post 061-570 Stand Mounting Bracket

838.50

# PRINZ POCKET



Made to Fit Kodak Instamatic Cameras 20, 30 and 40

for 35mm. PC-type camera for X-instamatic cameras

for Pocket Instamatics Except Kodak 10 MODEL 130X

UNIVERSAL



#### MECABLITZ 403 **High Capacity Thyristor Flash**

Anyone who requires an exceptionally large number of flashes, as in wedding or news photography, can depend on the Mecablitz 403 for any needed flash capacity and more. Using a standard 510-Volt battery, the 403 with its thyristor circuitry delivers from 500 to 2000 flashes, depending on subject distance.

All other performance data are the same as for the Mecablitz 402, including Telecomputer exposure control for any of five lens apertures, with direct as well as bounce flash. And, except for the Mecatwin extension units, the 403 accepts the same accessories as the 402.



131.50

BANKAMERICARD

#### CALL OR WRITE FOR MORE MODELS Eveready 497 battery 16.50 MECABLITZ 402 TELECOMPUTER

Up to 1000 flashes per charge recycling as fast as 1 second 3-hour "quick charging" automatic flash system

The Mecablitz 402 retains all the unique facilities pioneered by Metz: Telecomputer exposure control for any of five lens apertures. Improved automatic bounce flash control. Plus high, reliable light output and a full complement of other professional features.

To these, the 402 adds almost incredible flash capacity and recycling speed made possible by its thyristor circuitry. Each flash uses only as much of the capacitor charge as required for the exposure, the capacitor cange as required of the exposure the rest of the charge remaining available for subse-quent flashes. This results in less battery drain and less time required to restore the capacitor to full charge after each flash. The shorter the subject distance (and flash duration), the more pronounced these benefits. Thus, in closeup work, you get up to 1000 flashes per battery charge with about 1-second recycling. The quick-charge system restores the NC battery to 90% of capacity in just three hours, to 100% in four hours

Mecatwin 402 Telecomputer 99.50 Thyristor Extension Flash **Reflex Camera Bracket** Mecalux 10 Wireless Thyristor 31.50 Slave Control 14.50 Wide Angle Attachment Coil Power Cord 11.50

#### ACME-LITE PACKAGED LIGHTING UNITS


Reflectors (9½") with 4 section light stand and fittings packed in woodgrained partitioned pack with plastic

UNILITE - One Reflector and One Stand 120 DUDLITE - Two Reflectors and Two Stands 220 . . . 35.90 b

C ACME-LITE PROFESSIONAL LOCATION LITEPAK Complete quartz lighting system in heavy duty plywood luggage carrying case. Size 36 x 15 x 4½". Weight 18 lbs. Contains 2-710SL units with barn doors, 2-QSL quartz lamps, 2-7AL aluminum stands, 4-stand extensions, 2-

C ACME-LITE SENIOR LITEPAK Three complete one-lite units in portable carrying case, 21 x 15 x 10". Weight 17 lbs. Contains: Two-2 reflectors, one-1 reflector, 3 Flywate stands (4 sections), 3 stand extension (18"), 3 clamps for reflectors, and extension card

CALL OR WRITE FOR PRICES ON SMITH VICTOR AND MORE ACME-LITE LIGHTING OUTFITS.



34 BCT 1 Quadrolight **Electronic Flash** 

Recycling Time Penlite Batteries 0.3 to 10 sec.

Flashes per Charge Penlite Batteries 120 to 1600

Color Temperature 54.90

**ACME!**LITE

Ni-cad Batteries 0.3 to 5 sec

Ni-cad Batteries


80 to 1000 5300°K





METZ 45 CT1 (RIGHT)---------119.50 METZ 218N FOR NIKON F2(NOT SHOWN)--59.00









#### Strob 250

A lightweight, yet powerful electronic flash for on the go versatility.

Flash units feature extremely even illumination over entire field of coverage. Each has direct reading exposure dial, open flash button and ready light. Optional accessories include 80 x 52 wide field lens, and adapter for AC operation. Ni-Cad models fully recharge in 3 hours

Specifications		
	250HV	250RG
Guide Number (ASA 100 film)	110	110
Power Source	510V	Ni-Cad
Light Output (ECPS)	2000	2000
Available Energy (watt/sec.)	75	75
Recycle time*	3 sec.	7 sec.
Angle of Coverage	52°	52°
The state of the s	1	20



121/2 07 Outfits include complete Power Pack, 5 ft, Coil Cord and

Cat. No

2301 Strob 250HV outfit, less battery 94.50

2303 Strob 250RG outfit, with battery & charger 145.70

with full capacity battery

FF48
FOR FLIPFLASH TYPE
Flash adapter for use the
standard flash with 110
instamatic camera with flipflash socket.
All Kodak models
Agfa Model
Weight: 259
Accepts hot shoe & PC
cord



Synchronized speed light over 60 feet without wires. Universal-accepts PC tip of your flash cord. Sticks to any strobe with plastic sucker. **POCKET ADAPTER FF48** FOR MAGICUBE TYPE All Kbdak 110 Models

SYNCRO-EYE

SLAVE UNIT

SYNCRO-EYE SLAVE UNIT

### Strob 500

With power to spare, the Strob 500 really provides a total system approach for all professional flash lighting needs

Power Top features three variable power settings and dual lamphead outlets to allow use of two lampheads at one time. Interchangeable, power bases let you select the best power source for any job. Lamphead features built-in slave capability plus direct reading exposure dial, open flash button and ready light.

			ons	

	500HV	500RG	500AC
Guide No.			100
(ASA 100 film)	1/4-102, 1/	2-150, Full-211	(all models)
Power Source	450V	Ni-Cad	A.C.
Light Output (ECPS)	1/4-1650, 1/2	-3600, Full-710	00 (all models
Available energy (watt/sec.)	200 (all models)		
Recycle time*	1/4-2 sec, 1/2	-4 sec., Full-9	sec. (all mod
Angle of Coverage		52° (all models	)
Number of	1/4-3000	1/4-300	
Flashes*	1/2-2000 Full-1000	1/2-250 Full-200	Unlimited
Power Pack			
Dimensions	7-1/8" x 10-	-1/2" x 3-3/4"	(all models)
Rower Pack wt	68 oz.	131 oz.	131 oz.

Outfits include complete Power Pack, 7 ft. coil power cord, lamphead, mounting adapter, and handle mount adapter

Cat. No. 2205 Strob 500 HV outfit, less batteries 2208 Strob 500 RG outfit, with battery & charger 2209 Strob 500 AC outfit, 189.90 316.50

with full capacity battery

TWIN FLASH BRACKET

A most useful device for the serious photographer Holds two flash guns, or two electronic flashes. Flash is evenly distributed. Eliminates pink eye. Quickly and easily secured.

Right Angle, collapsible, w/built-in cloth 20"

trigger release

HMC PRO FLASH BRACKET

The HMC Bracket is needed to make the

All metal non-glare black finish.

Direct flash photography without side-

shadows.

Direct flash photography with controlled shadows.

Bounce flash technique in any direction.

No "red-eye" in color photography.

Left or right hand operation.

180 degree swing of flash for horizontal or vertical camera position.

### FLASH ACCESSORIES

5.99

FOLDING BRACKET

W/ CALE RELEASE

9.49

flash and camera into a system

Friction-lock variable position

#### Globe Strob

For a soft, very natural light covering wide areas, Globe Strob is just the right choice...

vailable in two models, these bare tube flash units Available in two models, frees pare fube flash units provide ideal fill-in light, and they are perfect for wide angle photography. Control handle has handy exposure guide. Globe Strob 250 comes complete with Power Pact The Globe Strob 500 is for use with any Strob 500 Power Pack, available separately. 250 outfit includes complete Power Pack, control handle, bare tube, and coiled power cord?

	Mo	odel
	GS 250	GS 500
Guide Number (ASA 100 film	1) 40	65
Power Source	510V	450V, Ni-Cad or A.C.
Light Output (ECPS)	N/A	N/A
Available Energy (watt/sec.)	75	200
Recycle time*	3 sec.	Same as Power Pack Used
Angle of Coverage	N/A	N/A
Number of Flashes*	1000	Varies with power pack used
	31/2"x71/2"x2"	N/A
Power Pack Wt.	12½ oz.	N/A

79.90 Globe Strob 250 outfit 2307

2243 Globe Strob 500 control handle, with bare tube 2247 Bare tube only for Globe Strob with full capacity battery

#### FOLDING SUPER BRACKET

serious amateurs photographers, heavy duty, made of aluminum

Telesar Super Brackets can be folded for compactness, and made rigid by a metal set screw.

The camera base is 6" long and 21/4" wide, so it can be used for 35mm and twin-lens reflex cameras.

A metal bounce type accessories shoe


20" vinyl covered steel cable release that can be attached to the bracket either on the top or the bottom of the contour shaped hand grip. Order No. CLDR

#### 14.99

18.90

### 9.99

ACCESSORY SHOES Flash shoe with opposite scre Order No. 2007A. 275 2.75



Flash sho with American type thread hole-1/4"

Order No. 2007 2 49

Converts Screw to Accessory Shoe. Order No. 2007B 2.49

Adjusts height of accessory above camera. Order No. 70



For flashguns with centre contact to be used or cameras with conventional (PC) synch nipple. with 17 cm (7 in.) cable and plug

2.69



### PC TO HOT SHOE

3.69



### FLASH EXTENSION CABLES

3 FT. 3.95 6 FT. 5.99 9 FT. 6.95 15 FT. 8.75 22½ FT. 10.50



#### FLASHGUN HOLDERS

11.90

STANDARD HEIGHT' BALL SOCK BALL SOCKET HEAD! CAT. NO. 69

6.25

EXTRA HEIGHT BALL SOCKET HEAD! **CAT. NO. 67** 

6.25

#### FLASH CONVERSION TIPS

Convert PC to Two PC

2.70

Convert Pc To Three Way PC

2.99



from unravelling

10" 1.99 20" 2.25 6' 2.95 9' 3.50 16' 4.75 19' 5.50 22' 5.90 25' 6.20 28' 6.50 32' 6.75

## FLASH EXTENSION CORDS

#### SURE LOCK FLASH EXTENSION CABLES

# Available in two models. No: C-5641-A—Bracket I, for accessory shoe mounted flash units. No: C-5641-IA—Bracket II, for large portable professional type flash units. C-5641-A BRACKET I 19.25

2 75

# C-5641-IIA BRACKET II 26.50

# 

67

#### #DL-1

Heavy duty, right angle, plastic anatomical shaped handle. Complete with a 16" auto stopper and adjustable plunger-type cloth cable release.

18.90

DL-1R

Similar to DL-1 bracket but designed for all type reflex cameras, provides a very wide platform

19.99

#### SUNSET MASTER CAMERA GRIPS



SUNSET R-35 Rigid Master Camera Grip f/35mm 19.95 SUNSET F-35 Folding Master Camera Grip f/35mm 23.50 SUNSET R-66 Rigid Master Camera Grip for TLR 20.99 SUNSET F-66 Folding Master Camera Grip for TLR 24.95

#### UNIVERSAL ANGLE BRACKE

Fits all Twin Lens Reflexes and 35mm cameras, with or without flash or strobe units. Provides a combination flashgun bracket and grip. 4.99 CAT'.No. 320-32

TRIGGER REFLEX BRACKET



With cable. release. Hand grip includes 20" stainless steel cable release. For 35mm cameras. Cat. No. 320-39





PC COIL CORD

#### SLIDE DUPLICATOR

This duplicator provides 1:1 optical system built-in. Fits all lenses with Series IV. V, VI and VII adapter rings. Single system for duplication of color slides for sharp negatives.

#### NO BELLOWS REO.

Requires Ser VII adapter (not included)



19.95

SER-7 ADAPTER 2 95 ...

PLEASE SPECIFY LENS DIAMETER

#### VARIABLE SLIDE DUPLICATOR

Works with all lenses and any type or make extension tubes, or bellows attachments. Duplicator attaches to standard series VI or VII filterholder. Provides 1:1 or cropped duplicates from transparencies, etc.

Requires Ser VII adapter (not included)



5.99

7.95

11.95

CAMERA ACCESSORIES

ALL METAL CAMERA CLAMP

Sturdy and extremely useful with ball and tilt head with many applications. Can be used for example on a nearby tree or fence.

Small, lightweight, handy and sturdy it can be quickly clamped to a table, chair, shelf, fence, etc. A truly versatile camera holder with ball-

and socket head, also to be used for extending

By its extreme versatility this clamp has become an indispensable compounion for every photographer. Weight 130g (4½ ozs.)

New, with feet to permit use as table tripod. The last word in styling: the supporting feet (locked in place when not in use ) automatically slide out of the body, and retract again after use.

Order No. 78 Complete with tree screw

SAMIGON CLAMP TRIPOD (5003)

POCKET CAMERA CLAMP

Order No. 76

POCKET TRIPOD

#### ZOOM SLIDE DUPLICATOR

This variable magnification duplicator can be used on most 35mm SLR cameras. Has its own complete selfcontained optics in a calibrated helical mount which provides a range from 1:1 to a magnification of 2.



#### ASSORTED LENS ACCESSORIES

3 Popular Sizes . . . Small, Medium and Large

Accessory equipment that increases the effectiveness of your photographic and optical equipment. Keeps dust off lenses and negatives. Can also be used to clean out of the way areas of projectors, etc.

Small Blower Brush Small Blower Brush 1.29 Medium Blower Brush 1.99 Large Blower Brush 2.49



#### LIPSTICK STYLE BRUSHES

Lipstick type Lens-Brush, which can be carried in pocket. PURE CAMEL HAIR. Retractable for compactness.

Brush with Pocket Clip Order No. U-115 1.35 Brush with Chain Order No. U-114 1.35 Lipstick Brush-Metal Jacket Order No. U-113 1.49 Lipstick Brush-Plastic Jacket Order No. U-112 1.29



#### STATICMASTER BRUSHES

Brushing action removes dust, Polonium strip neutralizes & eliminates static electricity. Each model w/replaceable cartridge. 30500

LENS CLEANING KIT Everything needed to provide finest care for expensive photographic lenses and optical equipment. Kit consists of a blower brush, a generous supply of lens tissue, and lens

3" Model 3" Replacement Cart.

Connector for Joining 3 models 1.77 IC200 1" Replacement Cart. 3.99



#### TRIPOD CLAMP

Handy three-way tripod clamp. Calmp it to a table, shelf, ladder, etc. or clamp it to a conventional tripod, or let it stand free on table or desk. Fits in pockent CAT.NO 430-41

Combines in one small unit a clamp ( with special no-mar inserts for use on car windows, etc.) tilt top and table top tripod. Legs are stored in shaft. Dual action clamp jaws grip pipe, smooth or irregular objects.

### 7.49

#### TELE LENS GUNSTOCK

New! The finest balanced gun stock available for camera and big lenses—200, 300, 400mm, 105 or even longer—at sure-fire low prices and long profits! Elimi-nates camera motion and ruined shots. Features comfortable, non-slip hand grip and shoulder grip that really hugs plus a camera platform that adjusts and secures anywhere along the 14" platform of gun



TELESHOT 250

15.50

**25.50** 

#### TELESAR PORTABLE SLIDE PROJECTOR

New 35mm Wide Angle, Low Voltage

- Available film format: standard 35mm (36x-24), instamatic size (28x28), half size (24x18)
  Projection lens: F/2.8 55mm
  3-element condenser with a heat filter
  Light source: Low voltage (6 volt, 3Å, 20W)
  miniature lamp
  Power source: AC 100 volt to 240 volt (optional)

   Dimension: 170mm (length) x 95mm (height)

- Dimension: 170mm (length) x 95mm (height)

x 70mm (width)

Net weight: 1,500 gr.

33.50

#### TELESAR 35mm & 21/4 COLOR SLIDE VIEWER 12.95

The large viewing magnifier of the Telesar 21/4 clear, bright reproduction of color slides.

Two lamps provide high illumination. Works on two "C" batteries With AC connector.



#### CAPRO PROFESSIONAL QUALITY CABLE RELEASES

Heavy duty PVC sheathing gives you a lifetime of hard, con-stant use. Threaded to fit all standard cable release sockets. Smooth finger grip and locking screw for momentary or time exposures. Rigid steel reinforcement at one end; flexible steel-spring reinforcement at other.

No. 31729-C- 20" 3.95 No. 31730-C- 40" 6.50 No. 31730-C- 60" 10.50



#### CABLE RELEASES

Metal Releases With Screw Lock

Fine release made of woven metal protection around the cable for

#### **ROWI SUPER CABLE RELEASES**

With Silver-grey Woven Covering and Tranparent Plastic Coating. Very stable release with wing handle, set screw and turnable thread nipple. Length 20", 40"

long. Order No. 1L-20" 4.95 Order No. 1L-40" 6.95



#### ANTISTATIC CLOTH

cleaning solvent.

2.99

LENS TISSUE

A polishing cloth most suitable for cleaning and polishing films, glass plates, condensers, and dia cover glasses.

.40

Soft , thin, lint-free for cleaning optical surfaces; Cameras—Lenses—Fine Optics.

1.49

Blower Brushes with Cap

Accessory equipment that increases the effectiveness of your photographic and optical equipment. Keeps

dust off lenses and negatives. Can also be used to clean out of the way areas of projectors, etc. Medium 2.10



#### HARDWOOD GUNSTOCK MOUNT

To eliminate vibration while shooting with telephoto lenses. For movies or still cameras. The built-in cable

release allows both hands to keep the

Constructed sturdy, but light weight

camera steady.

Trigomatic" action! Hands never touch camera. It's automatic, just press push-button trigger and shoot. Beautifully constructed in 1" Walnut finish wood with Leather Strap and Rubber Shoulder Pad.



#### MINIPOD #MT-2

Combination table-top and camera-grip.

MINIPOD #MT-2, Minipod is packed with numerous features. It has a built-in ball & socket head and provision for efficient panning which is structurally independent of the tripod

Its compact, lightweight structure allows it to be used as a camera hand grip or chest-pad.

The legs of the Minipod which are contained inside the tube, spread out instantly by pulling out the bottom knob.

Height: 61/2" Weight: 6 oz.

Order No. MT-2 9.90

#### STURDI-POD TABLE TOP TRIPOD

Heavy cast leg construction. Ball-socket head with large knurl grip. Legs fold flat for storage abd for use as hand grip. Legs lock securely. Satin black finish. Non-slip leg tips



#### CAMERA ACCESSORIES

ULTRA SOFT SHUTTER RELEASE.
All metal. Screws into cable release socket. For Nikon Cameras 1.25

All Other Cameras .99



LEICA CABLE RELEASE CAP For screwing on to any normal cable release

.59



Large



OUR ONE STOP SHOP FOR ... QUALITY AND HUGE SAVINGS

#### **FOTOLITE LIGHT STANDS**

All FOTOLITE STANDS are made with ANODIZED Aluminum tubing having clutch type locks (like camera Tripods). They lock easily in any position, sections cannot pull apart, no screws to loose or dent tubing.

#### NEW

TIC-15 Back Lite Stand, 4 Section Aluminum stand especially made so the leg sections are out of camera range. Height from 15" to 48", wt. 18 oz. . . 12.99

No. 100/3
Three section stand. Height when opened 7¼ feet, closed 31 inches. Weight 1 lb. 9 oz. ..... 10.70






#### TIC STANDS PROFESSIONAL TYPE

PROFESSIONAL TYPE
No. TIC-22. All anodized tubing
and leg assembly Four Sections,
Black Anodized Tripod Type
Locking Devices. Opens 7 feet,
Closed 23", Weight 23 oz. 12.99
No. TIC-25. Same as above but
Five Sections. Opens 9 feet.
Closed 25", Weight 2 lbs. 15.50

No. 800/4
Four section studio rolled model. Rubber tire casters, castings wrinkle finish. Height when opened 10 feet, when closed 41 inches. Weight 15 lbs. Recommended for studio or heavy duty work.

6" Diffusion Screen 4.99 8" Diffusion Screen 6.25 10" Diffusion Screen 6.49

12" Diffusion Screen 6.99



NEW SWING ARM LITE STAND SWIVEL

#### **ALUMINUM REFLECTORS**

Made of heavy gauge aluminum, satin interiors, polished exteriors.

Size	No.	Description	
5"	25	SPOT	1.95
7".	27	SPOT	2.05
10"-	210	PARABOLIC	1.95
12"	212	PARABOLIC	2.50
5"	35	BELL	1.49
6"	36	BELL	1.75
8"	38	BELL	1.75

CLAMP CORD & SOCKET SET

Provides rigid support for all re-flector floods and spots. Rubber nector floods and spots. Rubber covered spring hand clamp. High heat (660W 250V) sockets with heat resistant push thru switch, with 8 feet of approved cord. Red safety knob on the socket allows "cool & easy" handling.
No. CW

No. 2069. As above,

GENERAL SOD LAMPS BBA 3400K LPHOTOFLOOD LAMPS BBA WATTS PRICE 1.00 1.15 3200K 1.25 500 1.50 FAI reflector 500 4 40 FOR DAYLIGHT FILM 4800K BCA 250 2.00

## FOTOLITE LIGHTING ACCESSORIES

#### CLAMP ON BARN DOORS

- 6" Barn Doors 4.99 8" Barn Doors 6.75
- 10" Barn Doors 6.75 12" Barn Doors 7.90
- CLAMP ON DIFFUSION SCREENS 1.35

#### BALL ADAPTER

Fits on top 3/8" section of light stands to hold clamp cord and sockets, electronic strobe, etc. Ball is removable, exposing 1/4 x 20 thread with lock-up No. BA BALL ADAPTER

### **COPYING OUTFITS**

#### NO. 23-C COPY LIGHTS

Fits any post from ½" to 1½". Simple to raise and lower with New Type Clamp. Two 12" Chrome Plated Flexible Arms, sockets with individual on/off switches. New Bell Shaped Metal Reflectors. 8 foot cord and plus.

Adjustable lights for special effects. Can be raised almost vertical with camera or set 45° for copy work. Attaches to any wood baseboard. Complete with 2 swivels, four sockets that slide in or out on ½" aluminum reflec



19.50

34.75

#### NO. CS-1 COPY STAND PORTABLE COPY STAND

Holds 35mm or 4X5 cameras. 14x19" wood baseboard. One piece heavy duty plated steel post 11x" dia. x 23" long. Alu-minum die cast sliding arm. Camera screw 27½" high over board.

#### COMBINATION OFFER!

Copy stand with 2 lite unit that attaches to baseboard. Complete with cord sets, swivels, sockets with COOL WOOD control knobs and two Aluminum

CS-VL Copy Stand & Lites

31.50 Two 1½" dia. 19" long chrome posta 38" full height. Sturdy 16 x 22 x %" baseboard. Camera bracket permits centering of camera over work.

49.95 No. CS-3 Copy Stand and No. 23-4 Copy Lights packed together in one carton.



#### ECONOMY COPY STAND

NO. CS-5 COPY STAND

Especially designed for Schools, Hospitals and Professional Photographers. Heavy duty, extra sturdy. One piece 34" long chrome plated steel

34" long chrome plated steel post, 2" dia. 20 x 30 x 34 " base-board. Counter-balance spring. Heavy duty sliding arm. 6" camera rod. Extra large camera

Sturdy 16x19x3/4" Baseboard.

Sturdy 16x19x4" Baseboard.
Two 11x" diameter 19" long chrome plated Posts. 38" Full height.
Sliding Arm (has four roller bearings) moves easily on Post.
Camera bracket permits centering of

 NEW locking device for posts which allows full travel of arm up and down entire length of posts.
 2 24.50

61.95

39.90

Combination Offer: No., CS-2 Copy Stand & No. 23C Copy Lights packed together in one car ton ... Special Offer No. CS-2/23C COPY OUTFIT.

#### NO. 23-4 COPY LIGHTS



Can be used with Copy Stands as well as with Fotolargers. Four light sockets. Unit is fas-tened to sides of baseboard b screws. Red safety knob. Re-

21.50

#### **TESTRITE-KINGDOM** ILLUMINATED SLIDE COPIER

NO. 45 PHOTO AND COPY LIGHTS

Accommodates Slides from Subminiature up to 2½x2½.
Crops Slides for Improved Composition

Enlarges Slides from 110 or 126 (or smaller) onto 35mm

Reduces 2½x2½ Slides onto 35mm or Half Frame 35 Film. Underexposed, overexposed, color balance can be altered. Montages can be greated. Texture Screens can be added. Copier may be used as a retouching or viewing unit. Multiple exposures, Simple to perform

58.99



STANDING

### NO CS/4 COPY STAND

COMBINATION OFFER!

NO. CS-3 COPY STAND

Two 1½" 19" long chrome posts, 38" full height. Sturdy 19 x 23 x ¾" baseboard. Extra long Camera Bracket with large lock up washer. Will accommodate No. 23-C, No. 23-4 or No. 45 Copy Lights.

Heavy duty, rigid parallel con-

46.75


#### TELESAR DE LUX COPY STAND

The TELESAR De Lux Copy Stand comes complete with copy lights.

the Special Features Are:
Metal Baseboard 18" x 18".
The two reflectors are on swivel arms.
Parrallelogram type camera mounting bracket.
Chrome upright pole.
Light cord with built-in switch.

#### TELESAR JUNIOR COPY STAND

A fine Copy Stand, adjustable for 360 along column and rock-steady in any position.





67.90 EAL Larms for above 4.40 ea.

#### TELESAR PORTABLE COPY-STAND & LIGHTS

Copy Stand in a Carrying Case

Portable, but rock steady and easy to assemble. Lights can be adjusted for every type of copying. Cover of the wooden case to be used as copy-board. To copy larger subjects, turn camera bracket to outside and place subject to be copied on floor, etc.

Copy Board: 13"x15" Size of Case: 15"x13"x5" Copy Stand with lights

91.95

#### PORTABLE Safe-Lock, Free-Standing **BACKGROUND SUPPORT**

Needs no bolts, nuts or washers. Height and width variable. A perfect unit for: seamless paper, drapes, display panels, booths, movie screens.

HEIGHT: 4'3" to 8'4" WIDTH: 60" to 115" total variable WEIGHT: 10% lbs.

FINISH: Gold and silver aluminum tubing with black tripod bases CONSTRUCTION: Solid aluminum castings; anodized alumin



REFLECTASOL SOFF BOX MINI No. SOFB-M CRE107.....32.50


REFLECTASOL SHOULDER SOFF BOX No. S-SOFB CRE105....36.95



FOR PHONE ORDERS ONLY CALL TOLL FREE 800-223-5661 or 800-221-5858

# 47" STREET PHOTO INC, 67 West 47th Street New York, N.Y. 10036 (212) 260-4410

# THE BOWENS ILLUMITRAN



 The Illumitran 3 has a continuously variable illumination range of 5:1 plus a high/low range switch specially designed to adapt the light output and flash duration of the Illumitran to the new

#### THE VERSATILE ILLUMITRAN WILL PRODUCE.....

√1:1 duplicates from color originals, any size up to 4 x 5 inches

Enlargements from mounted and unmounted transparencies up to 4 x 5 inches.

**V**Film Strips


Color negatives from transparencies

**√**Sectional Enlargements

Reductions from all or part of the original

Black and white negatives or positives from color originals

**✔**Duplicates with special effects such as titles, montages, superimpositions



**SPECIFICATIONS** 

117/200/220/240 Volts, 50-60 cycles AC (Selectable by plug-in contactor on base) Power consumption: 100 watts. Base unit, approx. 9" x 9" x 9". Camera support/bellows unit adds ten inches


Base unit, 83/4 lbs.; with camera support/bellows unit, 11 lbs.

Power ON/OFF; Intensity; calibrating trimmer; meter zero set; Normal & High output; Open Flash button.


Synchronization Lead: Supplied with standard PC Tip for most cameras.

50 watt seconds at 117v, 60 cycles AC. Flashtube Power:









Componon in Illumitran

Technal TC-1 Copy Stand

# STREET PHOTO INC.

#### RECOMMENDED ACCESORIES

Old BOWENS ILLUMITRAN, with beliows unit and universal transparency holder for mounted slides in 2 x 2 and 23/x x 23/x mounts, plus unmounted transparencies up to 21/x x 23/x" Price includes one lens adapter and one camera body adapter from the list below

Older Illuminating Unit for 4 x 5 transparencies with adjustable masking blades, includes extension cord for meter probe.

Additional camera body adapters for the following single lens reflex cameras (Leica 5° ew and Leica M must be used with Visoflex;)

	Screw mount types:			
0140	Pentax/Praktica	01	141	Leica Screw thread
	Bayonet types:			H ( A 700
0142	Leica "M" series	01	148	Alpa
0143	Leicaflex	01	149	Praktina 12.50
0144	Nikon F	12.50	150	Miranda
0145	Canon	01	151	Olympus Pen F & FT
0146	Exakta/Topcon D	0:	154	Konica Auto Reflex
0147	Minolta	01	155	Olympus OM-1
	Additional lens moun Screw mount types:	t adapters for the following:		
0160	Pentax/Praktica	0:	161	Leica Screw thread

0162 12.50 0168 Alpa Leica "M" 0169 Praktina

0163 Leicaflex 0164 Nikon F 12.50 0170 Miranda 0165 Canon 0171 Olympus Pen F & FT Exakta/Topcon D 0166 0174 Konica Auto Reflex 0167 Minolta 0175 Olympus OM-1 5.99 0172 Lens adapter ring, unpierced, for mounting your own lens 0190 Replacement Plug-in Flashtube

17.50 0191 Replacement Modelling lamps (set) 1.99

#### LENSES AND ACCESSORIES FOR SPECIALIZED APPLICATIONS

While most camera lenses can be used with satisfactory results, critical sharpness can only be obtained with a lens adapted to close focusing work. We have tested a number of lenses and recommend the following which can be ordered in mounts for the Illumitran:

0180 Schneider Componen 60mm f5.6: This lens is the ideal all purpose lens for use with Illumitran. The 60mm focal length permits copying an entire 6 x 6 transparency on 35mm format (not possible with a lens of shorter focal length). Supplied in mount for Illumitran to replace camera lens. 132.50

Special Shutter Assembly: When making enlarged copies of a transparency, for example from 35mm to 4 x 5, using a press type or view camera, it is desirable to use a short focal length lens in the camera to avoid impractically long bellows extensions. This special shutter is a Copal #0 modified to permit it to be used as a behind-the-lens shutter for any barrel mount enlarging lens designed for the scinneider #00 mount. It will accept 50mm, 75mm or 80mm Schneider Comparon or Componon enlarging lenses, the 55mm Repro-Claron, and is specially recommended for use with the 60mm Componon (Cat. No. 0180).

63.50 1870 Technal TC-1 Copy Stand: A heavy duty, utilitarian copy stand which is an excellent adjunct to the Illumitran when working with camera sizes larger than 35mm. The maximum camera elevation above baseboard is 40 in. which permits 1:1 copying of 4 x 5 originals with a camera using a 135mm lens. Baseboard size is 20" x 27" and adjustable crossarm permits, centering of cameras from 35mm to 4 x 5.

1870 TECHNAL TC-1 COPY STAND, BASIC UNIT 138.99

1871 TL-3 COPY LIGHT ASSEMBLY FOR TC-1

6	1913 C	1	3
É	175GP	100	150
	3 9 9 9 6 G		
	ELECTRONIC FLASH	HOUSI	NGS
	ready-to-use for the	following	<b>j</b> :
	HONEYWELL MODELS:		14
	100-105-109-110-115-120	#4111	\$69.95
	310-312-330-332-380-		
	460-462-470-480 280S-380S-480S	#4131 #4132	\$69.95 \$69.95
	360	#4136	\$69.95
	52-55-57	#4150	\$69.95
	65C-600-660-700-770-772 710-780-782	#4170 #4171	\$89.95 \$89.95
	682S	#4172	\$89.95
	780S	#4173	\$99.95
	610-800-880-882	#4180 #4181	\$149.95
	810-890-892 890S-892S	#4181	\$149.95 \$149.95
			7110100
	VIVITAR MODELS:	#4201	\$69.95
5	102-202	#4202	\$69.95
	100-200	#4210	\$69.95
	152-252	#4216 #4219*	\$69.95
	192-292 251	#4219"	\$69.95 \$69.95
	253	#4226	\$69.95
	272-273	#4227	\$69.95
	283	#4228	\$69.95
	ROLLEI MODELS:	#4317	****
	E-19BC-E20C-128BC	#4317	\$69.95 \$69.95
	E22-E22C-E27-E27C	#4322	\$69.95
	E34C-E36RE 140RES	#4334* #4340	\$89.95
		#4340	\$89.95
	MINOLTA MODELS: Electroflash P	#4350	\$69.95
	Electroflash S	#4351	\$69.95
	CAPRO MODELS:	47.14	
	FL44-FL55-FL66-FL6	#4366	\$69.95
	CANON MODELS:		
	Canolite D	#4370	\$69.95
	Speedlite 155A	#4371	\$69.95
	METZ MODELS:		

BRAUN MODELS:		
	#4440	600 OF
FL18LS	#4418	\$69.95
FO22 & 2000 34VC	#4422	\$69.95
FO27 & 2000		
40VCR & 42VC	#4427	\$69.95
28BC & 28BVC		
	#4428	\$69.95
F34 & F34R	#4434	\$69.95
KONICA MODELS:		
X14	#4440	\$69.95
X20	#4441	\$69.95
X28	#4442	\$69.95
BAUER MODELS:		
E16	#4456	\$69.95
E18A	#4458	\$69.95
E20AB	#4460	\$69.95
E25A	#4465	\$69.95
E161	#4466	\$69.95
E252	#4467	\$69.95
		400.00
ASCORLIGHT		

\$69.95

\$69.95

\$69.95

#4393

#4397

#4516 \$129.95

303 34BCT-1

40CT-1 193-213

195-196-197Q-215-216

**AUTO 1600** 

\$69.95
\$69.95
\$69.95
\$99.95
\$99.95
9996

ustom installation of Small Strobes #4599 \$79.95 USE OF AUTOMATIC ELECTRONIC FLASH UNITS

Automatic electronic flash units which do not have a separate or remote sensor must be used in their manual mode under water.

Remote sensor type flash units can be used in the automatic mode because the sensor can be placed inside a separate housing. Vivitar and Rollei sensors can housing. Vivitar and Rollei sensors can be used in a separate sensor case mount-ed to the camera housing or Nikonos Tray. Electronic flash housings, desig-nated with an \*, include a =4105 bulk-head for addition of the remote sensor ases at any time.

# UNDERWATER SYSTEMS REMOTE SENSOR CASES: OPTICAL

Sensor case for Vivitar Sensor case for Rollei #4591 \$49.95 #4592 \$39.95 These housings are complete with expo-sure adjustment control and required PC plugs.

#### Ordering Information for use with **Nikonos Cameras**

One of the new Ikelite Nikonos Power Packs is required to attach our ICS flash housing plug to the Nikonos cameras. These Power Packs are waterproof and may be used without the ICS plug attached. Either the #4014 Short Tray or one of the Ikelite Nikonos Handle Units is also required for attaching the strobe mounting bar to the camera. See page 31 for a complete description of these items. of these items

Nikonos I & II Power Pack	#4096	\$29.95
Nikonos III Power Pack	#4097	\$29.95
Nikonos Short Tray	#4014	\$ 9.95
Nikonos I & II Handle Unit	#4015	\$29.95
Nikonos III Handle Unit	#4017	\$29.95
IKELITE REFLECTOR		

KELLIE HELLEGION	The Part of the Pa	
FLASH	#4023	\$29.95
KELITE REFLECTOR	FLASH	
Straight Cord	#4020	\$19.95
Coil Cord	#4021	\$24.95

IKELITE CUBE FLAS	SH #4033	\$24.95
IKELITE CUBE FLA	SH	
Straight Cord	#4030	\$14.95

Straight Cord	#4030 #4031	W 3 11 12 1
IKELITE HAND FI	ASH #4035	\$29.9

ADJUSTER	#4011	\$19.95
IKELITE NIKONOS	1	
POWER PACK		\$29.95
#4096 for Nikonos 1	& 2	
#4097 for Nikonos 3		

#4097 for Nikonos 3

New for 1977 the Power Pack is a part of the Ikelite Solid State Triggering (SST) system. The Power Pack incorporates a selector switch for X and M synch plus a 22½ volt battery. In the X synch it is used to fire strobes in the Ikelite electronic flash housings with the new SST system, or in the M synch it fires the #4023 bulb flash, #4033 cube flash, or the #4035 Hand Flash. The Power Pack is required to connect the #4101 ICS Plug of Ikelite flash units to the Nikonos camera. Either a #4014 short tray or handle unit #4015 or #4017 is also required to attach an Ikelite flash unit mounting bar to the Nikonos camera.

#### **IKELITE CONNECTOR SYSTEM**

Finally, a pluggable connector system at a realistic price. The design is ingenious only in its safety, dependability and simplicity. All components afford complete waterproof integrity and may be disconnected above or below water.

ICS PLUG #4101 \$9.95

ICS PLUG & CORD #4102 \$19.95 BULKHEAD #4105 \$9.95 ICS Connector CORD #4108 \$19.95 P.C. PLUG & CORD #4106 \$4.95

#### EXPOSURE METER HOUSINGS

Molded housings to extend the versatility of these fine exposure meters under water. Foolproof sealing to depths of 400 feet. Attachments for lanyard or neck strap is provided, and provisions for optional mounting bar for use with the SLR Case or our Nikonos Handle Assembly.

WESTON XM1 and XM2 #5051 \$29.95 WESTON MASTER V and VI #5052 \$29.95 GOSSEN Super PILOT #5055 \$29.95 GOSSEN LUNA-PRO #5056 \$39.95 GOSSEN LUNA-PRO #5056 \$39.95 SLR CASE MOUNTING BAR #4012 \$ 1.95

VIEWFINDER #5002 \$49.95 /IEWFINDER

MASK KIT #5003 \$7.95 Additional framer masks for the Optical Viewfinder. Includes the following: 17mm, 20mm, 24mm and one blank mask

SPORTSFINDER \$5.95 #5100, #5200 housings, & Polaroid #5001-1 SLR Case #5001-2 #5400 housings Universal shoe mount style #5001-4

#### **MOVIE HOUSINGS**

**KODAK XL HOUSING #5733** \$89.95 **KODAK XL HOUSING #5755** \$99.95 Kodak M22 - M30 Case #5730 \$59.95 KODAK

**EKTASOUND Case #5940 \$149.95** 

#### CANON MOVIE HOUSINGS

Canon 514XL & 310XL #5713 \$ 99.95 Canon 814 (without Macro) #5714 \$149.95 Canon 814 Electronic #5715 \$149.95 Canon 514XLs (sound) #5716 \$149.95 Canon 1014 #5717 \$199.95 Canon 1014 #5717 \$199.95 BOLEX 350 CASE #5723 \$69.95 EUMIG and BOLEX CASE #5723 \$69.95 EUMIG MINI 5 CASE #5725 \$79.95 MINOLTA XL-250 & XL-400 #5740 \$99.95 MODULAR MOVIE LIGHT \$174.90 MODULAR SUPER LIGHT (Black) #1085 \$149.95 With ni-cad battery module and charger MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95			
Canon 814 (without Macro) #5714 \$149.95 Canon 814 Electronic #5715 \$149.95 Canon 1014 #5716 \$149.95 Canon 1014 #5717 \$199.95 Canon 1014 #5717 \$199.95 Canon 1014 #5717 \$199.95 EUMIG and BOLEX CASE #5720 \$99.95 EUMIG MINI 5 CASE #5725 \$79.95 MINOLTA XL-250 & XL-400 #5740 \$99.95 MODULAR MOVIE LIGHT \$174.90 MODULAR SUPER LIGHT (Black) #1085 \$149.95 MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95	Canon 512XL	#5712	\$129.95
Canon 814 Electronic #5715 \$149.95 Canon 514XLs (sound) #5716 \$149.95 Canon 1014 #5717 \$199.95 5 controls BOLEX 350 CASE #5720 \$99.95 EUMIG MINI 5 CASE #5725 \$79.95 MINOLTA XL-250 & XL-400 #5740 \$99.95 MODULAR MOVIE LIGHT \$174.90 MODULAR MOVIE LIGHT \$174.90 MODULAR SUPER LIGHT (Black) #1085 \$149.95 MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95			\$ 99.95
Canon 514XLs (sound) #5716 \$149.95 Canon 1014 #5717 \$199.95 5 controls BOLEX 350 CASE #5720 \$99.95 EUMIG and BOLEX CASE #5723 \$69.95 EUMIG MINI 5 CASE #5725 \$79.95 MINOLTA XL-250 & XL-400 #5740 \$99.95 MODULAR MOVIE LIGHT \$174.90 MODULAR SUPER LIGHT (Black) #1085 \$149.95 MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95			
Canon 1014 #5717 \$199.95 5 controls #5720 \$99.95 EUMIG and BOLEX CASE #5723 \$69.95 EUMIG MINI 5 CASE #5725 \$79.95 MINOLTA XL-250 & XL-400 #5740 \$99.95 MODULAR MOVIE LIGHT \$174.90 MODULAR SUPER LIGHT (Black) #1085 \$149.95 MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95			
5 controls BOLEX 350 CASE #5720 \$99.95 EUMIG and BOLEX CASE #5723 \$69.95 EUMIG MINI 5 CASE #5725 \$79.95 MINOLTA XL-250 & XL-400 #5740 \$99.95 MODULAR MOVIE LIGHT \$174.90 MODULAR SUPER LIGHT (Black) #1085 \$149.95 MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95			
BOLEX 350 CASE #5720 \$99.95 EUMIG and BOLEX CASE #5723 \$69.95 EUMIG MINI 5 CASE #5725 \$79.95 MINOLTA XL-250 & XL-400 #5740 \$99.95 MODULAR MOVIE LIGHT \$174.90 MODULAR SUPER LIGHT (Black) #1085 \$149.95 MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95		#5717	\$199.95
EUMIG and BOLEX CASE #5723 \$69.95 EUMIG MINI 5 CASE #5725 \$79.95 MINOLTA XL-250 & XL-400 #5740 \$99.95 MODULAR MOVIE LIGHT \$174.90 MODULAR SUPER LIGHT (Black) #1085 \$149.95 MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95			
EUMIG MINI 5 CASE #5725 \$79.95 MINOLTA XL-250 & XL-400 #5740 \$99.95 MODULAR MOVIE LIGHT \$174.90 MODULAR SUPER LIGHT (Black) #1085 \$149.95 MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95	COLUMN TO SERVICE STATE OF THE SERVICE STATE STATE STATE OF THE SERVICE STATE STA		
MINOLTA XL-250 & XL-400 #5740 \$99.95 MODULAR MOVIE LIGHT \$174.90 MODULAR SUPER LIGHT (Black) #1085 \$149.95 MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95			
MODULAR MOVIE LIGHT \$174.90 MODULAR SUPER LIGHT (Black) #1085 \$149.95 MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95	EUMIG MINI 5 CASE	#5725	\$79.95
MODULAR SUPER LIGHT (Black) #1085 \$149.95 MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95	MINOLTA XL-250 & XL-400	#5740	\$99.95
SUPER LIGHT (Black) #1085 \$149.95 MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95	MODULAR MOVIE LIGI	HT \$	174.90
MODULAR SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95	MODULAR		
SUPER LIGHT (Clear) #1095 \$149.95 With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95	SUPER LIGHT (Black) #	1085 \$	149.95
With ni-cad battery module and charger MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95	MODULAR		
MODULAR NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95	SUPER LIGHT (Clear) #	1095 \$	149.95
NI-CAD PACK #1084 \$99.95 CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95	With ni-cad battery modul	e and	charger
CHARGER—110 volt #1083 \$11.95 CHARGER—12 volt #1082 \$ 9.95	MODULAR		
CHARGER—12 volt #1082 \$ 9.95	NI-CAD PACK #	1084	\$99.95
	CHARGER-110 volt #	1083	\$11.95
MOUNTING KIT #1087 \$5.05	CHARGER-12 volt #	1082	\$ 9.95
	MOUNTING KIT	#1087	\$5.95

Bracket and mounting bar to replace the Modular Light handle. This permits attachment to all Ikelite handle assemblies and the SLR Case side mounting flash bar. TRIMCASE

Kodak Pocket 10

The Ikelite Trimcase is designed specifically for the Pocket Cameras. This is a third generation housing that leaves alternative trimble of the control of t most nothing to be desired for simplicity and dependability. It offers foolproof sealing to depths of 300 feet; or adds a new dimension to boaters, surfers, and skiing enthusiasts.

Kodak Trimlite 18	#5318	\$39.9
Kodak Pocket 20, 30, 40	#5320	\$39.9
Kodak Trimlite 28, 38	#5328	\$39.9
Kodak Trimlite 48	#5348	\$39.9
Kodak Pocket 50, 60	#5350	\$39.9
Kodak Tele-Instamatic 608	#5368	\$39.9
Kodak Tele-Instamatic 708	#5369	\$49.9
Minolta		
50, 60, 70, 200, 250, 270	#5370	\$49.9
Canon 110ED	#5375	\$49.9
WINOLTA 110 SLR #53	72 \$	149.9
	STATE OF THE PARTY	of the state of the

#5310 \$39.95

The first single lens reflex camera to use 110 film. The camera lens is unique in its zoom to macro focusing capability. Housing provides all controls.

### 35MM RANGEFINDER

Rangefinder type cameras are delightful to use under water. They feature automatic exposure control, good quality lenses and can utilize electronic flash. These housings afford complete safety and superh handling under water. Com-These housings afford complete safety and superb handling under water. Complete with removable handle assembly, battery pack and bulkhead for using the new Ikelite SST flash system. The new Ikelite SST strobe housings, the #4023, or #4033 flash units may be used with any of these housings. The #5001-4 Sportsfinder or #5002 Optical Viewfinder is also recommended for use with these housings.

FOR TOLL FREE PHONE ORDERS ONLY CALL (800) 223-5661 OR (800) 221-5858

# rangefinder

#5153	\$79.95
#5235	\$129.95
#5385	\$79.95
#5383	\$79.95
#5384	\$79.95
#5617	\$99.95
#5618	\$99.95
#5652	\$99.95
#5660	\$99.95
#5661	\$69.95
A. C.	
#5680	\$99.95
#5681	\$99.95
	#5235 #5385 #5383 #5384 #5617 #5618 #5652 #5660 #5661

Contract Constant Contract Con	According to the last of the l	THE RESIDENCE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN
1 1 1	1 1	
NIKON HOUSING F,	FTn	
	#5520	\$169.9
NIKON HOUSING F	2, F2S	
	#5522	\$169.9
NIKKORMAT FTn, F	T2,	
EL, & ELW	#5526	\$169.95
PENTAX	#5530	\$169.9
PENTAX KX & KM	#5531	\$169.9
PENTAX ES & ES2	#5532	\$169.9

500DTL & 1000DTL 500DSX & 1000DSX #5540 \$169.95 500MSX & 1000MSX

#5533 \$169.95

FUJICA ST 701, ST 801 ST 901 #5546 \$169.95

MAMIYA—SEKOR HOUSINGS

PENTAX K2

MINOLTA

KONICA AUTOREFLEX Housings for T, TII, A #5550 \$169.95 Housing for T3, A3, N-T3 #5553 \$169.95 KONICA TC #5555 \$169.95

SRT HOUSING #5560 \$169.95 MINOLTA XE-5 & XE-7 #5561 \$169.95 MINOLTA XK & XM #5562 \$169.95

**OLYMPUS** OM1 & OM2 #5565 \$169.95 CANON F-1 HOUSING #5570 \$169.95

CANON Speedfinder Back #5572 \$ 39.95

CANON F-1 HOUSING #5573 \$179.95 CANON FTb, FTbn, #5571 \$169.95 TLb, TX

#5575 \$169.95 CANON EF CANON AE-1 (without winder) #5577 \$169.95

YASHICA HOUSINGS TL-ELECTRO-X #5580 \$169.95

TL ELECTRO and SUPER TL #5581 \$169.95 **ROLLEIFLEX SL-35** #5585 \$169.95

RICOH TLS-401 #5590 \$169.95 RICOH TLS Singlex #5591 \$169.95 MIRANDA AUTO

SENSOREX EE #5595 \$169.95

Before leaving a dry area, check to make sure your camera and flash are operating. There is nothing more frustrating than to get under water and find the flash p.c. not connected or some other problem. Always take one shot above water to check camera and strobe operation.

HONE (212) 260-4410

# CHINON DIRECTS UND

DIRECT SOUND HINON

CHINON 1206-SM

The Chinon 1206-SM is the top of the line sound camera. 12 to 1 (6mm wide angle to 72mm telephoto) variable speed power zoom w/macro capabiliry for focusing to the front element of the lens; zoom motor disengagement capacity for ultra fast and smooth manual capacity for uitra ast and smooth manual zooming; dual level automatic gain control; manual sound leveling, speeds of single frame, 18,24, and 36fps; built in intervalometer; automatic fade in and fade out; reflex viewing and focusing withe central microprism; internal and external sound monitoring lights. May be used with boom and wireless radio microphones.



8 to 1 macrozoom camera. The long 8-1 zoo allows you a high degree of telephoto/wide angle flexibility. TIC auto exposure can be manually overridden. Built in VU meter.

CHINON 606 S

6 to 1 (8-48mm) zoom ration. Powered by a single power pack. Built in fade control. Instatn recording with auto hi-low gain control and manual mode. Level is visibel on the right side of the camera on its VU meter. Movie light socket.

MUCH MORE FOR MUCH LESS

SCREW MOUNT LENS

The Chinon CS can only be described (as it has been by many) as the finest economy SLR available. Add to that fact

its screw mount lens capability, its all black body, TTL meter

the teatures normally expected only in much higher priced models. It will give you quality photography without problems for many

w/F1.7 lens. . . . . . 169.90

8.99

39 50

13.20

34.50

system, shutter speeds to 1/1000 sec. and the rugged CHINON construction. The

CS is available with the auto f/1.7 or f/1.4 55 mm lenses. The CS is a versatile

years to come.

CHINON AND THEY ACCEPT EVERY

199.50

**CHINON PACIFIC 12-SMR** 

Reflex zoom lens 1.8 6-72mm. Minimum focusing distance of 1.5m and minimum focusing distance in the macro is 0 mm. Variable speed power zoom. Microprism focusing, recording signal, film end warning. Lap dissolve signal and aperture visible in viewfinder dissolve signal and aperture visible in viewfinde TTL exposure control with manual override F1.8-F4.5. Asa range of 25,40, 100,160. Built in sound recording amplifier, high/low record-ing level switch, built-in recording level meter, manual recording level control, monitor button & jack, microphone jack, 1.18 and 24 ps with sound cartridge; 1, 18, 24, and 36 with silent cartridge. Weight: 2.2kg. 4.85 lbs.

# The R OR WRIT

#### CHINON MOVIE ACCESSORIES

	THE PERSON NAMED IN
Remote Control Cable	5.40
Standard Case f/100S XL	20.90
Standard Case f/256S XL, 506SM	XI
606S, 806SM, 1206SM	29 90
Boom Microphone with case	36 50
Boom Microphone without case .	
Case f/ Boom Microphone	4 50
Unidirectional Dynamic Micropho	ne ne
w/stand, w/o wind screen	8 50
Standard Microphone w/ wind scr.	een
pack in plain box	4.50
pack in plain box	49.90
Multi Adapter Mixer	7.50
Microphone extension cord 15'	
Cable release adapter	
Battery Pack	4.99
Cinephone (headphone)	8.50
Earphone	3.75
Headphone	18.90
Lenshood 72mm f/1200SM	15.00
Lenshood 72mm f/1206SM	15.00
Teleconverter for 606S	
Teleconverter for 806SM	63.50
Recharge Unit w/plus (9V)	18.99
Lenscap for all shound cameras ex	
100SXL, 1200SM, & 1206SM	
Lans can f/1200SM & 1200SM	180

#### THREE SLR CAMERAS WITH

The CX II has just about everything you need for great 35 mm SLR photography and it accepts all those great screw



lightweight, extremely sturdy and durable. It has the 'pro' all-black look and features a TTL

metering system with the exposure meter switch incorporated into the shut ter release button, multiple exposure capability (when desired) and a battery test light. It is available with an auto f 1.7 or f 1.4 55 mm lens.

w/F1.7 lens . . . . . 189.50 w/F1.4 lens . . . . . 199.50

# 35 mm LENSES. FINER OPTICS FOR MUCH LESS.

Chinon 35 mm lenses bring you fine quality optics, versatility and advanced technology at a most reasonable price. They allow you to build a professional quality lens collection without straining your budget.

Choose wide angle, normal, telephoto, zoom or macro and know you're getting

Chinon lenses feature optical performance that guarantees edge-to-edge sharpness. You have a choice of superb coated or multi-coated lenses. The multicoating directs the maximum amount of light to the focal plane and eliminates

#### **CHINON COATED LENSES**

For use with Minolta, Canon, Nikon or Chinon/Pentax mounts. These lenses offer finer optics at truly moderate prices. They have been called the best value of any available today.

- a) The 21 mm f/3.5 ULTRA WIDE ANGLE (available for use with Chinon/Pentax mounts only.)
- b) The 28 mm f/2.8 WIDE ANGLE 59.50
- c) The 35 mm f/2.8 WIDE ANGLE 51.50
- d) The 100 mm f/2.8 SHORT TELE-PHOTO (available with Chinon/Pentax mount only) 89.50
- e) The 135 mm f/2.8 TELEPHOTO 56.90
- f) The 200 mm f/3.5 TELEPHOTO 66.50
- g) 500 mm f/8 SUPER TELEPHOTO (available with "T" mount) 131.90
- h) The 75-205 mm f/3.5 TELEPHOTO ZOOM (available with Chinon/Pentax mount only)
- r) The 80-250 mm f/3.8-4.5 TELEPHOTO ZOOM offers maximum versatility to the serious photographer. (not shown) 193 50
- The 85-210 mm f 4.5 TELEPHOTO ZOOM is the world's lightest zoom lens of this zoom range. 208.50 FOR NIKON CANON KONICA AND OLYMPUS ADD ..... 6.99

How do you best describe the CX II? MORE FEATURES FOR MUCH LESS. The word here is "value".

It's some body! A good one-word de scription of this beauty might be "loaded'. If a feature has been invented, the ed'. If a feature has been invented CE II MEMOTRON has it. It is the only automatic electronic shutter body made for screw mount lenses. The CE II MEM-OTRON is an auto-electronic advanced design SLR that shoots from 2 to 1/2000th second, and features the all-black



metering and fully automatic el-ectronic stepless shutter, multiple

check before every exposure (even if the battery fails, the camera automatically functions at 1/90 of a second). You can purchase the CE II MEMOTRON with a superb f/1.4 (coated or multicoated) 55 mm lens, or an f/1.7 55 mm lens. The CE II MEMOTRON has everything you've ever wanted (or ever imagined on an SLR) and then some.

w/F1.7 lens . . . . 273.95 w/F1.4 lens . . . . 289.90 w/F1.2 lens . . . . 324.50 MEMOTRON

#### **CHINON MULTI-COATED LENSES**

These Chinon lenses can be used with almost any existing SLR cameras. Available in mounts to fit the following cameras: Chinon/Praktica, Konica Autoreflex, Minolta SRT/X, Nikon/Nikkormat, Canon Fd, and Olympus.

- 24 mm f/2.5 ULTRA-WIDE-ANGLE gives you an 84° angle of view and enables you to achieve some amazing dramatic effects. (not 139.90
- The 28 mm f/2.8 WIDE ANGLE is the ideal choice for wide angle photography. 86.50
- k) The 35 mm f/2.8 WIDE-ANGLE is the most versatile of the focal lengths. (not shown) 77.90
- 1) The 50 mm f/1.7 MACRO LENS is the world's smallest and fastest macro. It focuses all the way down to 27 cm.
  Available only in Pentax/Praktica
  mounts. (not shown) 106.50
- m) The 135 mm f/2.8 TELEPHOTO and 135 mm f/2.8 MACRO LENS are among the shortest 135 mm lenses available. (Macro available 197767.50
- n) The 200 mm f/3.5 TELEPHOTO is specially designed for comfortable hand-held shooting. 109.50
- The 300 mm f/5.6 ULTRA-TELE-PHOTO is also ultra-compact and lightweight, but big on quality.119.50
- The 40-105 mm f/3.5 MACRO SHORT ZOOM lens is the perfect lens to have when you have just one lens with you. It gives you flexibility from wide angle to moderate telephoto in the portrait range. (not shown) 199.50

# The little giants.

#### **CHINON 35 EE II**

ACCESSORIES

MINI COPY STAND

TABLE TRIPOD

**EXTENSION TUBE SET** 

**EXTENSION BELLOWS** 

This is the ultimate ELEC-TRONIC 35 mm rangefinder camera. The 35 EE II is the state of the art. It gives you full command of every photographic situation. In addition to advanced 35 EE II electronic shutter and aperture control, this camera features: an L.E.D. to indicate self-timer is in operation • 3 flashing L.E.D.'s in the viewfinder let you know over, under and correct exposure setting • aperture priority that allows you to f-stop while camera automatically selects proper speed, (with manual override) · ASA range of 25 to 800 · Speed range of 4 seconds to 1/500 second · battery check · coupled rangefinder, hot shoe · shutter release lock · highresolution 4-element glass f/2.7 mm color lens.



92.50

**CHINON 35** 

The 35 brings Chinon 35 mm zone focus photography into everybody's price range. The 35 is just about everything you'd like in a 35 mm camera, including: a sharp f/2.7 mm high resolution 4-element color lens and many of the features found in our other fine 35 mm cameras.

55.50

#### **CHINON 35 EE**

This is the camera that made Chinon 35 mm rangefinder photography famous. A little less expensive than the 35 EE II, the 35 EE gives you more than compacts costing much, much more. The 35 EE features: an extremely fine f/2.7 (38 mm), 4-element glass lens • a CdS automatic exposure system • programmed shutter speeds from 1/30 to 1/650 second, plus time exposure . rugged and dependable · very easy to operate • very compact and lightweight . shutter speed and aperture visible in the viewfinder. 65.50

#### THE CHINON STROBE

CHINON

35 mm KITS

The CHINON 35 KITS

come complete with a

case, wrist-strap, S20-B

are great buys. They

new Chinon 35 mm angefinder camera,

strobe and camera

The new S20-B Flectronic Flash is the perfect accessory light for Chinon 35 mm cameras. Lets you take perfect photos in any ight conditions.

RETAIL STORE 67 West 47th STREET N.Y. 10036 (212)260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212)260-4410



### **MUCH MORE FOR MUCH LESS** HINO

FOR TOLL FREE PHONE ORDERS ONL CALL (800) 223-5661 OR (800) 221-5858 EXCEPT ALASKA, HAWAII OR N.Y

XL555 MACRO

Step up to one of the world's most sophisticated

silent movie cameras -a

camera with an unbeliev-

able complement of fea-

tures in an unbelievably

small and compact body. A

very low priced, excellent

of features: 'XL' 5X (8 to

power zoom • 1, 9, 18, 36

frames per second • inter-

val timer (1 frame every 1/2

sec. to 1 frame per minute)

microprism focusing · view-

finder indicates film trans-

port and film end, over/

trol · automatic footage

counter • flash synch • 'X'

system sound • automatic

synch for strobe or double

exposure with manual over-

ride • instant slow motion

control

under exposure warning,

fade in/out, back-light con-

40 mm) 2 speed macro

silent super 8 with a wealth

#### TRIMWEIGHTS Small weight, small size, big features. CHINON 507 SXL.

CHINON 107 XL DART. CHINON 257 SXL.

Now anyone can own a sound super 8 movie camera. The new Chinon 107 XL Dart is that low-priced. But the 107 XL Dart has what it takes: 'XL' capability • f/1.1 lens and 220° shutter • automatic gain control • transport and film end signals visible in viewfinder and \* re cording and over/under expo-sure signals also in viewfinder.

125.00

#### CHINON 107 SXL.

This unbelievably inexpensive yet feature-loaded camera features: 'XL' capacity (takes movies with existing light) with f/1.1 lens and 220° shutter a high/low auto gain control
transport and film end signals visible in viewfinder · recording and over/under exposure signals also in viewfinder . L.E.D. external sound monitor light · backlight control and provision for sound monitoring by earphone. 139.50



Step up to the fabulous 257 sXL with an 'XL' f/1.1, 2½ X (9 to 22.5 mm) power zoom lens with 220° shutter • a high/ low gain control . reflex viewing (through-the-lens metering) • aperture, recording signal, film transport, over/ under exposure and film end visible in viewfinder and • manual override of exposure



CHINON 407 XL.

The 407 XL is a lot of camera with a big f/1.7, 4X (8 to 32 mm) power zoom lens • reflex viewing • TTt exposure control • under and over exposure signal · recording signal · dual level high/low gain control of film transport and film end shown in the viewfinder and a front monitoring light.

239.50

CHINON 607 XL.

The fabulous 607 XL has everything the 507 s XL has plus a super sharp f/1.7 6X (8 to 48 mm) super power zoom.

289.50

What a zoom it is. The 507 SXL features: an f/1.2 SX (8 to 40

mm) power zoom • reflex viewing with microprism focusing 220° shutter • high/low auto gain control • f-stop, transport, film end signals visible in the viewfinder • L.E.D.

external sound monitor light

• back-light control • recording



Super 8 movies will never be the same. Because the new Chinon Pocket 8 is the revolution. Here's a big, big Chinon idea that fits neatly in your pocket or pocketbook. It's the world's smallest 8 mm camera. It is literally the super 8"jewel." This very small, very inexpensive silent super 8 has more built-in quality than its much bigger, higherpriced competitors. The Pocket 8 is a tiny but highly versatile camera that can be taken anywhere. This mighty midget features: • a 15 mm f/1.6 fixed focus lens • capability of adding 4X (8 to 32 mm) optional zoom lens and wide angle and telephoto lenses • over/ under exposure warning in the viewfinder • reflex viewing • auto TTL exposure control • 18-36 frames per second when used with



877 MACRO

The Chinon 877 Macro is one of the world's finest silent super 8 cameras. The 877 has everything. Period. If it's been invented, the 877 has it, If you spent twice as much, you might not get half as much camera. This is the silent super 8 camera for serious amateurs or professionals who want the very best at a very good price. It's quietness in operation will amaze you. The 877 Macro features: • 2 speed, 8X (7.5-60 mm) power zoom with macro focus • auto lap dissolve with auto film rewind . intervalometer • 1, 18, 24 and 48 frames per second, with instant slow motion . viewfinder light trap · back light control • battery charge provision • built-in lens hood • 'X' synch for strobe or double system sound • ASA range in tungsten of 40-640 and in daylight of 25-400 • fade in/out and · built-in neutral density filter.

224.90

#### **MUCH MORE FOR MUCH LESS** CHINO

The World's Finest Sound Super 8 Cameras. **CHINON 506 SM XL** 325.00

It's a 5 to 1 power macrozoom, 'XL' (existing light) sound camera with a built-in interval meter in a small, light, compact body, designed for amateur or professional use. It's the gem of Sound Super 8 cameras. With the 506 SMXL you can do 'time lapse,' existing light macrophotography! Film subjects as close as 2" from the lens! The lens is a super-fast f/1.2 that can stop down to f'45. The viewfinder shows 9 important functions at a glance. Microprism focus, 'TTL' exposure, with manual override. 3 modes of remote control! Automatic gain control, manual override and VU meter. Sound recording action light. Collapsible lens hood. Truly, a camera of the future, today. Check the feature chart. Never has so much been packed in so little!



#### CHINON 256 SXL

For the serious amateur on a budget, there's no camera like it. It's a true 2½ to 1 powerzoom 'XL' sound camera with many of the same advanced features you'll find only on more expensive Chinon cameras. The lens is an f/1.1. The shutter is 220° and electromagnetic for super 'XL' results. 9 key functions can be seen in the bright viewfinder. The powerzoom is silk-smooth letting you 'get in close' to the action. There's even a 'LED' in the viewfinder to let you know when you're

Check the chart for even more features. This is one camera that can really improve your image.

225.00



#### CHINON 100 S XL

119.50

It's the ideal 'starter' camera for 'XL' (existing light) sound movie making. It's simple to use and totally automatic. It has a full complement of features like: A fixed focus f/1.1 lens that focuses as close as 3 and stops down to f/45. An LED underexposure warning in the viewfinder. Automatic exposure control with backlight provision. Adjustable eyepiece. Automatic gain control. Provision to accept boom mike. 'Mini-computer' circuitry. Single battery pack powers all: LED battery check: And more. Just aim and shoot like a pro. Both the camera and the price are surprisingly light!



CHINON 6100

Peak performance with simplicity. This model offers excellent sound and sound recording for your own, or commercially available films. Fast f/1.3 lens with 150 watt bulb for brilliant movie projection. It breaks both sound and price barriers. 169.50

#### **CHINON 7000**


All the features of the 6000 plus: A 15-All the features of the bood plus: A 15-30mm zoom lens. Sound on sound re-cording. Controls for automatic sound level. Sound monitoring. Sound mixing. Sound fade. Incredible sound quality at an amazingly attractive price.

184.50



#### **CHINON 7500**

It has all the features of Model 7000 plus Treble-bass tone control. A full 12 watts of output power for Super Sound. These features make it a more powerful and versatile performer! Also, speed com-pensation. And, manual sound level control VU meter. It's the most value-packed magnetic sound projector available.



All the features of Model 7500 plus: Optical, as well as magnetic sound playback. It is the most complete sound projector available for advanced amateur use. The optical sound playback capability makes it an ideal choice, also, for educational and industrial market applications



279.50

RETAIL STORE 67 West 47th STREET N.Y. 10036 (212) 260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212) 260-4410

RETAIL STORE 67 West 47th STREET N.Y. 10036 (212)260-4410
MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212)260-4410

### MARKS 807D

**Dual 8 Sound Projector** with manual sound-on sound recording 239.50

#### Mark 810 HOS **Super 8mm Sound**



- Fully automatic threading.
- Sound on sound recording.
  Can be used as PA system.
  Vario Eupronet f/1.3, 1530mm zoom lens. (Suprogon f/1.2, 12.5-25mm zoom lens on
- Deluxe model). 100-watt lamp.
- Easily adapts to Super 8 or Standard 8 (810 "D" models).
   Optional Daylight Preview
- Screen; extension speaker; carrying case. \$309.50

#### **ACCESSORIES FOR 700 & 800 Projectors**

#### 820 Sonomatic **Super 8 Sound** Projector



- Automatic threading/600 ft. reel
- F/1.3, 15-30mm zoom lens.

  Choice of film speeds 18 to 24 fps
- (continuous).
- econtinuous).

  High Quality Sound system with 10 watt RMS amp.

  Optional carrying case and Daylight Preview Screen.

#### Mark S-0& M



#### **Juwel Mini Regular and Super 8 Sound Striper**



- Provides permanent, laminated adherence to film.
- Uses high quality Agfa F5, 0.8mm wide magnetic tape. Can also be used for a .5mm
- balance stripe.
  Comes with carrying case and eyedropper.
- Reels of tape and adhesive available separately. 149.99

ACCESSORIES FOR JEWEL MINI

Splicer 87I Super 8
Juwel Mini 8 Sound Striper 154.50
Special Adhesive CAK/CY 7.50
Freon TF Cleaning Agent 2.95
Balance Stripe 0.5mm wide, 820 ft.
long

#### REPLACEMENT PARTS

### eumid

ATEST NEW PROJECTOR 824 Lux Sonomatic, f1.2/12.5 25mm zoom lens dual 8 sound 

### BELL & HOWELL MOVIE CAMERAS & PROJECTORS FILMSONIC SUPER 8 SOUND



Economical sound movies...and the camera does it all from filming the scene to recording the sound. The sound is right on the film and is 189.50 synchronization with the action.

1230A Sound Movie Camera

vith 49546 Shot-Gun Microphone

# BELL & HOWELL



The sound movie camera with more features and versatility. Hear the sound as it's being picked up by the microphone through the earphone monitor. Control the sound-on-film recording as your're filming 229.50

1235A Sound Movie Camera with 49546 Shot-Gun Microphone

#### **MODEL 1238**



For the sophisticated movie-maker This is the most deluxe Filmosonic made and features on f1.8 macro room 8 to 1 zoom lens. Take movies of subjects smaller than a postage stamp. Exceptionally versatile... many, many features. 269.95

#### **MODEL 1733**



cal Filmosonic projector. Projects silent, camera-recorded sound, or commercially made super 8 sound movies. Many deluxe features. 174.95

#### **MODEL 1742**



This versatile magnetic-sound super 8 movie projector shows both silent and magnetic-sound movies. Sound-on-sound recording lets you add a new dimension to home movie entertainment.

204.50

#### **MODEL 1744Z**



Our most deluxe projector. movies come alive when projected on this full-featured model. Its recording versatility is limited only by your imagination. 219.50

#### BELL & HOWELL MOVIE ACCESSORIES

Boom Mike	39.95
Case	19.95
Condenser Microphone	16.00
Extension Cord	5.95
Battery Pack	7.95
AC Adapter	10.00
Car Adapter	10.00
Unidirectional Microphone	8.00
External Speaker	16.00

### BELL & HOWELL

674 Focus-Matic

Super 8 Low-Light Movie Camera with Backlight Contrast Control

This versatile low-light movie camera has a unique contrast control feature for backlight and extreme contrast conditions. This lets you have control over the exposure of unusually lighted subjects for the most pleasing results. It's loaded with other innovative features such as special shutter design, ultrafast f1.3 lens with power zoom, reflex viewing, and the exclusive Bell & Howell Focus-Matic system for distance measurement. It has the capability to handle most low-light situations, both indoors



#### **Model 1216**

6X Power Zoom Movie Camera with Focus-Matic / Dichroic Focusing



8.5 to 51mm 1/1.9 Zoom Lens • Two-Speed Power Zooming • Combined Focus-Matic and Dichroic Focusing Systems • Reflex Viewing • Film Transport Indicator • Exposure Scale in ViewInder • Contrast Centrol • Slow Motion • Manual Exposure Control • 3attery Test

RETAIL STORE 67 West 47th STREET N.Y. 10036 (212) 260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212) 260-4410

**30XL** Super 8mm **Sound Movie Camera** 



- Super-fast 3 to 1 zoom lens (f/1.3, 8.5-24mm).
- Automatic exposure adjust-
- ment with manual override.

  High quality sound recording (microphone included).
- Automatic sound level control.
  Easy cartridge loading.
  Focuses from 4 feet to

- infinity.

  18 frames per second. 189.90

31XL Super 8 **Sound Movie Camera** 



- Super-fast 3 to 1 zoom lens (f/1.3, 8.5 to 24mm). Focuses from 4 ft. to infinity.
- Choice of automatic or manual exposure control. Also, a Backlight Correction Switch.
- Choice of 18 or 24 frames per second.
- High quality recording with auto level control (microphone included).
- Full field dual beam focusing.

  Fade-out/fade-in switch.

Macro Sound 65XL **Super 8 Movie Camera** 



- Super-fast f/1.2, 7-45mm zoom lens with macro capability.
  Focuses up to lens front.
- Low light shooting capability enhanced by 225° shutter.

  Choice of automatic or manual
- exposure control, plus Backlight
  Correction Switch.

  Choice of 18 or 24 frames per
- second. Also, single fram switch.
- Fade-out/fade-in switch.
- Two microphone jacks one for standard microphone, the other for remote control mike. 299.50



- 3-1 Power zoom
- 18 & 24 FPS shooting speeds
- · Servo focus
- Single frame
- Footage counter

Fully automatic zoom reflex super 8 movie camera

#### **Macro Sound 80** Super 8 Movie Camera



- Macro-Viennon8to1poweror manual zoom lens (f/1.8, 7.5 to 60mm)
- Automatic lip-sync sound.
- Automatic sound level control and microphone sensitivity switch. Six viewfinder indicators.

- Automatic exposure control w/manual override.
  Automatic fade in/fade out. 18 or 24 fps. filming speed.

#### 830XL Super 8mm Movie Camera



- Super-fast f/1.2, 7.5-22mm Eumig Vario-Viennon zoom lens.
- Automatic exposure control with manual override.

  Built-in timer for timing
- scenes up to 10 seconds.

  Precision split-image focusing. Focuses up to 3 feet.

  Filming speeds of 9, 18, 24, or 45 frames per second.

  Long time exposures.

#### 860 PMA& 880 PMA Super 8

**Movie Cameras** With Panoramic Macro Aspheric Lens



- Model 860: Macro Viennon f/1.8, 8-48mm 6 to 1 zoom lens.
  Model 880: Macro Viennon
- f/1.8, 7-56mm 8 to 1 zoom lens.

  Built-in intervalometer.

  Automatic fade-in/fade out.

  Automatic exposure control

- Filming speeds of 9, 18, 24, or 45 frames per second.

  Long time exposures.

860 PMA ......263.50 880 PMA .....291.50



# Mini 3 Super 8mm



- 3 to 1 zoom lens with Servo-focus (f/1.9, 9-30mm).

  18 frames per second filming
- speed. Slot for insertion of movie
- Stot for insertion of movie light.
   Automatic footage counter.
   Indicators in viewfinder for all important functions.
   Film speed automatically set for ASA 25 to 160.

59.50

Mini 5 Super 8mm

**Movie Camera** 

# **Movie Camera**



- Vario Eupronet 1/1.6.
- 17-30mm zoom lens. Bright 50-watt Ellipsoid re-flector bulb, pre-heated for

**Mark 503** 

Super 8mm

Movie Projector

- longer life.
  Sprocketless film transport.
  Forward or reverse projection.
  Fast rewind.

400 ft. reel capacity. 97.50 Weighs only 9 lbs.



124.50

- Sync contact for cassette
- recorder.

  400 ft. capacity take-up reel.

134.90



Automatic exposure control with manual override.
Operating speeds of 9, 18, and 24 frames per second, as well as single frame exposures.
Automatic footage counter.
Power or manual macro

zoom lens (f/1.9, 8-40mm).

Indicator lights in viewer.

- Easy operation. One knob controls all functions: forward, reverse, fast rewind, fast forward and auto threading.
   Projects Super 8 or Standard 8.
   Tripping switch for cassette sound recorder.
   Regular film speed of 18 frames per second, forward or reverse. Also projects in slow motion at 3, 6, 9, or 12 fps.
   Fast forward or rewind lets you locate a desired scene quickly.
   Auto switch off at end of film.

229.99

ACCESSORIES FOR R2000 Proj.

Carrying Case . . . . . . . . . 19.90

Boom Mike . . . . . . . . . . . 34.90

Omni Directional Mike . . . 14.50

AC Power Adapter . . . . . 9.99



- Built-in film trimmer. Brilliant 100W tungsten halogen light.

### Mark S-802

Super 8mm Sound Movie **Projector** 




- Vario Eupronet Zoom Lens (f/1.6, 17-30mm).
- 600 ft. reel capacity. Extra sensitive focusing.

- Continuously variable speeds from 18 to 24 frames per second. Replaceable combination re-cord, playback, and erase head. Automatic level control.

173.50

**Mark S-807** Super8mm Sound Movie **Projector** 



with 600 ft. reel capacity. Vario Eupronet Zoom Lens (f/1.6, 17-30mm).

Extra sensitive focusing Microphone & audio input for "sound on sound."

Convenient recording 239.50 indicator lights.



199.90

Features the F1.2, 9-27mm zoom lens including ultra-close-up focusing with a "one-touch" operation.

### Super 8 Sound Camera SUPER 8 SOUND PROJECTOR



600\$ Momenclature

- 1- F1.8, 8-50mm, Six times zoom lens
- 2- Dynamic microphone
- 3- Boom microphone jack
- 4- Monitor button
- 5- Sound fading knob Input selector switch
- 7- Motor drive power check button
- 9- Amplifier power check button
- 10- Auto/manual zoom switch
- 11- A-M dial
- 12- External power socket

# **SUPER 8 SOUND**



Features the F/1.8, 7-70mm lens with multi-speed zoom, including power slow, power fast and manual, Both 18 and 24 fps for silent or sound film. A single touch control simultaneously fades both sound and picture either in or out, or fades sound only.



800M=237.50 800MO=304.50

The ST-800 combines a sharp f/1.3, 15-25mm zoom lens with a 12v-100w halogen lamp/cold mirror for the ultimate in edge-to-edge sharpness and color saturation. It features automatic loading and Elmo's "goof-proof" film transport system, with which the film-maker can easily remove film manually, if necessary

800-ft, reel capacity sound-on-sound, fade-in, fade-out, instant recording during projection and an automatic recording system with manual over ride and VU meter.

#### ELMO

349.50 1200D MO 424.90

15V-150W halogen

Sound fade in/out Instant sound-on





- Project Super, Single and Regular 8
- One-touch automatic film loading stant change-over to slow motion
- Cold mirror and 100W halogen lamp for brilliant projections
   Sync contact for simultaneous starting with a cassette recorder

- High speed rewind system 131.90

  Previewer attachment

#### 8mm 912 FILM EDITOR



Full-fledged 8mm film editor with extra-large Fresnel Lens Screen capable of sound monitoring.

59.90

Case . . . . . . . . . . . . 19.95

### Super 311 Low Light

This camera has a fast f/1.1, 9-27mm zoom lens with a shutter opening of 230 degrees for low light filming. Power-zoom button goes from 9mm to 27mm in 4 seconds at 18 fps. (12 sec. at 6 fps) Manual zoom can also





• Multiple Projection Speeds

• Super 8; Single 8; Regular 8 157.50 of/1.3 15-25mm Zoom Lens

#### ELMOSUPER 8 FILMATIC PROJECTOR



Instant Replay
 Infinite Speed Control

### Super 106

6 to 1 (8.5-34mm) power zoom. Automatic TTL exposure system with manual override. Micro split-image focusing SLR viewfinder with aperture scale and endof-film, over/underexposure and battery tester indicators. Electric film drive with choice of 18 and 24 fps. or single frame operation. And more



### Super 108M

Super 108M is equipped with a fast f/1.8 lens, featuring an 8:1 zoom ratio and macro capabilities, enabling the film-maker to focus down to the face of the front lens element.

The 108M features four filming speeds, 18fps and 24 fps as well as instant slow motion (54fps) and single frame for animation or stop action



### Super 110

10 to 1 Power Zoom Ultra close up capability, 3 film speeds, through the lens metering, slow motion filming capability, footage counter, and battery test button



# Elmo Dual-8 330 Projector

- · Reel-to-reel automatic threading
- Forward, reverse and still controls

- Variable speed control
   Automatic lamp switch
   Combined loop set & auto thread lever
- Film format indicator

#### MOVIE CAMERA & ACCESSORIES

Hand Microphone	. 9.95
Microphone Extension Cord SM	. 5.99
Headphone	25.20
Power Pack	29.95
Fader	42.75
Remote Control	14. 75
Movie Lite Bracket	.1.99
Shoulder Strap	9.50
55mm Filter ND-1A-UV	. 8.90
Lenshood	. 4.50
Earphone	1.80
Eyecup	



RETAIL STORE 67 West 47th STREET N.Y. 10036 (212)260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212)260-4410

# Bell & Howell

Model 1638Z Multi Motion Super 8 and Regular 8mm Zoom Movie Projector with Through-the-System Rewind



This new compatible movie projector has 4 Multi Motion speeds—18 fps, 9 fps, 6fps, and 3 fps—in both forward and reverse. Other fine features include 20-32mm f 1.6 zoom lens. through-the-system rewind, shows both super 8 and regular 8mm movies, still projection with search feature, and lots more

#### Model 16207 Super 8 and Regular 8mm Movie Projector



Convertible Reel Spindle Eliminates Adapters
• Single Control Knob • 1/1.5 Zoom Projection
Lens • Still/Search for Single Frame Selection
• Convenient Cord and Reel Storage • Film
Safety Mechanism.

8X Macro Zoom Movie Camera with Dual-Beam Dichroic Focusing C47121876



Here's a highly featured super 8 mc camera for the sophisticated movie maker. The f1.8 macro zoom lens has an extreme wide range of 8 to 1--yet it focuses as close as the front of the le itself for movies of subjects smaller than a postage stamp! Dual-beam dichroic focusing is quick and eay at any lens setting--even extreme close-ups. The many other advanced features include two-speed power zoom, contrast, slow motion, through-the-lens CdS Electric eye, 200° shutter va: lable filming speeds from 9 to 24 frames-per-second, and more. This exciting camera has the per fect combination of extreme versatility and convenient easy-to use automatic

149.95

#### **FILMSONIC C47123676** SOUND MOVIE CAMERA



Manual override of the EE system

· Through-the-lens dual-beam focusing

· Electric-eye trimmer for changing the exposure system

· Two-speed power zooming

· Viewfinder shutter for tripod use

• 18 and 24 frames-per-second filming

· Slow motion for silent movie film use and don't forget the standard XL features including

• Fast f/1.3 2.8-to-1 zoom lens

· Sensitive CdS electric eye

· Cue light for subject awareness

#### **FILMSONIC C471745Z76** SOUND MOVIE PROJECTOR

Magnetic Sound Movie
Playback
Magnetic Sound Recording
Automatic Recording Level
Control
Sound-on-Sound Recording
Sound-on-Sound Recording
Sound-on-Sound Recording
Sound-on-Sound Recording
White Sound-on-Sound Control
Sound-on-Sound Control
Sound-on-Sound Recording
Sound-On-Sound-Reverse-Still Projection
Speeds
Tone and Volume Control
Sound-On-Sound-Reverse-Still Projection
Speeds
Sound-On-Sound-Reverse-Still P

Sound-on-sound recording

Tone and Volume Control

Manual Recording Control

Input and Output Jacks
Automatic Film Threading

Brilliant Projector Lamp



#### **MULTI MOTION C471639Z76** SILENT MOVIE PROJECTOR



Brilliant f/1.2 19-32 mm zoom lens

Shows both super 8 and regular 8mm fil

Single knob control

Still/search feature

Automatic film threading

Through-the-system rewind Handsome modern styling

#### AUTOLOAD FILMOSOUND MODEL 1585A

AUTOMATIC THROUGH-THE-SYSTEM FILM THREADING keeps film handling and set-up time to a minimum.

AUTOMATIC LOOP AND SYSTEMS RESTORER

BRIGHT-NORMAL SELECTION

AUTOLOAD® FILMOSOUND MODEL 1592A

AUTOMATIC THROUGH-THE-SYSTEM FILM THREADING keeps film andling and set-up time to a minimum.

DIRECTAMOTION™ feature for showing sequential ac-tion by stopping and starting the tilm, on frame, one frame at a time in forward or re-verse. Controlled by lever or remote control. STILL PICTURE CONTROL

BRIGHT-NORMAL LAMP

SELECTION WEIGHS ONLY 34 LBS.

AUTOMATIC LOOP AND SYSTEMS RESTORERS 50-HOUR/250-WATT LAMP (CODE EMM)

BRILLIANT 2" 1/1.2 SUPER F PROVAL LENS

separate speakers.
Compact, Trim Design.
All Gear Drive

**BELL & HOWELL FILMSOUND** 

FEATURES:

Plug-In Solid State Amplifier with Integrated Circuit. Quickly unplugs from projector to simplify maintenance.

2" f/1.6 Projection Lens
250-Watt Tungsten-Halogen EMM Lamp.
Bright Normal Switch.
Integral Speaker. Delivers synchronized sound from the projector itself, without separate speakers.

16mm OPTICAL SOUND MOVIE PROJECTOR MODEL 1574

### PRECISION 2" 1/1.6 PRO-JECTION LENS 50-HOUR/250-WATT LAMP WEIGHS ONLY 33 LBS.

577.50

#### "ON-OFF" switch operates room ■ Has 10-ft. UL approved cord and plug; folding legs in bright brass. 632.50

receptacles.

19.50

21.50

23.50

#### Hervic/MINETTE Super-8 Viewer Editor

Projector Tables

1205 PROJECTOR TABLE

Beautiful teakwood grained mar

proof laminated plastic - on wood

■ Electrified power panel box with two plug receptacles, and "ON-OFF"

1220 DELUXE PROJECTOR

3-way switch operates room lamp and illuminated slide or film

viewer; 8-foot cord and plug

 Beautiful Gun Stock walnut grain vinyl bonded to heavy gauge steel top – 16" x 18".

Equipped with two plug-in

1150 PROJECTOR TABLE

Beautiful wood-grained Mar-proof plastic top, 16" x 18" ■ Electrical power panel and 3 plug-in receptacles.

table top, size T6" x 18".

Brass-finish tubular steel legs;

stands 29" high; folds flat

switch for room lamp. 8-ft. heavy-duty cord and plug

Screen Size:

Reel Capacity: 400 feet

All metal body construction

Film holder plate switch

Focusing gear

Single frame selector

Film indicator

79.50



# eumie

chemo solicer

32.50

32.50

New splicing technique, makes a true butt splice, eliminates clicking with magnetic stripe, no overlap, no scraping. Serrated edges are cut into film ends

which then interlock to form a butt splice. Uses Eumig special cement. Compact die-cast aluminum body on anti-slip base.

# argus

ELECTROMATIC 693 AUTOMATIC SLIDE VIEWER WITH THESE CONVENIENT FEATURES

AUTOMATIC SLIDE VIEWING — Lets you view up to 36 2" slides without touching the controls. Slides pass before viewing screen every 5 seconds — Automatically!

"STOP AND GO" SWITCH — Two-position switch lets you stop and view slides longer. Perfect for editing.

3X MAGNIFICATION — Polished, precision lens system gives you big, brilliant pictures

36 SLIDE CAPACITY — Using standard cardboard mounted slides. Also accept most plastic mounted slides.

21.50







Accommodates super 8, 8 mm and 16 mm

 Proper alignment provided by separate positioning pins for each film size

Provided with punch for securely seat-ing splicing tape around sprocket holes Supplied with 10 super 8 PRESSTAPES, 10 8 mm PRESSTAPES and splicing in-



# Sankyo XL-40S Sound Camera



220° shutter opening for existing light filming • Precise focusing from 2 inches to infinity • 4 to 1 automatic zoom • Electronic Loop Sensor for precise film and sound synch. • 2 Filming Speeds (18 and 24 fps) • Ultra sharp Sankyo f/1.2 lens and many, many more Come see this revolutionary new way of making movies.

2.5:1 POWER 149.50 XL-25S ZOOM

XL-60S SOUND CAMERA



#### SANKYO XL-600S SOUND CAMERA



- Two filming speeds
- True low-light Sankyo f/1.2 lens
- 6 to 1 zoom range
- Automatic fades
- · Automatic thru the lens CdS metering with manual override
- Split-image rangefinder

XL-300S 2:1 POWER 206.90 XL-400S 4:1 POWER 254.50

#### SOUND CAMERA ACCESSORIES

49.50 Boom Mike A 06 XL Sound Camera Carrying Case 29.95

29.50 A 31 9 Volt Battery Pack A 32 25-Foot Mike Extension t and 4,95

A 20 Radio Control for XL-60S 64.95

A 21 Self-Timer for XL-60S

Sankyo ES-44
Electronic



· Interval Timer · Radio Remote Control · Self Timer · AC Power Pack · Ring Light Strobe

ES-44 XL 4:1 ZOOM 147.50 ES-66 XL 6:1 ZOOM 179.50 ES-25XL2.5:1,200M 129.50

### **ELECTRONIC SYSTEM ACCESSORIES**

A 20 Radio Control Timer	64.50
A 21 Self Timer	27.50
A 23 A. C. Power Pack	14.95
A 05 ES Case	26.90
Converter Lenses	54.50
A 02 Deluxe Carrying Case	16.75
A 42 Remote Control	6.45
A 43 Dolly Pod	32.95
A 90 Movie Tide Clipboard	7.95

Sankyo dualux-1000 Projector



Here's a projector that does triple duty. Sho super-8. Single-8 or Regular-8 movies with just the lick of a switch. Fully automatic threading. I 1.4 rojector zoom lens lets you fill the screen. Variable peeds, forward and reverse.

2000 H Projector



movies Super-8. Single-8 or Regular-8 Variable flicker-free slow motion (5-7 fps) and single frame stop action. Fill the screen with the f. 1.4 15-25mm zoom projection lens. Automatic reel-to-reel threading, forward and reverse, quick rewinding. The dualux 2000 H is the simplest, most versatile projector you can own.

Sankyo Sound 600 S Movie Projector



The Sankyo 600 features imple controls magnetic recording and playback, automatic and manual record-ing level control, 18 and 24 fps automatic speed control and an ultra sharp Sankyo 1 1 4 15-25 zoom lens. Accepts both Super 8 and Single 8 formats. 600 foot reel capacity Fully automatic reel-to-reel threading. Two year warranty. Stop in for a demonstration soon.

#### SANKYO SOUND-700 PROJECTOR



- 12 volt/100 watt halogen lamp
- w/ dichroic mirror
  Super sharp Sankyo f/1.4 15-25mm
- zoom lens
- Dual speeds
- Automatic threading reel to reel
- Forward and reverse
- Microphone, external speaker
- monitor and auxilliary jacks


  Built-in 4" high fidelity speaker
- Compact design
   Tone control
   Fade-in, fade out of sound

284.50

#### PROJECTOR ACCESSORIES

A 60 8V-50W Projection Lamp for DLX 1000 A 61 12V-100W Projection Lamp 2003 8 Sound 600 10.95 A 15 Deluxe Projector Case for all silent projectors A 16 Case for Sound 600 Projector 16.95
A 96 600' Reel for Sound Projector 4.25

#### S 108 sound



327.95

F/1.7/7.5-60mm Macro-Neovaron. Fodusing from O m to infinity. Power-zoom with continously variable zoom speed. Film running speeds (silent): 1,18, 36 f.p.s. Film running speed (sound): 18 f.p.s. Instant slow motion (at 36 f.p.s.). Automatic single frame at intervals from 1 f.p.s. to 1 frame per minute. Recording level control instrument.

Bauer movie cameras Bauer A 508

484.95

Bauer A 508.
Bauer Macro-Neovaro f/1.8/7,5–60 mm. Focusing from 0 m up to infinity. Filter thread diameter: 49×0.75 mm

#### Bauer A 512



Bauer A 512. Schneider Macro-Variogon f/1.8/6-70 mm.

Multi-coated.

789.95

12 to 1 zoom. Focuses from 0 m up to infinity. Filter thread diameter: 62×0.75 mm.

> Automatic power-zoom, exposure control, single frame, time exposure fades, rewinding, instant slow motion at 54 f. p. s., and filming speeds at 12, 18, 24 and 54 f.p.s.

#### **Bauer Direct-Sound** Cameras S 103 XL sound



f/1.1/9-22.5mm Neovaron. XL capability (combination of f/1.1 lens and 220 shutter). EE automatic light meter. Manual override. Backlight button. Film speeds 15-23 DIN. High/low automatic recording volumn control. Recording control by light signal in the viewfinder and with earphones.

#### S 105 XL sound



F61.2/8-40mm Macro Neovaron. XL capability (combination of f/1.2 lens and 220 shutter). Focusing from O m to infinity. Power zoom. Controls in the viewfinder. aperture, film-running/end-of-film, recording. TTL automatic exposure control. Manual override. Film running speeds (silent): 1,18,36 f.p.s. Film running speed (sound): 18 f.p.s. Instant slow motion (at 36 f.p.s.). automatic single frame at intervals from 1 f.p.s. to 1 frame per minute. Rotary folding hand grip.

CASE 34 50

### BOLE

#### The Bolex 480 Macrozoom

Comes with built-in Bolex Macrozoom lens 7-56mm f/1.8, which allows the moviemaker to film extreme close-ups without acces



285.50

with an ActionLight

#### ex 450

Comes equipped with a Vario 8-40mm f/1.8 zoom lens. The 5:1 zoom ratio of this high quality optic is ideal for hand holding and gives the moviemaker a great range from wide angle to telephoto filming.



204.90

amera, which lights up as soon as the camera

#### The Bolex 525XL



By combining the large f/1.1 aperture with a zoom lens, the low light filming possibilities are obtained without sacrificing other important

#### The Bolex 350 Macro Compact

The little camera with big features

The Bolex 350 is a pocket-sized Super 8 camera with big camera features like power zoom, macro filming, rechargeable batteries and reflex viewing.



149.50

#### The Bolex 550XL Sound Camera

A truly full featured camera, elegant in design, with long zoom and the latest technology of features. And it's XL. And it's sound. Which means; you can film in dim candle light and record the sound of a buzzing fly. Or, you can film in bright daylight reflections in the ocean and record the lascinating sound of the waves, all in perfect synchronization. Lightweight, compact, yet loaded with these spectacular features:



#### The Bolex 580 Sound Camera

Comes with exclusive Bolex ActionLight, sync sound recording, far reaching 8:1 zoom ratio, variable speed power zoom with manual override, electronically controlled fade-in and fade-out, through-the-lens automatic light measuring, and many more. The ideal Super 8 camera for the serious amateur and pro. For the person who wants both: superb picture and sound quality. Check all of the outstanding features:




	FEATURES	Special	SP80 Special	Electronic	SM8
	Fully automatic threading and film take-up Large reel capacity Both 18 and 24 fps projection speed Running speed pilot lights	8 600' X	x 600, x	x 800, x	800' ×
10	Variable erasure and sound dissolve control [overplay] Recording pilot light Focusing mode Automatic input volume control	x x knob x	x x knob x	x x knob x	x x lens ring
	Double recording safety switches To manually control input volume  Frame counter Output for external amplifier Output for external speaker	4 light emitting diodes <sup>2</sup> x x	4 light emitting diodes x x	4 light emitting diodes x x x	X VU meter
	Amplifier 1/1.3 15-30mm hi-fi zoom lens 1/1.2 12.5-25mm hi-fi zoom lens 1/1.2 12.5-25mm hi-fi zoom lens w/multicoating	6/8 watt	10/15 wa x	tt 10/15 watt	8/10 watt
	f/1.3 12-30mm Schneider Xenovaron zoom lens Tape recorder preset control 12V 100W quartz halogen lamp w/dichroic mirror 12V 100W quartz halogen lamp w/dichroic mirror	x	×	×	×
	Lamp self centering and removable w/o tools for easy changing Recording control in microphone Treble and Bass control Built-in intermission light	X	×	X X X	X X X







#### The Bolex 18-5L



99.50

The 18-5 L Super projector comes with 12 V/75 W halogen lamp for brightest images. Equipped with a remarkable Isco Vario Kiptagon zoom lens,

### eaulieu 5008S Sound-on-Film Super-8 Movie Cameras



BEAULIEU 5008S

The Beaulieu sound-on-film "5008S" camera equipped with an Angenieux 6–80mm zoom lens, f1.2 ("XL" Existing Light Filming Capability)
. . . an unprecedented 13.3 to 1 zoom ratio!

1594.90

The Beaulieu sound-on-film "5008S camera equipped with the Beaulieu Optivaron 6-66mm zoom lens . an 11 to 1 zoom ratio!

1239.50

#### Beaulieu "5008MS" MULTISPEED Super-8 SOUND Camera with Beaulieu-Optivaron 6-70mm, f1.4 zoom lens 1439.50

Beaulieu\_"3008MS" MULTISPEED Super-8 SOUND Camera with Beaulieu-Optivaron 8-50mm zoom lens



#### Bolex 551-XL Macrozoom Sound Camera



For exciting sound movies even under the poorest l'ght.

5X power zoom lens with macro focusing • audio and picture fades • fully automatic exposure control • much more

339.50

BOOM MIKE.....39.90 DELUXE SOUND CASE ..........29.50

### Bolex 581 Macrozoom Sound



If you're looking for a super-8 sound camera with exceptional optics and features galore, it's time you looked into the Bolex 581 Macrozoom. It offers every feature that you'll ever need for truly professional sound movies from an 8X variable speed power zoom lens to a built-in action light which tells your sub-jects when to smile.

#### **Bolex 5120** Macrozoom



- Bolex F/1.8 macrozoom lens for filming as close as the front lens element
- Big 12X variable speed power zooming from 6mm extreme wide-angle to 72mm telephoto Built-in intervalometer, VU meter, action light, flash

synch contact and much more. 419.50

**BOLEX 5122** 471.95

#### Bolex 18-3 Duo



Compact, feature packed projector for all your 8mm movies.

- Bolex Hi-Fi 15mm-30mm F/1.3 zoom lens
- Still projection
- Automatic tape cassette operation



SOUND MOVIE CAMERAS

GAF°XL SUPER 8 SOUND

"AVAILABLE LIGHT SOUND MOVIE CAMERA



- Xytar lens f/1.1f=13mm
- Bright optical viewfinder
   Designed for today's high speed film
- speed film

  Automatic ASA speed range
  25-160

  Under exposure indicator, film movement indicator, and recording signal are visible in viewfinder
  Built-in battery tester
- Standard omnidirectional
- microphone included

   Automatic sound volume level control with manual high/low gain switch. Recharge socket, microphone jack, wrist strap included

#### **GAF'SOUND**

MOVIE CAMERA XL/2 AVAILABLE LIGHT 2X ZOOM



- Bright optical viewfinder.
- Designed for today's high speed films. Automatic ASA speed range 25-160, plus type G.
- Under exposure indicator, film movement and recording signal are visible in viewfinder.
- Built-in battery tester.Standard omnidirectional microphone included.
- Automatic sound volume level control with manual high/low gain switch and auxiliary battery pack socket

#### **GAF SS/805** Super 8 Sound Movie Camera

B-to-1 push-button power zoom

• Chinon Reflex Zoom lens fr1.7 1-7.5-60mm
• Thru-the-lens reflex viewing • Built-in Neutral Density
Filter for extreme high lighting conditions • Backlight
control • Designed for today's high speed film
• Automatic ASA speed range 25-160 • frstop value,
over-under exposure indicator, fade-in-fade-out mark,
film ending warning, film advance signal, and recording
signal are visible in viewfinder • Fade scenes in or out
electronically with GAF Electro-Fade • Variable speed
power zoom with manual control • Built-in battery testers • Remote control switch at microphone • Automatic
thru-the-lens CDS exposure control with manual overthru-the-lens CDS exposure control with manual over-ride • Automatic sound volume level control with man-ual high-low gain switch • Standard omni directional microphone included

249.90

### GAF SS 250 XL "Available Light" Zoom **Movie Camera**



SUPER 8 SOUND "AVAILABLE LIGHT"
ZOOM MOVIE CAMERA

AF SS/505 XL SYNCHRONIZED SOUND



312.50

GAF 505 XLM MACRO

#### **GAF SS/605 Super 8 Sound Movie** Camera

 Chinon Reflex Zoom lens f/1.7 f-8-48mm
 Thru-the-lens reflex viewing • Backlight control
 Designed for today's high speed film • Automatic ASA speed range 25-160. • Frstop value, over-under exposure indicator, film ending warning, film advance signal, and recording signal are visible in view fir 'ef • Power zoom with manual control • Built-in battery testers • Remote control switch at microphone • Automatic thru-the-lens CDS exposure control with manual override • Automatic sound volume level control with manual high-low gain switch • Standard omni directional microphone included: unidirectional microphone and boom microphone optional • Lens shade and sound monitormicrophone optional • Lens shade and sound monitor-ing ear plug included • Remote control and recharge sockets, microphone and monitor jacks





Minolta XL movie cameras

Minolta XL-225 Super-8 home movies don't have to look or sound homemade.

- f/1.2 powered Zoom Rokkor lens.
- Fully automatic exposure.
- Reflex viewing.Full-information viewfinder.
- · Many sound options, including

FM wireless mike kit.

171.90

Minolta XL-660

The Minolta XL-660 Super-8 sound system camera. It lets you be as creative with the sound as you are with the pictures.

- Fully automatic f/1.7 powered Zoom Rokkor lens with macro focusing.

- Reflex viewing, split-image rangefinder.

   Reflex viewing, split-image rangefinder.

   Auto fade of picture and sound.

   Many sound options, including FM wireless kit, attachment for mixing sound sources.

227.90



### Minolta XL-440 The Super-8 system with the super sound system.

- f/1.2 8.5-34mm powered Zoom Rokkor lens with macro focusing.

  Reflex viewing, split-image rangefinder.
- · Full-information viewfinder.
- Many sound options, including FM wire-

less kit and an attachment for mixing sound sources



COMPACTIBLE 2020 CAMER*A* 



- 2 element lens, f/9.5 31mm fixed
- Retractable camera body advances film and cocks shutter
- Comes with wrist strap
- Self locking cartridge door.
- · 2020 uses Flip flash

16.99

THE GAF® COMPACTIBLE TO 2020S POCKET CAMERA OUTFIT 35.90

The same beautiful little Compactible as the 2020 with something added....An electronic flash built right in. The GAF 2020S Compactible Outfit comes with camera, one roll of GAF Color Print Film, batteries for the flash and wrist strap. Order complete outfits or cameras alone.

Boom Mike . . . . 27.50

### Minolta **Sound 6000 Projector**

- Zoom lens for screen-filling



ACCESSORIES FOR MINOLTA SOUND CAMERAS & PROJECTORS

- oudder case

- Shoulder Case
  Directional boom mike
  Directional zoom mike
  FM-wireless receiver
  FM-wireless mike
  Auxiliary terminal attatcment
- Other accessories—microphone extension cord, external battery cord, cable release II and filters.

Canon PS-1000 CANOSOUND

229.50

31.50 36.50 51.75 55.50 16.90 6.90

The projector that thinks it's a studio.





Two-way Tone control for full-range

sound or low frequency filtering Fast, sharp Canon f/1.4 zoomlens with 5:1 zoom ratio

OUR ONE STOP SHOP FOR ... QUALITY AND HUGE SAVINGS

RETAIL STORE 67 West 47th STREET N.Y. 10036 (212) 260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212) 260-4410

# DA-LITE Projection

CLASSIC WALL SCREEN MATTE WHITE

Screens

Handsomely styled, economical and convenient to use, the Da-Lite Classic Wall and Ceiling projection screen dramatically highlights the projection area in any classroom, conference room, church room, training center, or family room.

SIZES:.... 40x40 inches 21.50 50x50 incehs 32.50 60x60 inches 46.50 70x70 inches 57.50

#### **DELUXE MODEL B WALL** SCREEN LENTICULAR

The Da-Lite Deluxe B with Automatic Tensionizer eliminates the battle with outmoded tension rods, cranks, and levers. With one continuous movement, the Deluxe Model B can be opened with one hand and its picture surface stretched and locked into position automatically.
With the Automatic Tensionizer the screen opens flat and stays perfectly flat and tuat.

SIZES:. 50x50 inches 47.90 60x60 inches 57.90 70x70 inches 69.50



#### VERSATOL MATTE WHITE TRIPOD SCREEN

The outstanding projection screen in the moderate price range is the newly designed De-Lite Versatol. Ruggedly constructed, it is housed in a handsome hexagon case

SIZES:.. 40x 40 inches 50x50 inches 60x60 inches finished in a high lustre gloss baked enamel with beautiful silver veiling.

33.90 38.90 55.90 70x70 inches

#### DA-LITE SILVER LENTICULAR TRIPOD SCREENS

Slides and movies come alive on Da-Lite's silver lenticular screens. The patenter silver surface increases brightness, saturates colors, and reveals the sharpest details in your pictures. Wide viewing angles and brilliant images, even in partially darkened rooms are possible with Da-Lite's silver lenticular screens.

SILVER PACER
A budget-priced screen offering quick and easy opening with Da-Lite's superior extension

une ac	tuator.		CODE NO.	
SILVER	PACER	40 x 40	 . 22152	31.90
SILVER	PACER	50 x 50	22154	



#### WONDER-LITE

Da-Lite's finest silver lenticular screen with 6 second automatic push-button opening. Speically designed and spaced vertical ribs control horizontal light reflections for consisent brightness and sharp detail at extremely wide angle

THE RESERVE THE PROPERTY OF THE PERSON NAMED IN			
WONDER-LITE	70 x 70 .	0221384	77.50
WONDER-LITE		0221368	67.50
WONDER-LITE	50 x 50 .	0221341	55.50
WONDER-LITE		0221325	46.50
WONDER-LITE	40 x 40	0221325	46.50

SILVER-LITE /

A moderately priced screen with deluxe features

· Six-second automatic push-button operation.

· Automatic leg lock.

CODE NO. .0221228 34.50 .0221244 43.50 SILVER-LITE 40 x 40 SILVER-LITE 50 x 50

#### 35mm SLR's 254.50

#### L-ES Bectronic W/C Single Lens Reflex Camera



L-CM Single Lens 139.95 **Reflex Camera** W/C



158.50

W/C

#### L-CS Single Lens **Reflex Camera**



GAF'L-ES/2 AUTOMATIC 35mm SINGLE LENS



324.50

- Fast f/1.4 55mm lens
- Center weighted averaging metering
- Multiple Exposure capability
- High speed focal plane
- Screw lens mount
- Battery tester & self times
- ASA range 25-3200

### COMPACT **SUPER 8**

MOVIE CAMERA 100A-102A (with zoom)



- 2 to 1 manual zoom on Model 102A
- f/1.8. 15mm lens on Model 100A • f/1.8, 12-24mm lens on Model
- Cds electric eye automatic

- Ost electric eye automatic exposure system
   Optical viewfinder
   Optical viewfinder
   Push button trigger with off, lock, run and continuous run positions
   Horizontal fooltage counter
   Firm effortless grip with removable elastic strap attaches to left or right
- · Protective glass enclosed lens

GAF ST/602

### 👊 Super 8 Movie Camera

6-to-1 push-button power zoom

Deluxe camera designed for the new high speed films...ASA speed range 16-250 • Fast 1/1.7 lens zooms from 8mm wide angle to 48mm telephoto at the push of a button • Automatic CdS electric eye with manual override for perfect exposure con-trol • Electro-Fade<sup>TM</sup> lets you fade scenes in or out electronically • Fast and slow motion • Thru-the-lens viewing • Built-in battery testers • Battery recharger included.



**GAF ST/802** 

### Super 8 Movie Camera

8-to-1 push-button power zoom

• Deluxe camera designed for the new high speed films...ASA speed range 16-250 • Fast f/1.7 lens zooms from 7.5mm wide angle to 80mm telephoto at the push of a button • Automatic CdS electric eye with manual override for perfect exposure control • Electro-Fade<sup>TM</sup> lets you fade scenes in or out electroically • Fast and slow motion • Thruthe-lens viewing • Built-in battery testers • Battery recharger included.



**GAF ST/1002** 

### <sup>991</sup> Super 8 Movie Camera

10-to-1 push button power zoom

Just push a button . . . and the fast 1/1.7 lens zooms from 6.5mm wide angle to a 65mm closeup • Push a button . . . and new GAF Electro-FadeTM lets you fade in or out of scenes electronically • Includes CdS automatic electric eye with manual override for complete exposure for moving making with low level illumination. Shoot settle for movie making with low level illumination. Shoot settle plant of the form of the for

**GAF ST/1000** 



#### and "Available Light" **Movie Camera**



#### **GAF XL 128** "Available Light" **Zoom Movie Camera**



GAF' XL 251 SUPER 8 AVAILABLE LIGHT MOVIE CAMERA



With a 2.5-1 power zoom and 230° shutter this beautiful movie camera will delight available light movie enthusiasts. Accepts film speeds. ASA 25.40.100.160 plus type G film. An impressively economical camera combined with impressive performance.

119.50



#### MACRO • 4 to 1 Power z

- · Reflex viewing behind lens
- CdS metering 1/1 2 lens Battery test light Remote control socket Single frame/ run/run-lock switch Pistol
- grip Lens cap-wrist strap One year warranty and its priced for the budget minded individual





### The slide projector with the camera-quality lens. The Minolta Autopak AF/2.

Get the most out of your slides with a Minolta Autopak AF/2 projector. Its precision-ground, optical glass Rokkor f/2.8 lens brings out the brightest colors and clearest, sharpest images possible. And it's loaded with all the features that make slide viewing fun and easy.

• Automatic focus
• Forward reverse remote control
• Single slide pop-up editor
• Takes 4 different slide handling systems showing up to 100 slides.

MINOLTA AUTOPAK AF/2

89.50

Trays . . . . . . . . . . 1.99



#### Put new life into your old slides with a Minolta Autopak AFT/2 slide projector

The Minolta Autopak AFT/2 The Minolta Autopak AFT/2 autofocus slide projector will bring out all the colors and detaits in your slides. Thanks to its precision, glass Rokkor lens. It's a fast f/2.8 and has the sused on Minolta cameras. The Autopak AFT/2 has every advanced feature to make slide showing as easy as possible.

- Automatic focus
   Remote forward/reverse
   Long life 500 watt quartz-iodine lamp
- Automatic slide changing
   Pop-up slide editor
   Uses four different slide handling systems

Retractable power cord MINOLTA AUTOPAK AFT/2



Kindermann 21/4 x 21/4" Slide Projector.



format slides, see

the Kindermann slide projector. Features precise push-pull slide changer, forward and reverse

- push button on and off controls
- separate dimmer switch for lamp
- all metal construction
- 250 watt quartz halogen lamp
- 150mm F/3.5 color corrected lens.

 Every slide individually refocused Built-in electronic timer changes slides automatically every 3 to 30 seconds

Contemporary silver-look in low profile design

Automatic, remote control or manual operation Slide protecting V-groove changer

· Glare-free slide pre-monitor

Only 119.90


Rollei P350


**Autofocus** 

• Encapsulated cooling
• High speed 85 MM f/2 8
interchangeable lens

Rollei **P350AF** 







Brilliant, Versatile, Quiet Quality Trays . . . . . . . . . 3.99

It's got everything: slide previewer, automatic focusing and built-in timer, remote control operation, Accepts standard straight trays for 36 or 50 slides. Add Rollei precision engineering and elegant, modern styling and you've got the finest slide projectors on the market.

Rollei's P350AF autofocus system automatically and instantly focuses slides in 2x2" mounts for exact sharpness, even when readymounts or plastic mounts are mixed. The Rollei P350AF offers the ultimate in precision projection per-

- · Built-in electronic timer changes slides every 4 to 60
- Brilliant projection
- Interchangeable lenses
- · Built-in sound synch jack
- V-groove changer to protect slides
- Compact silver-look design

107.50



Variable dissolve speeds

484.95





Rollei P350 A

- Automatic remote-control or manual all-in-one
- The look of silver in a compact. low-profile design
- V-groove changer protects slides
- Glare-free slide pre-monitor
- Super silent radial fan
- Interchangeable 85 MM f/2.8 lens

87.50



world's only 21/4 x 21/4 autofocus slide projector Trays......



KINDERMANN **AV-100 PROJECTORS** 

AV-100 Projector ..... 129.00 AV-Automatic Projector .. 209.00

AV-100 ACCESSORIES

Halogen Lamp . . . . . . . . . 8.00 Box of 2-36 slide trays . . . . 4.50 Box of 2-50 slide trays . . . . 6.50

Fade • Pan • Time Lapse **Multiple Disclosure** 

Variable dissolve for each scene

- Animation
- **Special Effects**
- Superimposition

Combined synchronizer and dissolve control Solid-state, integrated circuitry

Manual or tape recorded automatic dissolves One year warranty



Model 325 Image Blender Automatic/Manual Synchronizer and Dissolve Control

CALL OR WRITE FOR PRICE FOR PHONE ORDERS ONLY CALL TOLL FREE 800-223-5661 or 800-221-58



129.90

Tiffen AV-7300

/how/Corder

AV 7200

#### For synchronized sound slide shows.

\*Digital Counter tells you at what point you have concluded show \*Individual Channel Erase allows you to erase sound or signal from

tape seperately
\*Monitor Switch enables you to hear the music and sound from ex-\*ALC Switch enables you to regulate the recording level manually

\*Unique electronic signal keeps projector and Show/Corder in perfect synchronization

\*Full console control of slide projector from your Show/Corder

\*Completely portable;AC or battery operated \*Plays back all prerecorded cassettes

\*Patch cord permits direct recording from external sound sources
\*Output jack for external speaker

Kodak

pocket

Carousel

projector

Beautiful little

snapshots
• No settings

camera for taking big

aim and shoot

New flipflash with 8

Lowest-priced
 Kodak pocket camera

Electric eye and electronic shutter for

automatic exposure

automatic flashes

• Easy drop-in film

New flipflash with 8

automatic flashes

snapshots

control

loading

snapshots

. . just

Kodak puts it all

in your

pocket

(III)

KODAK TRIMLITE

INSTAMATIC®

18.50

INSTAMATIC®

39.95

INSTAMATIC®

38 Camera

KODAK TRIMLITE

28 Camera

KODAK TRIMLITE

18 Camera

300

RETAIL STORE 67 West 47th STREET N.Y. 10036 (212) 260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212)260-4410

# It's easy to be

.. with KODAK XL Movie Camera Outfits

- No need for movie lights
- f/1.2 KODAK EKTAR Lens
- Easy drop-in loading
- New exposure-meter lock on all zoom models
- Styled for easy holding

#### and KODAK MOVIEDECK® Projectors.

- · Accept super 8 and 8 mm films
- Easy to use
- Built-in viewing screen on 4 top models
- Automatic threading
- Instant rerun
- Fast, 9 mm f/1.2 KODAK EKTAR
- Electric eve sets exposure in

99.90



Same as above, plus: 0-element, 9-21 mm f/1.2 KODAK EKTAR Zoom Lens Coupled sports-type viewfinder for a

157.90



Same as above, plus



Same as above, plus:


Coupled rangefinder for fast, · Beautiful little camera for taking big accurate focusing 203.50 Electric eye and electron c shutter for

automatic exposure New flipflash with 8

automatic flashes
• Two-position focus for sharp close-ups

KODAK TRIMLITE. Coupled INSTAMATIC® 48 Camera

47.99



automatic flashes

• Electric eye and
electronic shutter for automatic exposure

control

• Kodak's finest TRIMLITE

TELE-INSTAMATIC 608 Camera



24.50

88.90

Two lenses: one for clear, crisp close-ups: one for normal distance

New flipflash with 8

automatic flashes

Easy, drop-in film

 Beautiful little camera for taking big snapshots

KODAK TELE-INSTAMATIC 708 Camera Outfit



68,95

• Plus multi-element f/5.6 lens Automatic exposure with electronically controlled shutter

Dual-magnification viewfinder
 Complete with film and flipflash

425

447

457

467

Budget-priced model
 Rapid reel-to-reel rewind

99.50 • Sharp, 22 mm // 1.8 lens • 50-watt, 30-volt ENZ lamp

Automatic rewind

Sharp, 22 mm f/1.8 lens

• 50-watt, 30-volt ENZ lamp 123.50

Automatic rewind Fast forward Fast, 22 mm f/1.5 lens 50-watt, 30-volt ENZ lamp

149.40

435

Automatic rewind Fast forward Fast, 22 mm f 1.5 lens 50-watt, 30-volt ENZ lamp

179.90

second forward and plus "still" Automatic rewind Fast forward

193.90

Nine projection selections (3, 6, 18, 54 frames per second forward and reverse

208.95

# FOR ZOOM ADD 17.50

# Everything You Need to Make **Color Sound Movies**

XL 352

XL 362

111

KODAK EKTASOUND 230 Sound Movie Camera

KODAK EKTASOUND 240 Sound Movie Camera

 easy-to-use on-camera microphone—no cords, no hasslel

new sound monitor for use before or during filming omnidirectional extension microphone

**KODAK EKTASOUND 250** 

**Movie Outfit** 

319.50

On-camera microphone
Power-zoom control
Automatic gain control (AGC)
Extension microphone with stand
Film, batteries and other accessor

KODAK EKTASOUND 260 Movie Outfit

Rangefinder focusing
On-camera microphone
Power-zoom control
Extension microphone with stand
Film, batteries and other accessories
included

342.50

KODAK EKTASOUND MOVIEDECK 265 Projector KODAK EKTASOUND MOVIEDECK 285 Projector

- · automatic threading and automatic rewind
- shows both super 8 and 8mm movies
- instant rerun feature

EKTASOUND 240

265 Movie Projector

· variable sound speed control

beautiful low-profile styling with wood-grained vinyl side panels
 208.95

**EKTASOUND MOVIE DECK 275:** 

Same as above plus Automatic Gain Control

261.50

#### KODAK CAROUSEL Slide Projectors


600H

• Dual-action "select" advance



86.99

650H



forward and reverse 109.50

750H



Remote focusing in same reverse change. Adjust focus at any time without going back

129.90

760H



Automatic focusing. Focus the first slide. 760H then automatically sharp-focuses all other slides in the same type of mount

149.99

#### Custom 840H



Custom styling dust cover hideaway carrying handle lens cover . . . attached

179.50

#### Custom 850H



forward and reverse Custom styling . . . deluxe features (same as Custom 840H and Custom 860H)

167.50

Custom 860H



Top-of-the-line model, with combined special conveniences and refinements of all other "H" models

FOR ZOOM ADD 19.95

214.95

### Accessories





CAROUSEL PROJECTOR CASE: CUSTOM H

KODAK CASE 24.75 No. B581C





EKTASOUND SPEAKER

19.50 EKTRON 2 ELECTRO-NIC FLASH UNIT

22.50

14.99

CAROUSEL STACK LOADER

FOR PHONE ORDERS ONLY CALL TOLL FREE 800-223-5661 or 800-221-5858

# Overhead Projectors and Accessories

80 STANDARD, 80-LC and 80-1000

The buhl 80 series offers 3 basic models to choose from — the Standard 80, the 80-LC (the unique projector that 80, the 80-LC (the unique projector that can't fail during a showing) and the 80-1000 (the brightest screen image produced by an overhead projector). All three units are available with 10", 12" or 14" lenses, buhl exclusive optical systems and a wide variety of accessories. Every buhl projector is thoroughly adjusted by childed techniques at the factory before the conskilled technicians at the factory before the one year protection guarantee is put into effect.

SPECIFICATIONS

Head Elevation: 30+ degrees

Projection Area: 10" x 10"

Electrical: 110/120 v, 50/60 Hz. or 220 v, 50 Hz. 3-wire heavy duty cord, cord storage compartment, safety interlock switch, automatic thermal Ian control switch, front mounted on/off switch, UL and CSA

Cooling: Fan operated cooling

Focus: Rack and pinion.
Height: To stage - 10° to top of head - 24° 2 adjustable legs for uneven surfaces

Width: (at rim of stage) - 13-3/8 Length: (at rim of stage) - 15-5/8

Weight: 21 lbs.

Finish: Scratch-resistant textured

Roll Attachment: Includes holes for roll attachment to run both vertically and horizontally.

Lens: Choices of (3.5 in 10°, 12°, 14°).

Lamps: Ouartz bromine halogen, 600 watts. 115-120 v. 60 Hz. 75 hours DYS for Models 80/10. 80/12 and 80/14 (Note: 2DYS lamps are needed for all 80-LC Models) BRH 1,000 w. for Models 80/10-1000. 80/12-1000 and 80/14-1000

CALL OR WRITE FOR PRICES

buhl overhead projectors give up to 18% bigger screen images than other comparable focal length overhead projectors.

and the state of the	80/10 - 10"	80/12 - 12"	80/14 - 14"
Distance	Focal Length	Focal Length	Focal Length
from	Size of	Size of	Size of
Screen	Screen Image	Screen Image	Screen Image
4 feet	50" x 50"	39" x 39"	-
5 feet	60" x 60"	49" x 49"	42" x 42"
6 feet	72" x 72"	58" x 58"	50" x 50"
7 feet	86" x 86"	68" x 68"	60" x 60"
8 feet	96" x 96"	78" x 78"	68" x 68"
9 feet	_	87" x 87"	76" x 76"
10 feet		98" x 98"	85" x 85"

#### Standard overhead projectors

CAT. NO.	DESCRIPTION
1A8010A11	Superwide
1A8012A11	Wide Angle
1A8014A11	Standard

#### Lamp Changer models

CAT. NO.	DESCRIPTION
1A8010C11	Superwide/Lamp Changer
1A8012C11	Wide Angle/Lamp Changer
1A8014C11	Standard/Lamp Changer

#### 1000 Watt models

CAT. NO.	DESCRIPTION
1A8010M11	Superwide/1000 Watt
1A8012M11	Wide Angle/1000 Watt
1A8014M11	Standard/1000 Watt



Supreme 600 - the finest classroom overhead available today. With exclusive buhl 600 hour lamp life system, you can save enough on lamp replacement to pay for this projector (other projectors, using the normal 75-hour bulb, would replace 8 bulbs before the bulb in the Supreme 600 and Supreme 600 would have to be replaced).

Supreme 600 EB

#### Supreme 600 Hour lamp models

T	CAT. NO.	DESCRIPTION
T	1B60010BB	Supreme 600/10" Lens
T	1B60012BB	Supreme 600/12" Lens
T	1B60014BB	Supreme 600/14" Lens

#### Supreme 300 Hour lamp models

CAT. NO.	DESCRIPTION					
1B60010EB	Supreme 600 EB/10" Lens					
1B60012EB	Supreme 600 EB/12" Lens					
1B60014EB	Supreme 600 EB/14" Lens					

CALL OR WRITE FOR PRICES

 Rear Screen Projectors and **Program Synchronizers** •

Viewa-buhl

T	CAT. NO.	DESCRIPTION
	1G616-100	Viewa-buhl



Slide Theatre Rear Screen Projection Case

CALL OR WRITE FOR PRICE

### **Opaque Projectors**

#### Mark IV Onaque Projectors

CAT. NO.	DESCRIPTION
1C4010C110	Mark IV with optical pointer and roll feed
1C4009C110	Mark IV with optical pointer, roll feed and pressure plate

1C4040C110 | Mark IV — Basic unit without optional attachments or optical pointer



Opaque Projector

#### CALL OR WRITE FOR PRICES

#### (OSP) Overhead Slide Projector

CAT. NO.	DESCRIPTION
1EOSP110	Projector with guide & stage
	glass assembly
2E132	3-1/4 x 4 & Polaroid Carrier
2E140	2 x 2 Carrier (35mm)
2E136	Aperture Card Attachment
2E150	Carrying Case
2E120	Dust Cover
2ALP-DYS	Lamp for OSP
-2E138	21/4 Reflex Slide Carrier



#### CALL OR WRITE FOR PRICES

Multi-Function Filmstrip/ Slide/Microfiche Projector

#### **Buhlite Projectors**

CAT. NO.	DESCRIPTION
1J150	Buhlite 150
	150 Watt Projector with Slide and
The second	Filmstrip Attachment Included
1 11000	I Bublish 200
1J300	Buhlite 300

Multi-Function Projector

CALL OR WRITE FOR PRICES

Filmstrip Attachment Included

FOR PHONE ORDERS ONLY CALL TOLL FREE 800-223-5661 or 800-221-5858

RETAIL STORE 67 West 47th STREET N.Y. 10036 (212) 260-4410 MAIL ORDER DIVISION 36 East 19th STREET N.Y. 10003 (212) 260-4410



Sawyer's Grand Prix 570AF

Slide Projector with Automatic Focus and Full Remote Control

- Automatic focus. You focus just 4" f/3.5 lens. the first slide, the rest are Self-containe focused automatically.
- Forward and reverse remote control.
- · Forward, reverse and focus controls at projector.

  • 500-watt projection lamp.

96.50

 Self-contained carrying case. Complete with spill-proof

Sawyer's 100-slide Rototrav®

 Elevation control Self-contained

carrying case.



Sawyer's Grand Prix 570M

Slide Projector

- Semi-automatic push-pull operation.

  • Complete with spill-proof
  Forward and reverse operation
  Sawyer's 100-slide
- 4" f/3.5 lens
- 500-watt projection lamp.

Sawyer's Grand Prix 570R

Slide Projector with Full Remote Control Forward and reverse remote control.

- Slide advance, focus and reverse control on remote cord and at projector.
- 500-watt projection lamp. 4" f/3.5 lens.
- Elevation control. Self-contained
- carrying case.
  Complete with spill-proof
  Sawyer's 100-slide

Rototray® 70 RI: Same as Above; 50-60 Cycle

89.50



Model 727AQ

- Automatic Focus.
- Remote control operation.
- · Pop-up Editor
- 500 Watt Quartz Halogen Lamp. 4" f/3.5 lens.
- 100 slide Rototray slide tray





Model 747AQ

4" f/2.8 lens.

- Automatic Focus.
- · Auto Timer.
- Automatic Cord Reel.
  Remote Control Operation.
- Lighted control panel.
   Room-light outlet.
- Pop-up Editor.
   Title Viewer.
- 500-watt Quartz Halogen Lamp.
  100 slide Rototray slide tray.

SAWYER'S 700AI

- Automatic Focus
   Auto Timer
   Remote control operation.
   4" 1/3.5 lens.

117.50





GAF 2890 (ABOVE) 99.70

- Automatic locusing
  Full remote control.
  Sharp 4" 17.5 projection
  Sharp 4" 17.5 projection
  Powerful blower-cooled
  projection lamp for
  projection lamp lamp
  projection
  Transparent lens protecprojection place during
  projection
- or stays in place during projection.

  Complete with self-contained carrying case and GAF 2680 77.90

  Full remote control.

  Sharp 4" 1/3.5 projection lens
  Powerful blower-cooled projection lamy.

  Convenient pop-up editor

  Transparent lens protector

GAF 2720 (ABOVE)

**GAF 2710** 

Automatic focusing • Full remote control • Forward and reverse cycle controls on remote cord, focusing at projector • Sharp 5 \* 1/2.8 projection lens • Automatic cord reel coils neatly inside projector case • Room light outlet synchronizes room lamp with projector or/off switch • DAT Lamp gives clearer. brighter pictures, blower-cooled • Infinite step automatic slide changing timer with control convenience of the convenient of the convenien

123.50



132.95

DAT Lamp f/2600 Projector Series.....

ACCESSORIES FOR GAF

Easy-Edit Slide Tray...... 1.60 Stack Loader...... 5.99

GAF Rototray Slide Tray..2.99

SLIDE PROJECTORS

Series 4"-6" f/3.5

GAF's 2100R new Slide Projector is a dream. The combination of features and price make this projector a sensa-tional value. 2100R is a high quality remote control projector with the quietness of the Hush-A-Matic® projec-tors. It is sleekly styled and features a 4 inch f/3.5 lens. comes complete with a 100-slide Rototray." The GAF 2100R slide projector... A top value buy

- Remote control switch
- 100-slide tray Rototray
  Quality 4 inch f/3.5 len

SUPER 8 SOUND (ABOVE)
MOVE PROJECTOR
4 AF 2009:
1 49-50
1 Super 8 or Single 8, sound or silent
Plant 9 or Single 9, sound or silent
Automatic Fain Treading
I Super Bright-DNE 150-watt lamp for
brighter petities
I Extra sharp 15-25 mm W1.3 200m lens

5.25



2688Z.

New ultra-sharp I/1.4 precision zoom lens fills your sci with bigger, clearer pictures \* Forward, reverse, fast ward, slow motion operation /lbs new Stoph Glow\*lets you stop the action and "freeze" on a subject \* Bring long lasting quartz halogen famp \* Automatic film thre ing and automatic rewinding \* Shows both Super 8 . Regular 8mm movies \* Complete with self-contained cast ing case and 400 reel

25887 89.50 Movie Projector


New ultra-sharp I/1.4 precision zoom lens fills your a with bigger, clearer pictures - Forward, reverse, fast for a with bigger, clearer pictures - Forward, reverse, fast for action and "freeze" on a subject - Automatic lifts thread automatic rewinding - Shows both Super 8 and Re Rmm movies - Complete with self-contained carrying and 400 real.


23887 66.90 Dual 8 Zoom Projector


Automatic threading • Sharp f/1.5 zoom lens
 Shows both Super 8 and Reg. 8mm movies
 Self-contained carry case and 400 reel •



Great new way to show and store slides. Slide Cube cartridge holds 40 slides, loads in seconds. Store 16 cartridges (640 slides) in the same space as one bulky round tray. About ½ the cost of other systems.








	ACCESSORIES		Top Cover	Accessory Only	Smoked Acrylic	Smoked Acrylic	Smoked Acrylic	Smoked Acrylic
		7.05	Handle Position	None	On Top	On Top	Folding. On Front	Folding. C
	Library Cube Pack		Type of Styling	Rosewood-Grain and Black	Rosewood-Grain and Black	Rosewood-Grain and Black		Rosewood and Silver
	ELH Quartz Lamp	10.99	Power. Requirements	110/120-Volts 60 Hz AC	110/120-Volts 60 Hz AC	110/120-Volts 50 or 60 Hz AC	110/120-Volts 60 Hz AC	110/120-V
S	2½" Lens	15.50		64.95	89.90	99.00	99.50	109. For F2.
	4" f `Lens	24.50			FOR	FLUV	TOD	add 1
	3" f/3.5 Lens						E TOP	Market Charles
	FOR PHONE ORDERS ONLY	CALL	TOLL FR	EE 800-	223 566	1 or 800-	221-585	8





FEATURE	984A	987A	987H	909A	991A	991H	991Z
Projection Lens	4-1/3.5	4-1/3.5	4-1/3.5	4" 1/3.5	4* 1/3.5	4" 1/3 5	3% 10 4% 1/3.5 ZOOM
Type of Focusing	Manual	Manual	Manual	Remote	Automatic Electronic	Automatic Electronic	Automatic Electronic
Type of Operation	Control Panel	Remote Control	Remote Control	Remote Control	Remote Control	Remote Control	Remote Control
Power Switch	2-Way	3-Way	3-Way	3-Way	3-Way	3-Way	3-Way
Top Cover	Accessory Only	Smoked Acrylic	Smoked Acrylic	Smoked Acrylic	Smoked Acrylic	Smoked Acrylic	Smoked Acrylic
Handle Position	None	On Top	On Top	Folding, On Front	Folding, On Front	Folding, On Front	Folding, On Front
Type of Styling	Rosewood-Grain and Black	Rosewood-Grain and Black	Rosewood-Grain and Black	Rosewood-Grain and Silver	Rosewood-Grain and Silver	Rosewood-Grain and Silver	Rosewood-Grain and Silver
Power. Requirements	110/120-Volts 60 Hz AC	110/120-Volts 60 Hz AC	110/120-Volts 50 or 60 Hz AC	110/120-Volts 60 Hz AC	110/120-Volts 60 Hz AC	110/120-Volts 50 or 60 Hz AC	110/120-Volts 60 Hz AC

64.95 89.90 99.00 99.50 109.50 134.50 129.90 FOR DELUXE TOP ADD 13.00

#### 11.75 Pana-Vue **Automatic Viewer**

The most convenient way to view a stack of slides. •View up to 36 stacked slides •Easy push-pull operation •Each slide automatically iti •Brilliant 4X magnification •Big 2°± x2°± screen •Powered by two "D" size batteries (not included) or household current with optional GAF Transformer



#### gaf Pana-Vue 1 Viewer 7.99



#### gof Pana-Vue 2 4.24 Viewer

•Compact viewer with folding stand for tabletop or hand use Viewing area 17e X17e •Brilliant 2X magnification •Powered by two "AA" size batteries (not included) or household current with optional GAF



### AGFASCOP 20 24.99

Table model viewer for slides in standard 2"x2" cardboard, glass or plastic mounts Slides are placed on one side, viewed and restacked in the same order on the opposite side. Image magnification is 4x. Features a removable panel for cleaning. Excellent for slide editing. 110 volt AC.

#### VIEWER TRANSFORMER

Lights all Airequipt Viewers above by house cur-rent. 9 foot cord plugs into any standard 105-120 volt 50:60 cycle A.C. wall outlet. Batteries need not be removed from viewer when Transformer is used. 4.15

#### **DUAL 8 EDIVIEWER**

BIG BRIGHT SCREEN
12 square inch picture area VIEWING SCREEN
Permits brilliant corner-to-corner illumination SUPERIOR OPTICAL SYSTEM Projects a clearer, Sharper
PRISMATIC-TYPE SHUTTER
Clearers viewing of your film Allows flickerless viewing of your HEAT ABSORBING FILTER
Protects film from overheating

FOCUSING CONTROL
Adjusts focusing for critical sharpness & perfect viewing

FILM EDITING NOTCHER ed for easier editing 400 FT. REEL CAPACITY



21.50

#### BAIA INSTAVIEW 120-DUAL 8 MOVIE EDITOR

MOTORIZED FILM TRANSPORT SYSTEM

UNIQUE SINGLE KNOB CONTROL

A single, graduated, positive stop knob on the right hand rewind of the editor controls film direction and speed

PRISMATIC-TYPE SHUTTER
Allows flickerless viewing of your film HEAT ABSORBING FILTER
Protects film from overheating
FOCUSING & FRAMING CONTROL
Adjusts for critical sharpness & perfect viewing HEAT ABSORBING FILTER FILM EDITING NOTCHER

Marks frame being viewed for easier editing

#### BAIA INSTAVIEW 270-DUAL 8 MOVIE EDITOR

- Extra Large 27" Sq. Fresnel Screen
- Motorized Film Transport
- Unique Single Knob Control
- Rapid Change-Over Dual Film Track
- On/Off Lamp Switch
- Dual Format Reel Holdres
- Prismatic Type Shutter
- Heat Absorbing Filter
- Focus and Frame Control • 400ft. Reel capacity
- Foldaway Rewind Arms

36.95

G-2002 Super-8 49.90 Editor/Viewer

- Unique slip-in loading system lets you slide the film in and out of the film gate without cumbersome threading.
- Valuable films are protected by Goko's non-
- valuable limits are protected by Goko's infor-scratch system. Large color-corrected fresnel screens, maximum brightness for easier editing. Accepts Sound Editor, Frame Counter and
- Geared advance and rewind, with film brake.





SMITH-VICTOR SMITH VICTOR SLIDE FILES

MODEL SF1 2"x2" SLIDE FILE

This individual slide file holds 150 glass slides and up to 450 cardboard mounts. Di-vider is molded of high impact polystyrene, numbered for polystyrene, numbered for easy filing. Steel case is fin-nished in two-tone baked

4.99

MODEL SF2 GROUP SLIDE FILE Same overall dimensions as the SF1 except is designed for group thing of slides.

4.99

MODEL SS41 SLIDE SORTER

ALL METAL BODY


11.95 Holds up to 40 2 x 2 slides. Brilliantly illuminated hinged viewing screen. Uses 60 watt lamp for 50% brighter viewing. Folds compactly without removing lamp. UL and CSA listed. Complete with electric cord and socket for 110-120 volt AC-DC. Uses any 60 watt lamp, not supplied.

SMITH VICTOR SORTERS

MODEL SS1 SLIDE SORTER

Holds 21 Slides. Hinged viewing screen folds into compact enameled steel carrying case. 5-section group slide holder fits into the case for storage. Measures only 2"x7"x14½". UL and CSA listed. Complete with electric cord, socket and 40-watt lamp, 110-120 AC-DC.

8.49



LOGAN SLIDE FILES & SORTERS

# MOVIELITES

FOR SUPER 8 MOVIE CAMERAS

QUARTZ LIGHT

Madel S-650 with a good even illumination for the very best indoor movies with the maximum ease of use. Fits most Super 8 Movie Cameras. Weight approximately 14 oz.

Model S-100 is for existing light model 5-100 is for existing light cameras to improve unbalanced and poorly lighted interiors. Has a 100 watt BDK lamp for type A film. Complete with light guard and 3 brackets to fit most Super 8 movie cameras



TOP MOUNT

MOVIELITES FIT ALL SUPER 8 CAMERAS

No. 709G QUARTZ

Same general specifications as counterpart Model 709. Includes 650W DVY lamp. Housing tilts back 45 for bounce illumination. Fractures protective, barrel-type wire guard preventing direct contact of fingers or materials with hot lamp. As with Model 709, this unit is not recommended for use with 160 fast film to prevent overexposure.

15.75



800XL MOVIELITE

No. 800XL MOVIELITE FOR XL-TYPE CAMERAS
Fits the palm of hand. This compact unit is designed for XL cameras using ASA 160 fast film. The small 100W. lamp provides 2000 lumens of "fill-in" illumination to supplement available light to provide better color balance and brighter pictures. No heat—no glare with this lamp. The non-breakable metal housing with rectilinear reflector produces wide, even better cattern of light. am pattern of light.

13.50



## 215 2x2 "GROUP" SLIDE

■ Holds 300 mounted or 900 4.99 cardboard slides.

200 2x2 "GROUP" SLIDE FILE

■ Holds 300 mounted or 750 cardboard slides.

■ All metal with hinged cover 5.70

#### # 1050 SLIDE SORTER MAGNA-VIEW

- Viewing panel accepts 40 slides, baked enamel finish
  All metal fold away feature; piano hinged construction
  Has on-off switch and 6' cord
  Has 3" movable magnifying lens
  11.99

#### # 1055 SLIDE SORTER

- Viewing panel accepts 40 slides Baked Enamel Finish
  All metal fold away feature: Piano hinged construction
  Has on-off switch and 6 ft cord

KENCO SLIDE FILES & SORTERS

#### INDIVIDUAL FILE

Capacity up to 300 cardboard mounts or 150 glass or metal mounts. Complete with Index-

ing File System.

GROUP FILE


3.99 Capacity up to 750 cardboard mounts or 300 glass or metal mounts. Complete with 24 individual dividers and Indexing File System

SORTER Holds 42 2x2 color slides; uses up to 75 watts of light; metal construction (except front panel); square viewing panel; folds flat for storage; built-in on/off switch; U.L. and C.S.A. listed.

#### HARWOOD No. SE-1 **80 CAPACITY SLIDE EDITOR**

- Precision engineered viewer panel holds slides up-right in "Grip Tite" Track preventing slides falling from viewing area 80 slide capacity. Largest capacity editor of its kind. Bright, uniform illumination from two household 75 Watt Lamps (not included). Professional way to edit slides.

Wood Grain Finish Metal Cabinet hinged to fold flat for compact storage in sturdy carton. Convenient ON-OFF Switch; heavy duty line cord. Only frack Track



#### BRUMBERGER

Portable all-steel files for positive protection and handy, orderly filing of valued slides. Provided with index card and numbered strips for instant accurate identification and selection. Spot-welded sturdy construction, attractively finished in platinum gray enamel. Sturdy metal handle and snap catches.

**PERFECTO** Dual 8 Sound Striper

2x2, Individual for 50 glass (No. 1050) 3.49 Individual for 150 glass (No. 1150) 4.99 Group for 330 glass (No. 1149) 5.49

for both Super 8 & Standard 8mm Movies

It's easy to add sound to your silent home movies.

PERFECTO Dual 8 Sound Striper is a completely motorized unit that applies permanent magnetic sound track to silent Super 8 or 8mm movie film.

You can enjoy putting hi fi, lifetime sound to all your home movies — old or new—as PERFECTO Dual 8 Sound Striper adds. in just one simple operation, a specially formulated magnetic oxide recording stripe to any processed Super 8 or 8mm film. Your film is instantly ready for recording and projection through any standard magnetic sound projector. Whether you are a casual amateur or a dedicated professional, you will be delighted with the quick and easy operation of the PERFECTO Dual 8 Sound Striper as well as by its results and its almost incredible economy.

FREE: Permanent cartridge for applying oxide and 1000 ft. supply of striping oxide included.

Extra oxide for 1000 ft. 3.90